

# Appendix

## Contents

### **Appendix A. Methods**

Search Strategies

Inclusion and Exclusion Criteria

Table A-1. PICOTS and corresponding inclusion and exclusion criteria

Table A-2. Included clinical preventive services - United States Preventive Services Task Force A & B recommendations<sup>1</sup>

Risk of Bias (Quality) Assessment of Individual Studies

Risk of Bias Criteria for Randomized Controlled Trials<sup>2</sup>

Risk of Bias Criteria for Nonrandomized Intervention Studies<sup>3</sup>

Quality Assessment Criteria for Qualitative Studies<sup>4</sup>

Quality Assessment Criteria for Surveys<sup>5</sup>

### **Appendix B. Literature Flow Diagram**

### **Appendix C. List of Included Studies**

### **Appendix D. Excluded Studies List**

Table D-1. Exclusion codes

### **Appendix E. Evidence Tables**

### **Appendix F. Risk of Bias Tables**

### **Appendix G. Summary Barriers and Facilitators of Studies Included for Key Question 1**

Table G-1. Catalog of barriers and facilitators by clinical preventive service and type of disability

### **Appendix H. Appendix References**

# Appendix A. Methods

## Search Strategies

### Database: Ovid® MEDLINE

- 1 exp Disabled Persons/
- 2 (disabled or disabling or disability or disabilities).tw.
- 3 ("functional limitation\*" or "activity limitation\*" or "mobility impairment\*" or "participation limitation\*").tw.
- 4 "Activities of Daily Living"/
- 5 "activities of daily living".tw.
- 6 Mobility Limitation/
- 7 "mobility limitation\*".tw.
- 8 Dependent Ambulation/
- 9 "dependent ambulation".tw.
- 10 Paraplegia/ or Quadriplegia/
- 11 (paraplegi\* or quadriplegi\* or amputee\*).tw.
- 12 exp Self-help Devices/
- 13 "assistive technology".tw.
- 14 ((wheelchair\* or cane or walker or scooter or "mobility device") adj2 user\*).tw.
- 15 Motor Disorders/
- 16 "motor disorder\*".tw.
- 17 Motor Skills Disorders/
- 18 "motor skills disorder\*".tw.
- 19 Hearing Loss/ or Deafness/
- 20 ("hearing loss" or deaf\*).tw.
- 21 Blindness/ or Vision, Low/
- 22 blindness.tw.
- 23 Vision Disorders/
- 24 "vision disorder\*".tw.
- 25 ("hearing impaired person" or "hearing impaired people" or "person with hearing impairment" or "people with hearing impairment").tw.
- 26 ("visually impaired person\*" or "visually impaired people" or "person with vision impairment" or "people with vision impairment").tw.
- 27 exp Schizophrenia/
- 28 schizophrenia.tw.
- 29 exp "Bipolar and Related Disorders"/
- 30 "bipolar disorder\*".tw.
- 31 Depressive Disorder, Major/
- 32 "major depressive disorder\*".tw.
- 33 exp Anxiety Disorders/
- 34 "anxiety disorder\*".tw.
- 35 ("mentally ill person\*" or "mentally ill people" or "person with mental illness" or "people with mental illness").tw.
- 36 ("mental health disabilit\*" or "mental health impairment").tw.

37 Developmental Disabilities/  
 38 ("developmental disabilit\*" or "developmentally disabled").tw.  
 39 exp Intellectual Disability/  
 40 ("intellectual disabilit\*" or "intellectually disabled").tw.  
 41 exp Child Development Disorders, Pervasive/  
 42 (autism or autistic or neurodivergen\*).tw.  
 43 exp Cognition Disorders/  
 44 ("cognitive disorder\*" or "cognitive impairment").tw.  
 45 Neurocognitive Disorders/ or exp Dementia/  
 46 (neurocognitive disorder\* or dementia).tw.  
 47 Attention Deficit Disorder with Hyperactivity/  
 48 (attention deficit hyperactivity disorder or ADHD).tw.  
 49 exp Communication Disorders/  
 50 (communication disorder\* or language disorder\* or speech disorder\* or dyslexia or aphasia  
 or "learning disabilit\*").tw.  
 51 or/1-50  
 52 Primary Prevention/  
 53 Preventive Medicine/  
 54 Preventive Health Services/  
 55 Guideline Adherence/  
 56 Mass Screening/  
 57 ((prevent or preventive or prevention) adj5 (service\* or care)).tw.  
 58 screening guideline\*.tw.  
 59 or/52-58  
 60 51 and 59  
 61 Healthcare Disparities/  
 62 Health Services Accessibility/  
 63 prevent\*.tw.  
 64 51 and (61 or 62) and 63  
 65 60 or 64  
 66 (breast or mammogra\*).mp.  
 67 ((cervical adj3 cancer) or (((pap or papanicolaou) adj2 test\*) or smear)).mp.  
 68 (((colorectal or colon or colonic or rectal or rectum or rectosigmoid or adenomat\*) adj3  
 (cancer\* or carcinoma\* or adenocarcinoma\* or malignan\* or tumor\* or tumour\* or neoplas\* or  
 polyp\*)) or colonoscop\* or colonograph\*).mp.  
 69 (depression or depressive or depressed or suicid\* or anxiet\* or anxious).mp.  
 70 (hypertension or hypertensive or "blood pressure" or SBP or DBP).mp.  
 71 (diabet\* or prediabet\* or pre-diabet\* or "impaired glucose tolerance" or "impaired fasting  
 glucose" or "glucose intolerance").mp.  
 72 (tobacco or nicotine or smoking or smoker\* or cigar\* or vape or vaping).mp.  
 73 (obes\* or overweight or weight or "body fat" or adipos\*).mp.  
 74 ("human immunodeficiency virus" or "HIV").mp.  
 75 ("intimate partner violence" or "elder abuse" or "spouse abuse" or "battered women" or  
 "domestic violence" or ((abuse or abusive or violence or violent or assault) adj3 (partner or  
 spouse or husband or wife))).mp.  
 76 ((osteoporosis or osteoporotic or bone density) and fracture\*).mp.

- 77 exp Substance-Related Disorders/  
78 ((alcohol or drug or drugs or substance\* or opioid\* or opiate\* or amphetamine\* or amfetamine\* or benzodiazepine\* or morphine or methadone or prescription\* or phencyclidine\* or solvent\* or inhalant\* or barbiturate\* or depressant\* or sedative\* or stimulant\* or ritalin or adderall or methylphenidate or fentanyl or oxycodone or hydrocodone or marijuana or cannabis or cannabinoid or cocaine or methamphetamine or psilocybin) adj3 (addict or addiction or abuse or abusing or abusive or misuse or mis-use or misusing or mis-using or illicit or illegal or unlawful or unsanction\* or habit\* or dependen\* or disorder or disorders or consumption or diversion)).tw.  
79 (breastfeed\* or breastfed or "breast feed\*" or "breast fed" or lactation).mp.  
80 "accidental falls".sh. or (fall or falls or faller\* or falling).tw.  
81 ((pregnant or pregnancy or antenatal or ante-natal or prenatal or pre-natal or perinatal or peri-natal or postnatal or post-natal or antepartum or ante-partum or peripartum or peri-partum or postpartum or post-partum or maternal or puerperal) adj3 (depression or depressive or depressed or dysthym\* or anxious or anxiety)).mp.  
82 (diet or dietary or exercise or healthy or weight reduction or physical fitness or active or activity or train or training).mp.  
83 exp Exercise/  
84 Physical Conditioning, Animal/  
85 83 not 84  
86 (sexually transmitted or sti\* or std\* or chlamydia or gonorrh\* or syphilis or papilloma\$ or hpv or trichomonas or trichomoniasis or hepatitis or herpes or warts).mp.  
87 or/66-82  
88 or/85-87  
89 51 and 65 and 88  
90 limit 89 to english language  
91 limit 90 to yr="1990 -Current"

### **Database: Ovid® Cochrane Central Register of Controlled Trials**

- 1 exp Disabled Persons/  
2 (disabled or disabling or disability or disabilities).tw.  
3 ("functional limitation\*" or "activity limitation\*" or "mobility impairment\*" or "participation limitation\*").tw.  
4 "Activities of Daily Living"/  
5 "activities of daily living".tw.  
6 Mobility Limitation/  
7 "mobility limitation\*".tw.  
8 Dependent Ambulation/  
9 "dependent ambulation".tw.  
10 Paraplegia/ or Quadriplegia/  
11 (paraplegi\* or quadriplegi\* or amputee\*).tw.  
12 exp Self-help Devices/  
13 "assistive technology".tw.  
14 ((wheelchair\* or cane or walker or scooter or "mobility device") adj2 user\*).tw.  
15 Motor Disorders/  
16 "motor disorder\*".tw.

17 Motor Skills Disorders/  
18 "motor skills disorder\*".tw.  
19 Hearing Loss/ or Deafness/  
20 ("hearing loss" or deaf\*).tw.  
21 Blindness/ or Vision, Low/  
22 blindness.tw.  
23 Vision Disorders/  
24 "vision disorder\*".tw.  
25 ("hearing impaired person" or "hearing impaired people" or "person with hearing impairment" or "people with hearing impairment").tw.  
26 ("visually impaired person\*" or "visually impaired people" or "person with vision impairment" or "people with vision impairment").tw.  
27 exp Schizophrenia/  
28 schizophrenia.tw.  
29 exp "Bipolar and Related Disorders"/  
30 "bipolar disorder\*".tw.  
31 Depressive Disorder, Major/  
32 "major depressive disorder\*".tw.  
33 exp Anxiety Disorders/  
34 "anxiety disorder\*".tw.  
35 ("mentally ill person\*" or "mentally ill people" or "person with mental illness" or "people with mental illness").tw.  
36 ("mental health disabilit\*" or "mental health impairment").tw.  
37 Developmental Disabilities/  
38 ("developmental disabilit\*" or "developmentally disabled").tw.  
39 exp Intellectual Disability/  
40 ("intellectual disabilit\*" or "intellectually disabled").tw.  
41 exp Child Development Disorders, Pervasive/  
42 (autism or autistic or neurodivergen\*).tw.  
43 exp Cognition Disorders/  
44 ("cognitive disorder\*" or "cognitive impairment").tw.  
45 Neurocognitive Disorders/ or exp Dementia/  
46 (neurocognitive disorder\* or dementia).tw.  
47 Attention Deficit Disorder with Hyperactivity/  
48 (attention deficit hyperactivity disorder or ADHD).tw.  
49 exp Communication Disorders/  
50 (communication disorder\* or language disorder\* or speech disorder\* or dyslexia or aphasia or "learning disabilit\*").tw.  
51 or/1-50  
52 Primary Prevention/  
53 Preventive Medicine/  
54 Preventive Health Services/  
55 Guideline Adherence/  
56 Mass Screening/  
57 ((prevent or preventive or prevention) adj5 (service\* or care)).tw.  
58 screening guideline\*.tw.

59 or/52-58  
60 51 and 59  
61 Healthcare Disparities/  
62 Health Services Accessibility/  
63 prevent\*.tw.  
64 51 and (61 or 62) and 63  
65 60 or 64  
66 (breast or mammogra\*).mp.  
67 ((cervical adj3 cancer) or (((pap or papanicolaou) adj2 test\*) or smear)).mp.  
68 (((colorectal or colon or colonic or rectal or rectum or rectosigmoid or adenomat\*) adj3 (cancer\* or carcinoma\* or adenocarcinoma\* or malignan\* or tumor\* or tumour\* or neoplas\* or polyp\*)) or colonoscop\* or colonograph\*).mp.  
69 (depression or depressive or depressed or suicid\* or anxiet\* or anxious).mp.  
70 (hypertension or hypertensive or "blood pressure" or SBP or DBP).mp.  
71 (diabet\* or prediabet\* or pre-diabet\* or "impaired glucose tolerance" or "impaired fasting glucose" or "glucose intolerance").mp.  
72 (tobacco or nicotine or smoking or smoker\* or cigar\* or vape or vaping).mp.  
73 (obes\* or overweight or weight or "body fat" or adipos\*).mp.  
74 ("human immunodeficiency virus" or "HIV").mp.  
75 ("intimate partner violence" or "elder abuse" or "spouse abuse" or "battered women" or "domestic violence" or ((abuse or abusive or violence or violent or assault) adj3 (partner or spouse or husband or wife))).mp.  
76 ((osteoporosis or osteoporotic or bone density) and fracture\*).mp.  
77 exp Substance-Related Disorders/  
78 ((alcohol or drug or drugs or substance\* or opioid\* or opiate\* or amphetamine\* or amfetamine\* or benzodiazepine\* or morphine or methadone or prescription\* or phencyclidine\* or solvent\* or inhalant\* or barbiturate\* or depressant\* or sedative\* or stimulant\* or ritalin or adderall or methylphenidate or fentanyl or oxycodone or hydrocodone or marijuana or cannabis or cannabinoid or cocaine or methamphetamine or psilocybin) adj3 (addict or addiction or abuse or abusing or abusive or misuse or mis-use or misusing or mis-using or illicit or illegal or unlawful or unsanction\* or habit\* or dependen\* or disorder or disorders or consumption or diversion)).tw.  
79 (breastfeed\* or breastfed or "breast feed\*" or "breast fed" or lactation).mp.  
80 "accidental falls".sh. or (fall or falls or faller\* or falling).tw.  
81 ((pregnant or pregnancy or antenatal or ante-natal or prenatal or pre-natal or perinatal or peri-natal or postnatal or post-natal or antepartum or ante-partum or peripartum or peri-partum or postpartum or post-partum or maternal or puerperal) adj3 (depression or depressive or depressed or dysthym\* or anxious or anxiety)).mp.  
82 (diet or dietary or exercise or healthy or weight reduction or physical fitness or active or activity or train or training).mp.  
83 exp Exercise/  
84 Physical Conditioning, Animal/  
85 83 not 84  
86 (sexually transmitted or sti\* or std\* or chlamydia or gonorrh\* or syphilis or papilloma\$ or hpv or trichomonas or trichomoniasis or hepatitis or herpes or warts).mp.  
87 or/66-82

- 88 or/85-87
- 89 51 and 65 and 88
- 90 limit 89 to english language
- 91 limit 90 to yr="1990 -Current"
- 92 ("trial registry record" or "clinical trial protocol" or "book or thesis").pt.
- 93 91 not 92

**Database: Ovid APA PsycInfo**

- 1 exp Disabilities/
- 2 exp Disability Management/
- 3 (disabled or disabling or disability or disabilities).tw.
- 4 ("functional limitation\*" or "activity limitation\*" or "mobility impairment\*" or "participation limitation\*").tw.
- 5 "Activities of Daily Living"/
- 6 "activities of daily living".tw.
- 7 Physical Mobility/
- 8 "mobility limitation\*".tw.
- 9 Mobility Aids/
- 10 Assistive Technology/
- 11 "assistive technology".tw.
- 12 ((wheelchair\* or cane or walker or scooter or "mobility device") adj2 user\*).tw.
- 13 "dependent ambulation".tw.
- 14 Paraplegia/
- 15 Quadriplegia/
- 16 (paraplegi\* or quadriplegi\* or amputee\*).tw.
- 17 exp Movement Disorders/
- 18 ((motor or movement) adj2 disorder\*).tw.
- 19 exp Hearing Loss/
- 20 ("hearing loss" or deaf\*).tw.
- 21 exp Blindness/ or Low Vision/
- 22 blindness.tw.
- 23 Vision Disorders/
- 24 "vision disorder\*".tw.
- 25 ("hearing impaired person" or "hearing impaired people" or "person with hearing impairment" or "people with hearing impairment").tw.
- 26 ("visually impaired person\*" or "visually impaired people" or "person with vision impairment" or "people with vision impairment").tw.
- 27 Schizophrenia/
- 28 schizophrenia.tw.
- 29 Bipolar Disorder/
- 30 (bipolar adj2 disorder).tw.
- 31 Major Depression/
- 32 (major adj2 depress\*).tw.
- 33 exp anxiety disorders/
- 34 "anxiety disorder\*".tw.

35 ("mentally ill person\*" or "mentally ill people" or "person with mental illness" or "people with mental illness").tw.

36 "mental health impairment".tw.

37 exp Developmental Disabilities/

38 exp Intellectual Development Disorder/

39 exp Autism Spectrum Disorders/

40 (autism or autistic or neurodivergen\*).tw.

41 Neurocognitive Disorders/

42 exp Cognitive Impairment/

43 ("cognitive disorder\*" or "cognitive impairment").tw.

44 (neurocognitive disorder\* or dementia).tw.

45 exp attention deficit disorder/

46 (attention deficit hyperactivity disorder or ADHD).tw.

47 Neurodevelopmental Disorders/ or exp Communication Disorders/

48 (communication disorder\* or language disorder\* or speech disorder\* or dyslexia or aphasia or "learning disabilit\*").tw.

49 or/1-48

50 Preventive Health Services/

51 Treatment Guidelines/

52 exp Screening/

53 Health Promotion/

54 ((prevent or preventive or prevention) adj5 (service\* or care)).tw.

55 screening guideline\*.tw.

56 or/50-55

57 49 and 56

58 exp Health Disparities/

59 exp Health Care Access/

60 prevent\*.tw.

61 49 and (58 or 59) and 60

62 57 or 61

63 (depression or depressive or depressed or suicid\* or anxiet\* or anxious).mp.

64 (tobacco or nicotine or smoking or smoker\* or cigar\* or vape or vaping).mp.

65 ("intimate partner violence" or "elder abuse" or "spouse abuse" or "battered women" or "domestic violence" or ((abuse or abusive or violence or violent or assault) adj3 (partner or spouse or husband or wife))).mp.

66 exp "Substance Related and Addictive Disorders"/

67 ((alcohol or drug or drugs or substance\* or opioid\* or opiate\* or amphetamine\* or amfetamine\* or benzodiazepine\* or morphine or methadone or prescription\* or phencyclidine\* or solvent\* or inhalant\* or barbiturate\* or depressant\* or sedative\* or stimulant\* or ritalin or adderall or methylphenidate or fentanyl or oxycodone or hydrocodone or marijuana or cannabis or cannabinoid or cocaine or methamphetamine or psilocybin) adj3 (addict or addiction or abuse or abusing or abusive or misuse or mis-use or misusing or mis-using or illicit or illegal or unlawful or unsanction\* or habit\* or dependen\* or disorder or disorders or consumption or diversion)).tw.

68 ((pregnant or pregnancy or antenatal or ante-natal or prenatal or pre-natal or perinatal or peri-natal or postnatal or post-natal or antepartum or ante-partum or peripartum or peri-partum or



postpartum or post-partum or maternal or puerperal) adj3 (depression or depressive or depressed or dysthym\* or anxious or anxiety)).mp.

69 or/63-68

70 62 and 69

71 journal.pt.

72 70 and 71

73 limit 72 to (human and english language)

74 limit 73 to "remove medline records"

75 limit 74 to yr="1990 -Current"

#### **Database: EBSCO CINAHL Plus**

S1 (MH "Persons with Disabilities+")

S2 (MH "Activities of Daily Living")

S3 (MH "Ambulation Aids+") OR (MH "Wheelchairs+")

S4 (MH "Paraplegia") OR (MH "Quadriplegia")

S5 (MH "Hearing Disorders+")

S6 (MH "Blindness+")

S7 (MH "Motor Neuron Diseases")

S8 (MH "Gait Disorders, Neurologic+")

S9 (MH "Schizophrenia+")

S10 (MH "Bipolar Disorder")

S11 (MH "Depression") OR (MH "Anxiety+")

S12 (MH "Communicative Disorders") OR (MH "Developmental Disabilities") OR (MH "Intellectual Disability") OR (MH "Learning Disorders")

S13 (MH "Delirium, Dementia, Amnestic, Cognitive Disorders+")

S14 (MH "Attention Deficit Hyperactivity Disorder")

S15 TI ( disabled OR disabling OR disability OR disabilities ) OR AB ( disabled OR disabling OR disability OR disabilities )

S16 TI ( "functional limitation" OR "activity limitation" OR "mobility impairment" OR "participation limitation" ) OR AB ( "functional limitation" OR "activity limitation" OR "mobility impairment" OR "participation limitation" )

S17 TI "activities of daily living" OR AB "activities of daily living"

S18 TI ( wheelchair\* OR cane OR walker OR scooter OR "mobility device" ) AND TI ( use OR user )

S19 AB ( wheelchair\* OR cane OR walker OR scooter OR "mobility device" ) AND AB ( use OR user )

S20 TI ( paraplegi\* OR quadriplegi\* OR amputee ) OR AB ( paraplegi\* OR quadriplegi\* OR amputee )

S21 TI ( "hearing loss" OR deaf\* OR blindness ) OR AB ( "hearing loss" OR deaf\* OR blindness )

S22 TI ( "hearing impaired person" OR "hearing impaired people" OR "person with hearing impairment" OR "people with hearing impairment" ) OR AB ( "hearing impaired person" OR "hearing impaired people" OR "person with hearing impairment" OR "people with hearing impairment" )

S23 TI ( "visually impaired person\*" OR "visually impaired people" OR "person with vision impairment" OR "people with vision impairment" ) OR AB ( "visually impaired person\*" OR

"visually impaired people" OR "person with vision impairment" OR "people with vision impairment" )

S24 TI ( schizophrenia OR bipolar OR "major depressi\*" OR "anxiety disorder\*" OR "mental health disabilit\*" OR "mental health impairment" ) OR AB ( schizophrenia OR bipolar OR "major depressi\*" OR "anxiety disorder\*" OR "mental health disabilit\*" OR "mental health impairment" )

S25 TI ( "mentally ill person\*" OR "mentally ill people" OR "person with mental illness" OR "people with mental illness" ) OR AB ( "mentally ill person\*" OR "mentally ill people" OR "person with mental illness" OR "people with mental illness" )

S26 TI ( autism OR autistic OR neurodivergen\* OR "cognitive disorder\*" OR "cognitive impairment" OR communication disorder\* OR language disorder\* OR speech disorder\* OR dyslexia OR aphasia OR "learning disabilit\*" ) OR AB ( autism OR autistic OR neurodivergen\* OR "cognitive disorder\*" OR "cognitive impairment" OR communication disorder\* OR language disorder\* OR speech disorder\* OR dyslexia OR aphasia OR "learning disabilit\*" )

S27 TI ( attention deficit hyperactivity disorder OR ADHD ) OR AB ( attention deficit hyperactivity disorder OR ADHD )

S28 S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27

S29 (MH "Health Services for Persons with Disabilities")

S30 (MH "Preventive Health Care")

S31 (MH "Guideline Adherence")

S32 (MH "Health Screening") OR (MH "Cancer Screening")

S33 TI ( prevent OR preventive OR prevention ) AND TI ( care OR service OR services )

S34 S30 OR S31 OR S32 OR S33

S35 S28 AND S34

S36 S29 OR S35

S37 TX breast OR mammogra\*

S38 TX "cervical cancer" OR "pap smear" or papanicolaou

S39 TX ( colorectal OR colon OR colonic OR rectal OR rectum OR rectosigmoid OR adenomat\* ) AND TX ( cancer\* OR carcinoma\* OR adenocarcinoma\* OR malignan\* OR tumor\* OR tumour\* OR neoplas\* OR polyp\* )

S40 TX colonoscop\* OR colonograph\*

S41 TX depression OR depressive OR depressed OR suicid\* OR anxiet\* OR anxious

S42 TX hypertension OR hypertensive OR "blood pressure" OR SBP OR DBP

S43 TX diabet\* OR prediabet\* OR pre-diabet\* OR "impaired glucose tolerance" OR "impaired fasting glucose" OR "glucose intolerance"

S44 TX tobacco OR nicotine OR smoking OR smoker\* OR cigar\* OR vape OR vaping

S45 TX obes\* OR overweight OR weight OR "body fat" OR adipos

S46 TX "human immunodeficiency virus" OR HIV

S47 TX "intimate partner violence" OR "elder abuse" OR "spouse abuse" OR "battered women" OR "domestic violence"

S48 TX ( abusive OR violence OR violent OR assault ) AND TX ( partner OR spouse OR husband OR wife )

S49 TX ( osteoporosis OR osteoporotic OR bone density ) AND TX fracture\*

S50 (MH "Substance Use Disorders+")

S51 TX alcohol OR drug OR drugs OR substance\* OR opioid\*  
 S52 TX breastfeed\* OR breastfed OR "breast feed\*" OR "breast fed" OR lactation  
 S53 TX fall OR falls OR faller\* OR falling  
 S54 TX ( pregnant or pregnancy or antenatal or ante-natal or prenatal or pre-natal or perinatal or peri-natal or postnatal or post-natal or antepartum or ante-partum or peripartum or peri-partum or postpartum or post-partum or maternal or puerperal) AND TX ( depression or depressive or depressed or dysthym\* or anxious or anxiety )  
 S55 TX diet or dietary or exercise or healthy or weight reduction or physical fitness or active or activity or train or training  
 S56 (MH "Exercise")  
 S57 TX "sexually transmitted infection" OR "sexually transmitted disease" OR sti\* OR std\*  
 S58 S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52 OR S53 OR S54 OR S55 OR S56 OR S57  
 S59 S36 AND S58  
 S60 S36 AND S58 Limiters - Published Date: 19900101-20231231; Research Article; Exclude Pre-CINAHL; Exclude MEDLINE records; Human; Language: English

**Database: Elsevier Embase**

('disabled person'/exp OR 'adl disability'/exp OR 'walking difficulty'/exp OR 'paraplegia'/exp OR 'quadriplegia'/exp OR 'immobility'/exp OR 'limited mobility'/exp OR 'physical disability'/exp OR 'neurodisability'/exp OR 'hearing impairment' OR 'blindness' OR 'schizophrenia' OR 'bipolar disorder'/exp OR 'major depression' OR 'anxiety disorder' OR 'developmental disorder'/exp OR 'intellectual impairment'/exp OR 'cognitive defect' OR 'dementia'/exp OR 'disorders of higher cerebral function' OR 'communication disorder'/exp OR 'attention deficit hyperactivity disorder'/exp OR disabled:ti OR disabling:ti OR disability:ti OR disabilities:ti OR limitation:ti OR impairment:ti OR disorder:ti OR 'activities of daily living':ti OR paraplegi\*:ti OR quadripleg\*:ti OR amputee\*:ti OR wheelchair\*:ti OR cane:ti OR walker:ti OR scooter:ti OR 'mobility device':ti OR 'hearing impaired':ti OR 'vision impair\*':ti OR 'visually impair\*':ti OR schizophre\*ti OR bipolar:ti OR 'major depress\*':ti OR anxiety:ti OR 'mental\* ill\*':ti OR autism:ti OR autistic:ti OR 'attention deficit':ti OR adhd:ti) AND ('primary prevention'/exp OR 'preventive health service'/exp OR 'protocol compliance'/exp OR 'mass screening'/exp OR (((prevent OR preventive OR prevention) NEAR/5 (service\* OR care)):ti) OR (prevent\*:ti AND ('health care disparity'/exp OR 'health care access'/exp))) AND (breast:ti,ab OR mammogra\*:ti,ab OR ((cervical NEAR/3 cancer):ti,ab) OR (((pap OR papanicolaou) NEAR/2 test\*):ti,ab) OR smear:ti,ab OR (((colorectal OR colon OR colonic OR rectal OR rectum OR rectosigmoid OR adenomat\*) NEAR/3 (cancer\* OR carcinoma\* OR adenocarcinoma\* OR malignan\* OR tumor\* OR tumour\* OR neoplas\* OR polyp\*)):ti,ab) OR colonoscop\*:ti,ab OR colonograph\*:ti,ab OR depression:ti,ab OR depressive:ti,ab OR depressed:ti,ab OR suicid\*:ti,ab OR anxiet\*:ti,ab OR anxious:ti,ab OR hypertension:ti,ab OR hypertensive:ti,ab OR 'blood pressure':ti,ab OR sbp:ti,ab OR dbp:ti,ab OR diabet\*:ti,ab OR prediabet\*:ti,ab OR 'pre diabet\*':ti,ab OR 'impaired glucose tolerance':ti,ab OR 'impaired fasting glucose':ti,ab OR 'glucose intolerance':ti,ab OR tobacco:ti,ab OR nicotine:ti,ab OR smoking:ti,ab OR smoker\*:ti,ab OR cigar\*:ti,ab OR vape:ti,ab OR vaping:ti,ab OR obes\*:ti,ab OR overweight:ti,ab OR weight:ti,ab OR 'body fat':ti,ab OR adipos\*:ti,ab OR 'human immunodeficiency virus':ti,ab OR 'hiv':ti,ab OR 'intimate partner violence':ti,ab OR 'elder abuse':ti,ab OR 'spouse abuse':ti,ab OR 'battered women':ti,ab OR 'domestic violence':ti,ab OR (((abuse OR abusive OR violence OR

violent OR assault) NEAR/3 (partner OR spouse OR husband OR wife)):ti,ab) OR ((osteoporosis:ti,ab OR osteoporotic:ti,ab OR bone:ti,ab) AND density:ti,ab AND fracture\*:ti,ab) OR ((alcohol:ti,ab OR drug:ti,ab OR drugs:ti,ab OR substance\*:ti,ab OR opioid\*:ti,ab OR opiate\*:ti,ab OR amphetamine\*:ti,ab OR amfetamine\*:ti,ab OR benzodiazepine\*:ti,ab OR morphine:ti,ab OR methadone:ti,ab OR prescription\*:ti,ab OR phencyclidine\*:ti,ab OR solvent\*:ti,ab OR inhalant\*:ti,ab OR barbiturate\*:ti,ab OR depressant\*:ti,ab OR sedative\*:ti,ab OR stimulant\*:ti,ab OR ritalin:ti,ab OR adderall:ti,ab OR methylphenidate:ti,ab OR fentanyl:ti,ab OR oxycodone:ti,ab OR hydrocodone:ti,ab OR marijuana:ti,ab OR cannabis:ti,ab OR cannabinoid:ti,ab OR cocaine:ti,ab OR methamphetamine:ti,ab OR psilocybin:ti,ab) AND adj3:ti,ab AND (addict:ti,ab OR addiction:ti,ab OR abuse:ti,ab OR abusing:ti,ab OR abusive:ti,ab OR misuse:ti,ab OR 'mis use':ti,ab OR misusing:ti,ab OR 'mis using':ti,ab OR illicit:ti,ab OR illegal:ti,ab OR unlawful:ti,ab OR unsanction\*:ti,ab OR habit\*:ti,ab OR dependen\*:ti,ab OR disorder:ti,ab OR disorders:ti,ab OR consumption:ti,ab OR diversion:ti,ab)) OR breastfeed\*:ti,ab OR breastfed:ti,ab OR 'breast feed\*':ti,ab OR 'breast fed':ti,ab OR lactation:ti,ab OR fall:ti,ab OR falls:ti,ab OR faller\*:ti,ab OR falling:ti,ab OR (((pregnant OR pregnancy OR antenatal OR 'ante natal' OR prenatal OR 'pre natal' OR perinatal OR 'peri natal' OR postnatal OR 'post natal' OR antepartum OR 'ante partum' OR peripartum OR 'peri partum' OR postpartum OR 'post partum' OR maternal OR puerperal) NEAR/3 (depression OR depressive OR depressed OR dysthym\* OR anxious OR anxiety)):ti,ab) OR (((diet:ti,ab OR dietary:ti,ab OR exercise:ti,ab OR healthy:ti,ab OR weight:ti,ab) AND reduction:ti,ab OR physical:ti,ab) AND fitness:ti,ab) OR active:ti,ab OR activity:ti,ab OR train:ti,ab OR training:ti,ab OR (sexually:ti,ab AND transmitted:ti,ab) OR sti\*:ti,ab OR std\*:ti,ab OR chlamydia:ti,ab OR gonorrh\*:ti,ab OR syphilis:ti,ab OR papilloma\*:ti,ab OR hpv:ti,ab OR trichomonas:ti,ab OR trichomoniasis:ti,ab OR hepatitis:ti,ab OR herpes:ti,ab OR warts:ti,ab) AND [english]/lim AND [1990-2023]/py AND 'article'/it AND [embase]/lim NOT ([embase]/lim AND [medline]/lim) NOT 'case report'

## Inclusion and Exclusion Criteria

The inclusion and exclusion criteria for the overall review are specified in Table A-1. Outcomes not related to included clinical preventive services are listed in Table A-2.

**Table A-1. PICOTS and corresponding inclusion and exclusion criteria**

Element	Include	Exclude
<b>Population</b>	<ul style="list-style-type: none"> <li>• People with disabilities (including: physical; cognitive/intellectual/developmental; sensory; serious psychiatric/mental illness)</li> <li>• Adults and children</li> <li>• Specific populations of interest:               <ul style="list-style-type: none"> <li>- Age</li> <li>- Gender</li> <li>- Race/ethnicity</li> <li>- Economic status</li> <li>- LGBTQ+ status</li> <li>- Geographic location (regional and urban/rural)</li> <li>- Immigration status</li> <li>- Incarcerated</li> <li>- Unhoused</li> <li>- Language spoken</li> <li>- Use of a guardian/proxy for healthcare decisions</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• Studies that do not include people with disabilities or do not report outcomes according to disability status</li> </ul>

<b>Element</b>	<b>Include</b>	<b>Exclude</b>
<b>Intervention</b>	<ul style="list-style-type: none"> <li>• Interventions to mitigate barriers and/or improve the receipt of clinical preventive services among people with disabilities (e.g., modification in policies, practices, and procedures; effective communication; the physical accessibility of facilities; educational/training programs for healthcare providers)</li> <li>• Characteristics/components of interventions (KQ3) may include elements such as: staffing, funding, facilities, equipment, training</li> <li>• Clinical preventive services listed in Table A-2, derived from USPSTF Grade A and Grade B recommendations: <ul style="list-style-type: none"> <li>- Screening (anxiety disorders, breast cancer, cervical cancer, colorectal cancer, depression, HIV infection, hypertension, intimate partner violence, osteoporosis, diabetes, unhealth drug or alcohol use)</li> <li>- Interventions or behavioral counseling (breastfeeding, falls prevention, perinatal depression, tobacco use/cessation, weight loss, healthy diet and physical activity, sexually transmitted infections)</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• Interventions that do not address barriers to receipt of clinical preventive services for people with disabilities</li> <li>• Preventive services not listed in Table A-2.</li> </ul>
<b>Comparator</b>	<ul style="list-style-type: none"> <li>• Another intervention</li> <li>• No intervention</li> <li>• No comparator (when adequate comparative studies are lacking)</li> </ul>	No exclusions
<b>Outcome</b>	<ul style="list-style-type: none"> <li>• Receipt of clinical preventive service</li> <li>• Quality of receipt of clinical preventive service</li> <li>• Health outcomes related to clinical preventive service</li> <li>• Patient satisfaction</li> <li>• Patient well-being</li> <li>• Harms of the intervention program</li> </ul>	<ul style="list-style-type: none"> <li>• Cost-effectiveness</li> <li>• Outcomes not related to included clinical preventive services listed in Table A-2.</li> </ul>
<b>Timing</b>	<ul style="list-style-type: none"> <li>• All</li> </ul>	No exclusions
<b>Setting</b>	<ul style="list-style-type: none"> <li>• Primary care outpatient clinics</li> <li>• Community health clinics</li> <li>• Settings referable from primary care settings</li> <li>• Emergency departments</li> <li>• Other settings (e.g., home, residence, mobile care units)</li> <li>• United States or countries with a "very high" United Nations Human Development Index</li> </ul>	No exclusions

Abbreviations: KQ = Key Question; LGBTQ+ = Lesbian Gay Bisexual Transgender Queer/questioning plus/others; PICOTS = population, interventions, comparators, outcomes, timing, setting; USPSTF = United States Preventive Services Task Force

**Table A-2. Included clinical preventive services - United States Preventive Services Task Force A & B recommendations<sup>1</sup>**

	<b>Topic</b>	<b>Description</b>
<b>Screening</b>	Anxiety Disorders in Adults	The USPSTF recommends screening for anxiety disorders in adults, including pregnant and postpartum persons 64 years or younger, including pregnant and postpartum women.
	Anxiety in Children and Adolescents	The USPSTF recommends screening for anxiety in children and adolescents aged 8 to 18 years.
	Breast Cancer	The USPSTF recommends biennial screening mammography for women aged 50 to 74 years.
	Cervical Cancer	The USPSTF recommends screening for cervical cancer every 3 years with cervical cytology alone in women aged 21 to 29 years. For women aged 30 to 65 years, the USPSTF recommends screening every 3 years with cervical cytology alone, every 5 years with high-risk human papillomavirus (hrHPV) testing alone, or every 5 years with hrHPV testing in combination with cytology (cotesting).
	Colorectal Cancer	The USPSTF recommends screening for colorectal cancer in adults aged 45 to 49 years and all adults aged 50 to 75 years.
	Depression in Adults	The USPSTF recommends screening for depression in the adult population, including pregnant and postpartum persons, as well as older adults.
	Depression in Children and Adolescents	The USPSTF recommends screening for major depressive disorder (MDD) in adolescents aged 12 to 18 years.
	Human Immunodeficiency Virus (HIV) Infection	The USPSTF recommends that clinicians screen for HIV infection in adolescents and adults aged 15 to 65 years, including pregnant and postpartum women. Younger adolescents and older adults who are at increased risk of infection should also be screened.
	Hypertension in Adults	The USPSTF recommends screening for hypertension in adults 18 years or older without known hypertension with office blood pressure measurement (OBPM). The USPSTF recommends obtaining blood pressure measurements outside of the clinical setting for diagnostic confirmation before starting treatment.
	Intimate Partner Violence	The USPSTF recommends that clinicians screen for intimate partner violence (IPV) in women of reproductive age and provide or refer women who screen positive to ongoing support services.
	Osteoporosis to Prevent Fractures	The USPSTF recommends screening for osteoporosis with bone measurement testing to prevent osteoporotic fractures in women 65 years and older, and in postmenopausal women younger than 65 years who are at increased risk of osteoporosis, as determined by a formal clinical risk assessment tool.
	Prediabetes and Type 2 Diabetes	The USPSTF recommends screening for prediabetes and type 2 diabetes in asymptomatic adults aged 35 to 70 years who have overweight or obesity. Clinicians should offer or refer patients with prediabetes to effective preventive interventions.

	<b>Topic</b>	<b>Description</b>
	Unhealthy Drug Use	The USPSTF recommends screening by asking questions about unhealthy drug use in adults age 18 years or older. Screening should be implemented when services for accurate diagnosis, effective treatment, and appropriate care can be offered or referred. (Screening refers to asking questions about unhealthy drug use, not testing biological specimens.)
	Unhealthy Alcohol Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions	The USPSTF recommends screening for unhealthy alcohol use in primary care settings in adults 18 years or older, including pregnant women, and providing persons engaged in risky or hazardous drinking with brief behavioral counseling interventions to reduce unhealthy alcohol use.
<b>Interventions and Behavioral Counselling</b>	Breastfeeding	The USPSTF recommends providing interventions during pregnancy and after birth to support breastfeeding.
	Falls Prevention in Community-Dwelling Older Adults	The USPSTF recommends exercise interventions to prevent falls in community-dwelling adults 65 years or older who are at increased risk for falls.
	Perinatal Depression, Preventive Interventions	The USPSTF recommends that clinicians provide or refer pregnant and postpartum persons who are at increased risk of perinatal depression to counseling interventions.
	Tobacco Smoking Cessation	The USPSTF recommends that clinicians ask all adults about tobacco use, including pregnant persons, advise them to stop using tobacco, and provide behavioral interventions and FDA-approved pharmacotherapy for cessation to nonpregnant adults who use tobacco, or behavioral interventions for cessation to pregnant persons who use tobacco.
	Tobacco Use in Children and Adolescents	The USPSTF recommends that primary care clinicians provide interventions, including education or brief counseling, to prevent initiation of tobacco use among school-aged children and adolescents who have not started to use tobacco.
	Weight Loss to Prevent Obesity-related Morbidity and Mortality in Adults	The USPSTF recommends that clinicians offer or refer adults with a body mass index (BMI) of 30 or higher (calculated as weight in kilograms divided by height in meters squared) to intensive, multicomponent behavioral interventions.
	Healthy Diet & Physical Activity for Cardiovascular Disease Prevention	The USPSTF recommends offering or referring adults with cardiovascular disease risk factors to behavioral counseling interventions to promote a healthy diet and physical activity.
	Sexually Transmitted Infections	The USPSTF recommends behavioral counseling for all sexually active adolescents and for adults who are at increased risk for sexually transmitted infections.

Abbreviations: BMI = body mass index; FDA = US Food and Drug Administration; USPSTF = United States Preventive Services Task Force

## **Risk of Bias (Quality) Assessment of Individual Studies**

We assessed risk of bias for Key Questions 2, 3, and 4 based on study designs with criteria as outlined below.

### **Risk of Bias Criteria for Randomized Controlled Trials<sup>2</sup>**

- Adequate randomization of participants.
- Allocation of treatment adequately concealed.
- Groups similar at baseline.
- Intention-to-treat (ITT) analysis performed.
- All eligible trial participants included in analyses post-randomization.
- Overall loss to followup or missing data for outcomes less than 20%.
- Loss to followup or missing data similar across groups.
- Comparable groups maintained in outcome analysis.
- Intervention(s), and comparator(s) well described.
- Outcome ascertainment similar between groups.
- Outcome assessors blinded or outcomes objectively measured.

### **Risk of Bias Criteria for Nonrandomized Intervention Studies<sup>3</sup>**

- Study attempted to enroll all or a random sample of patients meeting inclusion criteria.
- Groups similar at baseline or important confounding and modifying variables accounted for.
- Overall loss to followup or missing data for outcomes less than 20 percent.
- Loss to followup or missing data similar across groups.
- Comparable groups maintained in outcome analysis.
- Intervention(s) or exposure(s), and comparator(s) well described.
- Outcome ascertainment similar between groups.
- Outcome assessors blinded or outcomes objectively measured.

Additionally, we performed quality assessment for qualitative studies included in Key Question 1 using the screening questions and qualitative category criteria of the Mixed Methods Appraisal Tool (MMAT), Version 2018,<sup>4</sup> with guidance from an expert on the team:

### **Quality Assessment Criteria for Qualitative Studies<sup>4</sup>**

- Research questions or aims of the research well specified.
- Collected data allow for addressing the research question.
- Qualitative approach is appropriate to answer the research question.
- Qualitative data collection methods are adequate to address the research question.
- Findings are adequately derived from the data.
- Interpretation of the results is substantiated by data.
- Coherence between qualitative data sources, collection, analysis, and interpretation.

### **Quality Assessment Criteria for Surveys<sup>5</sup>**

- Recruitment and/or inclusion well specified.



- Response rate adequate.
- Missing data.
- Approach clinically sensible (comprehensiveness, clarity and face validity formally assessed).
- Instruments validated in the population studied.


Randomized controlled trials and nonrandomized intervention studies were rated as “low,” “medium,” or “high” risk of bias using the below as a guide for each study design. Qualitative studies were rated as “good,” “fair,” or “poor” quality.

Studies rated *low risk of bias* are considered to have the least risk of bias, and their results are generally considered valid. “Low risk of bias” studies include clear descriptions of the population, setting, interventions, and comparison groups; a valid method for allocation of patients to treatment; low dropout rates and clear reporting of dropouts; appropriate means for preventing bias; and appropriate measurement of outcomes.

Studies rated *medium risk of bias* are susceptible to some bias, though not enough to invalidate the results. These studies may not meet all the criteria for a rating of low risk of bias, but no flaw is likely to cause major bias. The study may be missing information, making it difficult to assess limitations and potential problems. The “medium risk of bias” category is broad, and studies with this rating will vary in their strengths and weaknesses. The results of some medium risk of bias studies are likely to be valid, while others may be only possibly valid.

Studies rated *high risk of bias* have significant flaws that imply biases of various types that may invalidate the results. They have a serious or “fatal” flaw in design, analysis, or reporting; large amounts of missing information; discrepancies in reporting; or serious problems in the delivery of the intervention. In general, observational studies that do not perform adjustment for potential confounders will be assessed as “high risk of bias.” This is because it is likely the results of these studies are at least as likely to reflect flaws in the study design as the true difference between the compared interventions. We will not exclude studies rated high risk of bias a priori, but high risk of bias studies will be considered to be less reliable than low or medium risk of bias studies when synthesizing the evidence, particularly if discrepancies between studies are present.

## Appendix B. Literature Flow Diagram



Abbreviations: KQ = Key Question

<sup>a</sup> N=8,547 abstracts pending dual review

<sup>b</sup> Two studies were identified for both KQ 1 and KQ 2-4

## Appendix C. List of Included Studies

1. Armin JS, Williamson HJ, Begay A, et al. Adapting a cancer screening education program for native American women with disabilities. *Int J Environ Res Public Health*. 2022;19(15):9280. doi: 10.3390/ijerph19159280. PMID: 35954636.
2. Sykes K, McGeechan GJ, Crawford H, et al. Factor influencing women with learning disabilities deciding to, and accessing, cervical and breast cancer screening: findings from a Q methodology study of women with learning disabilities, family and paid carers. *Eur J Cancer Care (Engl)*. 2022;31(6):e13702. doi: 10.1111/ecc.13702. PMID: 36094022.
3. Esmeray N, E. Y. The effect of education given to women with hearing impairments on the behaviours of Pap smear screening. *Eur J Cancer Care (Engl)*. 2022;31(2):e13550. doi: 10.1111/ecc.13550. PMID: 35066957.
4. Shah S, Taylor J, C. B-J. Barriers and enablers to participating in regular screening programmes for women with cerebral palsy: a qualitative life course study. *J Adv Nurs*. 2022;78(3):823-33. doi: 10.1111/jan.15058. PMID: 34617320.
5. Solenberg AK Jr, Hall JP, J. VB. Barriers to colorectal cancer screening for people with spinal cord injuries and/or disorders: a qualitative study. *Disabil Health J*. 2021;14(1):100950. doi: 10.1016/j.dhjo.2020.100950. PMID: 32624453.
6. Nollett C, Bartlett R, Man R, et al. Barriers to integrating routine depression screening into community low vision rehabilitation services: a mixed methods study. *BMC Psychiatry*. 2020;20(1):419. doi: 10.1186/s12888-020-02805-8. PMID: 32842989.
7. Nollett C, Bartlett R, Man R, et al. How do community-based eye care practitioners approach depression in patients with low vision? A mixed methods study. *BMC Psychiatry*. 2019;19(1):426. doi: 10.1186/s12888-019-2387-x. PMID: 31888603.
8. Kilic A, Tastan S, Guvenc G, et al. Breast and cervical cancer screening for women with physical disabilities: a qualitative study of experiences and barriers. *J Adv Nurs*. 2019;75(9):1976-86. doi: 10.1111/jan.14048. PMID: 31087581.
9. Durbin J, Selick A, Casson I, et al. Improving the quality of primary care for adults with intellectual and developmental disabilities: Value of the periodic health examination. *Can Fam Physician*. 2019;65(Suppl 1):S66-S72. PMID: 31023784.
10. Kannan M, Hildebrand A, Hugos CL, et al. Evaluation of a web-based fall prevention program among people with multiple sclerosis. *Mult Scler Relat Disord*. 2019;31:151-6. doi: 10.1016/j.msard.2019.04.015. PMID: 31004969.
11. Burgon C, Darby J, Pollock K, et al. Perspectives of healthcare professionals in England on falls interventions for people with dementia: a qualitative interview study. *BMJ Open*. 2019;9(2):e025702. doi: 10.1136/bmjopen-2018-025702. PMID: 30755449.
12. Bates C, P. T. Exploring the impact of mental capacity on breast screening for women with intellectual disabilities. *Health Soc Care Community*. 2019;27(4):880-8. doi: 10.1111/hsc.12704. PMID: 30565767.
13. Goodarzi Z, Hanson HM, Jette N, et al. Barriers and facilitators for guidelines with depression and anxiety in Parkinson's disease or dementia. *Can J Aging*. 2018;37(2):185-99. doi: 10.1017/S0714980818000053. PMID: 29618389.
14. Nandam N, Gaebler-Spira D, Byrne R, et al. Breast cancer screening in women with cerebral palsy: Could care delivery be improved? *Disabil Health J*. 2018;11(3):435-41. doi: 10.1016/j.dhjo.2018.02.002. PMID: 29500093.
15. Stillman MD, Bertocci G, Smalley C, et al. Healthcare utilization and associated barriers experienced by wheelchair users: a pilot study. *Disabil Health J*. 2017;10(4):502-8. doi: 10.1016/j.dhjo.2017.02.003. PMID: 28245968.
16. Clifton A, Burgess C, Clement S, et al. Influences on uptake of cancer screening in mental health service users: a qualitative study. *BMC Health Serv Res*. 2016;16:257. doi: 10.1186/s12913-016-1505-4. PMID: 27405348.
17. Fang WH, Yen CF, Hu J, et al. The utilization and barriers of Pap smear among women with visual impairment. *Int J Equity Health*. 2016;15:65. doi: 10.1186/s12939-016-0354-4. PMID: 27068132.
18. Rockson LE, Swarbrick MA, C. P. Cancer screening among peer-led community wellness center enrollees. *J Psychosoc Nurs Ment Health Serv*. 2016;54(3):36-40. doi: 10.3928/02793695-20160219-06. PMID: 26935189.
19. Randall-James J, Wadd S, Edwards K, et al. Alcohol screening in people with cognitive impairment: an exploratory study. *J Dual Diagn*. 2015;11(1):65-74. doi: 10.1080/15504263.2014.992095. PMID: 25436900.

20. Willis DS, Kilbride L, Horsburgh D, et al. Paid- and family-carers' views on supporting women with intellectual disability through breast screening. *Eur J Cancer Care (Engl)*. 2015;24(4):473-82. doi: 10.1111/ecc.12245. PMID: 25286771.
21. Stillman MD, Frost KL, Smalley C, et al. Health care utilization and barriers experienced by individuals with spinal cord injury. *Arch Phys Med Rehabil*. 2014;95(6):1114-26. doi: 10.1016/j.apmr.2014.02.005. PMID: 24565745.
22. Bartels SJ, Pratt I, Mueser KT, et al. Long-term outcomes of a randomized trial of integrated skills training and preventive healthcare for older adults with serious mental illness. *Am J Geriatr Psychiatry*. 2014;22(11):1251-61. doi: 10.1016/j.jagp.2013.04.013. PMID: 23954039.
23. Suzuki R, Krahn G, Small E, et al. Multi-level barriers to obtaining mammograms for women with mobility limitations: post workshop evaluation. *Am J Health Behav*. 2013;37(5):711-8. doi: 10.5993/AJHB.37.5.15. PMID: 23985294.
24. Agenor M, PY. C. Preventing HIV among U.S. women of color with severe mental illness: perceptions of mental health care providers working in urban community clinics. *Health Care Women Int*. 2013;34(3-4):281-302. doi: 10.1080/07399332.2012.755983. PMID: 23394326.
25. Jarman MP, Bowling JM, Dickens P, et al. Factors facilitating acceptable mammography services for women with disabilities. *Womens Health Issues*. 2012;22(5):e421-e8. doi: 10.1016/j.whi.2012.06.002. PMID: 22818248.
26. Pitman AL, Osborn DP, Wright CA, et al. Cardiovascular screening of people with severe mental illness in England: views of service users and providers. *Psychiatr Serv*. 2011;62(11):1338-45. doi: 10.1176/ps.62.11.pss6211\_1338. PMID: 22211214.
27. Truesdale-Kennedy M, Taggart L, S. M. Breast cancer knowledge among women with intellectual disabilities and their experiences of receiving breast mammography. *J Adv Nurs*. 2011;67(6):1294-304. doi: 10.1111/j.1365-2648.2010.05595.x. PMID: 21366669.
28. Taggart L, Truesdale-Kennedy M, S. M. The role of community nurses and residential staff in supporting women with intellectual disability to access breast screening services. *J Intellect Disabil Res*. 2011;55(1):41-52. doi: 10.1111/j.1365-2788.2010.01345.x. PMID: 21121993.
29. McIlpatrick S, Taggart L, M. T-K. Supporting women with intellectual disabilities to access breast cancer screening: a healthcare professional perspective. *Eur J Cancer Care (Engl)*. 2011;20(3):412-20. doi: 10.1111/j.1365-2354.2010.01221.x. PMID: 20825462.
30. Chauhan U, Kontopantelis E, Campbell S, et al. Health checks in primary care for adults with intellectual disabilities: how extensive should they be? *J Intellect Disabil Res*. 2010;54(6):479-86. doi: 10.1111/j.1365-2788.2010.01263.x. PMID: 20576060.
31. Barr JK, Giannotti TE, Van Hoof TJ, et al. Understanding barriers to participation in mammography by women with disabilities. *Am J Health Promot*. 2008;22(6):381-5. doi: 10.4278/ajhp.22.6.381. PMID: 18677877.
32. Lennox N, Bain C, Rey-Conde T, et al. Effects of a comprehensive health assessment programme for Australian adults with intellectual disability: a cluster randomized trial. *Int J Epidemiol*. 2007;36(1):139-46. doi: 10.1093/ije/dyl254. PMID: 17218326.
33. Biswas M, Whalley H, Foster J, et al. Women with learning disability and uptake of screening: audit of screening uptake before and after one to one counselling. *J Public Health (Oxf)*. 2005;27(4):344-7. doi: 10.1093/pubmed/fdi055. PMID: 16199408.
34. Bat-Chava Y, Martin D, JG. K. Barriers to HIV/AIDS knowledge and prevention among deaf and hard of hearing people. *AIDS Care*. 2005;17(5):623-34. doi: 10.1080/09540120412331291751. PMID: 16036248.
35. Mele N, Archer J, BD. P. Access to breast cancer screening services for women with disabilities. *J Obstet Gynecol Neonatal Nurs*. 2005;34(4):453-64. doi: 10.1177/0884217505276158. PMID: 16020413.
36. Verger P, Aulagnier M, Souville M, et al. Women with disabilities: general practitioners and breast cancer screening. *Am J Prev Med*. 2005;28(2):215-20. doi: 10.1016/j.amepre.2004.10.010. PMID: 15710278.
37. Sullivan SG, Slack-Smith LM, R. H. Understanding the use of breast cancer screening services by women with intellectual disabilities. *Soz Praventivmed*. 2004;49(6):398-405. doi: 10.1007/s00038-004-3121-z. PMID: 15669440.
38. Encandela JA, Korr WS, Hulton K, et al. Mental health case management as a locus for HIV prevention: results from case-manager focus groups. *J Behav Health Serv Res*. 2003;30(4):418-32. doi: 10.1007/BF02287429. PMID: 14593665.

39. Broughton S, K. T. Women with learning disabilities: risk behaviours and experiences of the cervical smear test. *J Adv Nurs*. 2000;32(4):905-12. PMID: 11095229.
40. Nosek MA, CA. H. Breast and cervical cancer screening among women with physical disabilities. *Arch Phys Med Rehabil*. 1997;78(12 Suppl 5):S39-44. doi: 10.1016/s0003-9993(97)90220-3. PMID: 9422006.
41. MacKinney TG, Walters D, Bird GL, et al. Improvements in preventive care and communication for deaf patients: results of a novel primary health care program. *J Gen Intern Med*. 1995;10(3):133-7. doi: 10.1007/BF02599667. PMID: 7769469.
42. Gray J, Chandler J, E. W. Bowel health and screening: evaluating a peer-led educational intervention for people with learning disabilities. *Learn Disabil Pract*. 2021;24(5):19-26. doi: 10.7748/ldp.2021.e2131.
43. Agaronnik N, Pendo E, Lagu T, et al. Ensuring the reproductive rights of women with intellectual disability. *J Intellect Dev Disabil*. 2020;45(4):365-76. doi: 10.3109/13668250.2020.1762383. PMID: 147525639.
44. Arana-Chicas E, A K, Carroll-Scott A, et al. Barriers and facilitators to mammography among women with intellectual disabilities: a qualitative approach. *Disabil Soc*. 2020;35(8):1290-314. doi: 10.1080/09687599.2019.1680348. PMID: 34408338.
45. Halcomb EJ, Peters K, E. S. Health screening for women with physical disability in Australian general practice: a survey. *Collegian*. 2019;26(2):250-5. doi: 10.1016/j.colegn.2018.07.008.
46. Reidy M, Denieffe S, S. F. Exploring breast cancer and screening awareness among Irish women with intellectual disabilities. *Br J Learn Disabil*. 2018;46(3):193-201. doi: 10.1111/bld.12225.
47. Cumberland WG, Berman BA, Zazove P, et al. A breast cancer education program for D/deaf women. *Am Ann Deaf*. 2018;163(2):90-115. doi: 10.1353/aad.2018.0014. PMID: 30033435.
48. Peters K, A. C. Environmental, structural and process barriers in breast cancer screening for women with physical disability: a qualitative study. *Radiography*. 2016;22(3):e184-e9. doi: 10.1016/j.radi.2016.03.005.
49. Thake A, Wadd S, Edwards K, et al. Identifying and responding to alcohol misuse in memory clinics: current practice, barriers and facilitators. *Adv Dual Diagn*. 2015;8(2):65-77. doi: 10.1108/ADD-09-2014-0031.
50. Todd A, A. S. Barriers and facilitators related to breast cancer screening: a qualitative study of women with multiple sclerosis. *Int J MS Care*. 2011;13(2):49-56. doi: 10.7224/1537-2073-13.2.49. PMID: 22942803.
51. Poulos A, Balandin S, Llewellyn G, et al. Women with physical disability and the mammogram: an observational study to identify barriers and facilitators. *Radiography*. 2011;17(1):14-9. doi: 10.1016/j.radi.2010.07.001.
52. Wood R, M. D. Cervical screening for women with learning disability: current practice and attitudes within primary care in Edinburgh. *Br J Learn Disabil*. 2007;35(2):84-92. doi: 10.1111/j.1468-3156.2007.00440.x.
53. Angus J, Seto L, Barry N, et al. Access to cancer screening for women with mobility disabilities. *J Cancer Educ*. 2012;27(1):75-82. doi: 10.1007/s13187-011-0273-4. PMID: 21927868.
54. Becker H, Stuijbergen A, M. T. Reproductive health care experiences of women with physical disabilities: a qualitative study. *Arch Phys Med Rehabil*. 1997;78(12):S26-S33. doi: 10.1016/s0003-9993(97)90218-5. PMID: 9422004.
55. Kahn LS, Fox CH, Krause-Kelly J, et al. Identifying barriers and facilitating factors to improve screening mammography rates in women diagnosed with mental illness and substance use disorders. *Women Health*. 2005;42(3):111-26. doi: 10.1300/j013v42n03\_07. PMID: 16901891.
56. Miller E, Lasser KE, AE. B. Breast and cervical cancer screening for women with mental illness: patient and provider perspectives on improving linkages between primary care and mental health. *Arch Womens Ment Health*. 2007;10(5):189-97. doi: 10.1007/s00737-007-0198-4. PMID: 17680330.
57. D. P. Barriers to preventive health practices in women with spinal cord impairments. *SCI Nurs*. 2000;17(4):168-75. PMID: 12038057.
58. Greenwood NW, Dreyfus D, J. W. More than just a mammogram: breast cancer screening perspectives of relatives of women with intellectual disability. *Intellect Dev Disabil*. 2014;52(6):444-55. doi: 10.1352/1934-9556-52.6.444. PMID: 25409131.
59. Swaine JG, Dababnah S, Parish SL, et al. Family caregivers' perspectives on barriers and facilitators of cervical and breast cancer screening for women with intellectual disability. *Intellect Dev Disabil*. 2013;51(1):62-73. doi: 10.1352/1934-9556-51.01.062. PMID: 23360409.

60. Wilkinson JE, Deis CE, Bowen DJ, et al. 'It's easier said than done': perspectives on mammography from women with intellectual disabilities. *Ann Fam Med*. 2011;9(2):142-7. doi: 10.1370/afm.1231. PMID: 21403141.
61. Mann J, Zhou H, McDermott S, et al. Healthy behavior change of adults with mental retardation: attendance in a health promotion program. *Am J Ment Retard*. 2006;111(1):62-73. doi: 10.1352/0895-8017(2006)111[62:HBCOAW]2.0.CO;2. PMID: 16332157.
62. Lennox N, Bain C, Rey-Conde T, et al. Cluster randomized-controlled trial of interventions to improve health for adults with intellectual disability who live in private dwellings. *J Appl Res Intellect Disabil*. 2010;23(4):303-11. doi: 10.1111/j.1468-3148.2009.00533.x.
63. Magasi S, Reis JP, Wilson T, et al. ScreenABLE: breast cancer screening among women with disabilities from community identified challenges to community-based programs. *Prog Community Health Partnersh*. 2019;13(5):61-9. doi: 10.1353/cpr.2019.0039. PMID: 31378736.
64. Welch Saleeby P, J. H-J. Identifying barriers and facilitators to breast health services among women with disabilities. *Soc Work Public Health*. 2016;31(4):255-63. doi: 10.1080/19371918.2015.1137509. PMID: 27092980.
65. Bowler M, P. N. Learning disabilities: improved bowel screening. *Nurs Times*. 2015;111(49-50):14-6. PMID: 26841578.
66. Peterson JJ, Suzuki R, Walsh ES, et al. Improving cancer screening among women with mobility impairments: randomized controlled trial of a participatory workshop intervention. *Am J Health Promot*. 2012;26(4):212-6. doi: 10.4278/ajhp.100701-ARB-226. PMID: 22375570.
67. DS. W. What influences women with intellectual disabilities to attend breast screening? Experiences of women who have and have not participated. *Br J Learn Disabil*. 2016;44(4):269-76. doi: 10.1111/bld.12158.
68. Lloyd JL, NS. C. The role of learning disability nurses in promoting cervical screening uptake in women with intellectual disabilities: a qualitative study. *J Intellect Disabil*. 2014;18(2):129-45. doi: 10.1177/1744629514528829. PMID: 24698957.

## Appendix D. Excluded Studies List

**Table D-1. Exclusion codes**

Exclusion Code	Exclusion Reason
E1	Ineligible population
E2	Ineligible (or no) intervention
E3	Ineligible (or no) comparator
E4	Ineligible outcome
E5	Ineligible setting or country
E6	Ineligible study design
E7	Ineligible publication type
E8	Systematic review or meta-analysis used as source document for pearing
E9	Foreign language full text
E10	Methods/companion papers that do not report outcomes
DA	diagnostic accuracy

1. Jacinto M, Matos R, Gomes B, et al. Physical fitness variables, general health, dementia and quality of life in individuals with intellectual and developmental disabilities: a cross-sectional study. *Healthcare (Basel)*. 2023;11(19):2688. doi: 10.3390/healthcare11192688. PMID: 37830725. Exclusion: E2
2. Montgomery AE, Blossnich JR, deRussy A, et al. Association between services to address adverse social determinants of health and suicide mortality among veterans with indicators of housing instability, unemployment, and justice involvement. *Arch Suicide Res*. 2023;1-17. doi: 10.1080/13811118.2023.2244534. PMID: 37565799. Exclusion: E2
3. Berry SD, Hecker EJ, McConnell ES, et al. Nursing Home PRevention of Injury in DEmentia (NH PRIDE): a pilot study of a remote injury prevention service for NH residents. *J Am Geriatr Soc*. 2023;71(10):3267-77. doi: 10.1111/jgs.18564. PMID: 37596877. Exclusion: E5
4. Banerjee S, Gunn H, C. S. Vitamin D supplementation for the prevention of falls and fractures in residents of long-term care facilities: a 2021 update. *Ottawa (ON): Canadian Agency for Drugs and Technologies in Health*. 2021;1(7) PMID: 36191123. Exclusion: E1
5. Okonkwo NE, Aguwa UT, Jang M, et al. COVID-19 and the US response: accelerating health inequities. *BMJ Evid Based Med*. 2020;26(4):176-9. doi: 10.1136/bmjebm-2020-111426. PMID: 32493833. Exclusion: E7
6. Meuleners LB, Fraser ML, Bulsara MK, et al. Risk factors for recurrent injurious falls that require hospitalization for older adults with dementia: a population based study. *BMC Neurol*. 2016;16(1):188. doi: 10.1186/s12883-016-0711-3. PMID: 27687085. Exclusion: E2
7. Gierisch JM, Beadles C, Shapiro A, et al. Health disparities in quality indicators of healthcare among adults with mental illness. *Department of Veterans Affairs*. 2014;10:10. PMID: 26065051. Exclusion: E2
8. Lin JS, O'Connor E, Rossom RC, et al. Screening for cognitive impairment in older adults: an evidence update for the U.S. Preventive Services Task Force. *Agency for Healthcare Research and Quality*. 2013;11. PMID: 24354019. Exclusion: E2
9. Lin JS, Whitlock EP, Eckstrom E, et al. Challenges in synthesizing and interpreting the evidence from a systematic review of multifactorial interventions to prevent functional decline in older adults. *Agency for Healthcare Research and Quality*. 2012;10. PMID: 23193611. Exclusion: E1

10. Ouellette-Kuntz H, Smith G, Fulford C, et al. Are we making a difference in primary care for adults with intellectual and developmental disabilities? *Rev Panam Salud Publica*. 2018;42:e154. doi: 10.26633/RPSP.2018.154. PMID: 31093182. Exclusion: E4
11. Chan DKY, Chan LKM, Kuang YM, et al. Digital care technologies in people with dementia living in long-term care facilities to prevent falls and manage behavioural and psychological symptoms of dementia: a systematic review. *Eur J Ageing*. 2022;19(3):309-23. doi: 10.1007/s10433-021-00627-5. PMID: 36052197. Exclusion: E1
12. Kim YS, SH. H. Factors associated with lack of health screening among people with disabilities using Andersen's behavioral model. *Healthcare*. 2023;11(5):23. doi: 10.3390/healthcare11050656. PMID: 36900661. Exclusion: E4
13. Keegan G, Rizzo JR, KA. J. Disparities in breast cancer among patients with disabilities: care gaps, accessibility, and best practices. *J Natl Cancer Inst*. 2023;115(10):1139-44. doi: 10.1093/jnci/djad130. PMID: 37421404. Exclusion: E7
14. El Sayed HA, Al-Thubaity DD, Nahari MH, et al. Impact of an educational intervention on deaf and hard hearing females' knowledge and health beliefs regarding cervical cancer in Tabuk, Saudi Arabia: A theory-based study. *Afr J Reprod Health*. 2022;26(7s):52-60. doi: 10.29063/ajrh2022/v26i7s.6. PMID: 37585010. Exclusion: E4
15. Hand BN, Gilmore D, Harris L, et al. "They looked at me as a person, not just a diagnosis": a qualitative study of patient and parent satisfaction with a specialized primary care clinic for autistic adults. *Autism Adulthood*. 2021;3(4):347-55. doi: 10.1089/aut.2020.0082. PMID: 35252770. Exclusion: E2
16. Fioravante N, Deal JA, Willink A, et al. Preventive care utilization among adults with hearing loss in the United States. *Semin Hear*. 2021;42(1):37-46. doi: 10.1055/s-0041-1725999. PMID: 33883790. Exclusion: E2
17. J. S. Re-contact rates with a UK ambulance service following paramedic referral to a falls prevention service for those aged  $\geq 65$  years: a retrospective cohort study. *Br Paramed J*. 2020;5(2):18-25. doi: 10.29045/14784726.2020.09.5.2.18. PMID: 33456387. Exclusion: E3
18. Zinganell A, Hegen H, Walde J, et al. Screening for osteoporosis in people with MS: a new risk score. *Mult Scler Relat Disord*. 2023;74:104726. doi: 10.1016/j.msard.2023.104726. PMID: 37098303. Exclusion: DA
19. Orji AF, Sodeyi MY, Anoke CI, et al. Disparities in cervical cancer screening by disability types: a systematic review. *J Cancer Educ*. 2023;38(3):752-60. doi: 10.1007/s13187-023-02280-1. PMID: 36882632. Exclusion: E2
20. Satge D, M. N. Age at breast cancer screening in women with intellectual disability. *J Med Screen*. 2023;30(1):47-8. doi: 10.1177/09691413221132674. PMID: 36300201. Exclusion: E7
21. Inchai P, Tsai WC, Chiu LT, et al. Inequality in the utilization of breast cancer screening between women with and without disabilities in Taiwan: a propensity-score-matched nationwide cohort study. *Int J Environ Res Public Health*. 2022;19(9):26. doi: 10.3390/ijerph19095280. PMID: 35564676. Exclusion: E2
22. Owen CL, Gaulton C, Roberts HC, et al. Perceptions of people with Parkinson's and their caregivers of falling and falls-related healthcare services- a qualitative study. *PLoS ONE*. 2022;17(10):e0276588. doi: 10.1371/journal.pone.0276588. PMID: 36288338. Exclusion: E2
23. de Clercq H, Naude A, J. B. Development and utility of an international classification of functioning, disability and health code set for younger-old adults with fall risk: implications for audiologists. *Am J Audiol*. 2022;31(4):1116-32. doi: 10.1044/2022\_AJA-21-00269. PMID: 36044893. Exclusion: E1



24. Andiwijaya FR, Davey C, Bessame K, et al. Disability and participation in breast and cervical cancer screening: a systematic review and meta-analysis. *Int J Environ Res Public Health*. 2022;19(15):9465. doi: 10.3390/ijerph19159465. PMID: 35954824. Exclusion: E8
25. Chan DNS, Law BMH, So WKW, et al. Factors associated with cervical cancer screening utilisation by people with physical disabilities: a systematic review. *Health Policy*. 2022;126(10):1039-50. doi: 10.1016/j.healthpol.2022.08.003. PMID: 35948497. Exclusion: E2
26. Wagner JL, Brothers SL, Guilfoyle SM, et al. Behavioral health screening in pediatric epilepsy: which measures commonly used in the United States are 'good enough'? *Epilepsy Behav*. 2022;134:108818. doi: 10.1016/j.yebeh.2022.108818. PMID: 35841809. Exclusion: DA
27. Olsen PO, Tully MA, Del Pozo Cruz B, et al. Community-based exercise enhanced by a self-management programme to promote independent living in older adults: a pragmatic randomised controlled trial. *Age Ageing*. 2022;51(7):afac137. doi: 10.1093/ageing/afac137. PMID: 35797431. Exclusion: E1
28. Clarke L, LK. F. The impact of autism-related training programs on physician knowledge, self-efficacy, and practice behavior: a systematic review. *Autism*. 2022;26(7):1626-40. doi: 10.1177/13623613221102016. PMID: 35698749. Exclusion: E2
29. Sinha A, Kohli A, Ghosh A, et al. Efficacy of screening and brief intervention for hazardous alcohol use in patients with mood disorders: a randomized clinical trial from a psychiatric out-patient clinic in India. *Asian J Psychiatr*. 2022;73:103138. doi: 10.1016/j.ajp.2022.103138. PMID: 35533601. Exclusion: E2
30. Irwin KE, Ko N, Walsh EP, et al. Developing a virtual equity hub: adapting the tumor board model for equity in cancer care. *Oncologist*. 2022;27(7):518-24. doi: 10.1093/oncolo/oyac069. PMID: 35443045. Exclusion: E4
31. Rybczynski S, Ryan TC, Wilcox HC, et al. Suicide risk screening in pediatric outpatient neurodevelopmental disabilities clinics. *J Dev Behav Pediatr*. 2022;43(4):181-7. doi: 10.1097/DBP.0000000000001026. PMID: 34657090. Exclusion: E2
32. Bal VH, Leventhal BL, Carter G, et al. Parent-reported suicidal ideation in three population-based samples of school-aged Korean children with autism spectrum disorder and autism spectrum screening questionnaire screen positivity. *Arch Suicide Res*. 2022;26(3):1232-49. doi: 10.1080/13811118.2020.1868367. PMID: 34724876. Exclusion: E2
33. Nugent JT, Bakhom C, Ghazi L, et al. Screening for hypertension in children with and without autism spectrum disorder. *JAMA Netw Open*. 2022;5(4):e226246. doi: 10.1001/jamanetworkopen.2022.6246. PMID: 35385092. Exclusion: E1
34. Leff B, Ritchie C, Freeland DG, et al. The national home-based primary care learning network: a practice-based quality improvement and research network. *J Am Med Dir Assoc*. 2022;23(8):1424-6. doi: 10.1016/j.jamda.2022.02.017. PMID: 35351444. Exclusion: E1
35. Bachrach RL, Chinman M, Rodriguez KL, et al. Using practice facilitation to improve alcohol-related care in primary care: a mixed-methods pilot study protocol. *Addict Sci Clin Pract*. 2022;17(1):19. doi: 10.1186/s13722-022-00300-x. PMID: 35287714. Exclusion: E1
36. Leung TI, Cifu AS, WW. L. Screening for anxiety in adolescent and adult women. *JAMA*. 2022;327(10):976-7. doi: 10.1001/jama.2022.1647. PMID: 35258542. Exclusion: E7
37. Stadnick NA, Martinez K, Coleman KJ, et al. Mental health screening in pediatric primary care for children with autism. *Autism*. 2022;26(5):1305-11. doi: 10.1177/13623613211062963. PMID: 35105226. Exclusion: E2
38. Baruch L, Bilitzky-Kopit A, Rosen K, et al. Cervical cancer screening among patients with physical disability. *J Womens Health (Larchmt)*. 2022;31(8):1173-8. doi: 10.1089/jwh.2021.0447. PMID: 35072543. Exclusion: E2

39. Phoenix M, Kingsnorth S, Hamdani Y, et al. A systematic review to identify screening tools and practices that can be used by children's rehabilitation service providers to screen parents' mental health. *Dev Neurorehabil.* 2022;25(5):328-36. doi: 10.1080/17518423.2021.2011977. PMID: 34931920. Exclusion: E1
40. ML. A. Increase disparities in breast cancer screening uptake for women with anxiety disorders. *Evid Based Nurs.* 2022;25(2):60. doi: 10.1136/ebnurs-2020-103386. PMID: 34167939. Exclusion: E7
41. Pearson J, Payne D, Yoshida K, et al. Access to and engagement with cervical and breast screening services for women with disabilities in Aotearoa New Zealand. *Disabil Rehabil.* 2022;44(10):1984-95. doi: 10.1080/09638288.2020.1817158. PMID: 32931340. Exclusion: E4
42. Logan PA, Horne JC, Gladman JRF, et al. Multifactorial falls prevention programme compared with usual care in UK care homes for older people: multicentre cluster randomised controlled trial with economic evaluation. *BMJ.* 2021;375:e066991. doi: 10.1136/bmj-2021-066991. PMID: 34876412. Exclusion: E1
43. Pilunthanakul T, Goh TJ, Fung DSS, et al. Validity of the patient health questionnaire 9-item in autistic youths: a pilot study. *BMC Psychiatry.* 2021;21(1):564. doi: 10.1186/s12888-021-03556-w. PMID: 34772391. Exclusion: DA
44. Valicenti-McDermott M, Rivelis E, Bernstein C, et al. Screening for depression in adolescents with developmental disabilities: brief report. *J Child Adolesc Psychopharmacol.* 2021;31(8):572-6. doi: 10.1089/cap.2021.0062. PMID: 34582695. Exclusion: E2
45. Brown DMY, McPhee PG, Kwan MY, et al. Implications of disability severity on 24-hour movement guideline adherence among children with neurodevelopmental disorders in the United States. *J Phys Act Health.* 2021;18(11):1325-31. doi: 10.1123/jpah.2021-0282. PMID: 34548417. Exclusion: E2
46. Munger Clary HM, Wan M, Conner K, et al. Examining brief and ultra-brief anxiety and depression screening methods in a real-world epilepsy clinic sample. *Epilepsy & Behavior.* 2021;118:107943. doi: 10.1016/j.yebeh.2021.107943. PMID: 33839449. Exclusion: DA
47. Mazzoni SE, Bott NL, MC. H. Screening for perinatal anxiety. *Am J Obstet Gynecol.* 2021;224(6):628-9. doi: 10.1016/j.ajog.2021.03.004. PMID: 33705747. Exclusion: E1
48. Kampling H, Baumeister H, Bengel J, et al. Prevention of depression in adults with long-term physical conditions. *Cochrane Database Syst Rev.* 2021;3(3):CD011246. doi: 10.1002/14651858.CD011246.pub2. PMID: 33667319. Exclusion: E1
49. Committee on Practice and Ambulatory Medicine; Bright Futures Periodicity Schedule Workgroup. 2021 Recommendations for preventive pediatric health care. *Pediatrics.* 2021;147(3):e2020049776. doi: 10.1542/peds.2020-049776. PMID: 33593848. Exclusion: E7
50. TY. C. Predictors of use of preventative health services for people with disabilities in Taiwan. *International Journal of Environmental Research & Public Health [Electronic Resource].* 2021;18(4):1661. doi: 10.3390/ijerph18041661. PMID: 33572360. Exclusion: E2
51. E. K. Autism spectrum disorder and substance use disorder: a dual diagnosis hiding in plain sight. *Psychiatr Clin North Am.* 2021;44(1):35-49. doi: 10.1016/j.psc.2020.11.004. PMID: 33526236. Exclusion: E7
52. Alhusen JL, Bloom T, Laughon K, et al. Perceptions of barriers to effective family planning services among women with disabilities. *Disabil Health J.* 2021;14(3):101055. doi: 10.1016/j.dhjo.2020.101055. PMID: 33384277. Exclusion: E2
53. Anderson ML, Wolf Craig KS, Hostovsky S, et al. Creating the capacity to screen deaf women for perinatal depression: a pilot study. *Midwifery.* 2021;92:102867. doi: 10.1016/j.midw.2020.102867. PMID: 33166783. Exclusion: E2

54. Costantini L, Pasquarella C, Odone A, et al. Screening for depression in primary care with Patient Health Questionnaire-9 (PHQ-9): a systematic review. *J Affect Disord.* 2021;279:473-83. doi: 10.1016/j.jad.2020.09.131. PMID: 33126078. Exclusion: DA
55. Poreddi V, Gandhi S, Reddy SN, et al. Effectiveness of nurses training in routine screening of violence against women with mental illness: a randomized controlled trail. *Arch Psychiatr Nurs.* 2020;34(4):200-5. doi: 10.1016/j.apnu.2020.05.003. PMID: 32828349. Exclusion: E1
56. Smith AJB, Applebaum J, Tanner EJ, et al. Gynecologic care in women with Down syndrome: findings from a national registry. *Obstet Gynecol.* 2020;136(3):518-23. doi: 10.1097/AOG.0000000000003997. PMID: 32769650. Exclusion: E2
57. Hearn SL, PJ. H. Working with people with disabilities: an interactive video/lecture session for first- and second-year medical students. *MedEdPORTAL.* 2020;16:10913. doi: 10.15766/mep\_2374-8265.10913. PMID: 32656333. Exclusion: E2
58. Vlot-van Anrooij K, Koks-Leensen MCJ, van der Crujisen A, et al. How can care settings for people with intellectual disabilities embed health promotion? *J Appl Res Intellect Disabil.* 2020;33(6):1489-99. doi: 10.1111/jar.12776. PMID: 32627935. Exclusion: E2
59. Nelson HD, Cantor A, Pappas M, et al. Screening for anxiety in adolescent and adult women: a systematic review for the women's preventive services initiative. *Ann Intern Med.* 2020;173(1):29-41. doi: 10.7326/M20-0579. PMID: 32510989. Exclusion: E1
60. Deans S, Kirk A, McGarry A, et al. Physical activity guidelines and promotion: an online survey of United Kingdom's prosthetic rehabilitation healthcare professionals. *Prosthet Orthot Int.* 2020;44(4):192-201. doi: 10.1177/0309364620920109. PMID: 32449462. Exclusion: E2
61. McLay R, Kirkwood RN, Kuspinar A, et al. Validity of balance and mobility screening tests for assessing fall risk in COPD. *Chron Respir Dis.* 2020;17:1479973120922538. doi: 10.1177/1479973120922538. PMID: 32390529. Exclusion: DA
62. Crusey A, Schuller KA, J. T. Access to care barriers for patients with bipolar disorder in the United States. *J Healthc Qual Res.* 2020;35(3):167-72. doi: 10.1016/j.jhqr.2020.03.001. PMID: 32305373. Exclusion: E7
63. Jager-Hyman S, Maddox BB, Crabbe SR, et al. Mental health clinicians' screening and intervention practices to reduce suicide risk in autistic adolescents and adults. *J Autism Dev Disord.* 2020;50(10):3450-61. doi: 10.1007/s10803-020-04441-3. PMID: 32240486. Exclusion: E2
64. Keenan R, Chepulis L, Ly J, et al. Metabolic screening in primary care for patients with schizophrenia or schizoaffective disorder and taking antipsychotic medication. *J Prim Health Care.* 2020;12(1):29-34. doi: 10.1071/HC19023. PMID: 32223847. Exclusion: E2
65. Ouk M, Edwards JD, Colby-Milley J, et al. Psychiatric morbidity and cervical cancer screening: a retrospective population-based case-cohort study. *CMAJ Open.* 2020;8(1):E134-E41. doi: 10.9778/cmajo.20190184. PMID: 32161045. Exclusion: E2
66. Mazurek MO, Parker RA, Chan J, et al. Effectiveness of the extension for community health outcomes model as applied to primary care for autism: a partial stepped-wedge randomized clinical trial. *JAMA Pediatr.* 2020;174(5):e196306. doi: 10.1001/jamapediatrics.2019.6306. PMID: 32150229. Exclusion: E2
67. K. F. Challenges of the underserved and underscreened in mammography. *Radiol Technol.* 2020;91(3):267M-81M. PMID: 32060093. Exclusion: E1
68. Ho P, Bulsara C, Patman S, et al. Exploring enablers and barriers to accessing health services after a fall among people with intellectual disability. *J Appl Res Intellect Disabil.* 2020;33(3):604-17. doi: 10.1111/jar.12704. PMID: 32039539. Exclusion: E2

69. Sherrington C, Fairhall N, Kirkham C, et al. Exercise to reduce mobility disability and prevent falls after fall-related leg or pelvic fracture: RESTORE randomized controlled trial. *Journal of General Internal Medicine*. 2020;35(10):2907-16. doi: 10.1007/s11606-020-05666-9. PMID: 32016702. Exclusion: E1
70. Shin DW, Yu J, Cho J, et al. Breast cancer screening disparities between women with and without disabilities: a national database study in South Korea. *Cancer*. 2020;126(7):1522-9. doi: 10.1002/cncr.32693. PMID: 31904881. Exclusion: E2
71. Byrnes K, Hamilton S, McGeechan GJ, et al. Attitudes and perceptions of people with a learning disability, family carers, and paid care workers towards cancer screening programmes in the United Kingdom: a qualitative systematic review and meta-aggregation. *Psychooncology*. 2020;29(3):475-84. doi: 10.1002/pon.5311. PMID: 31834649. Exclusion: E8
72. Powell RM, Parish SL, Mitra M, et al. Role of family caregivers regarding sexual and reproductive health for women and girls with intellectual disability: a scoping review. *J Intellect Disabil Res*. 2020;64(2):131-57. doi: 10.1111/jir.12706. PMID: 31808223. Exclusion: E8
73. Arnold SRC, Uljarevic M, Hwang YI, et al. Brief report: psychometric properties of the Patient Health Questionnaire-9 (PHQ-9) in autistic adults. *J Autism Dev Disord*. 2020;50(6):2217-25. doi: 10.1007/s10803-019-03947-9. PMID: 30847710. Exclusion: DA
74. Carruthers S, Kent R, Hollocks MJ, et al. Brief report: testing the psychometric properties of the Spence Children's Anxiety Scale (SCAS) and the Screen for Child Anxiety Related Emotional Disorders (SCARED) in autism spectrum disorder. *J Autism Dev Disord*. 2020;50(7):2625-32. doi: 10.1007/s10803-018-3774-8. PMID: 30334126. Exclusion: DA
75. Warner DF, Koroukian SM, Schiltz NK, et al. Complex multimorbidity and breast cancer screening among midlife and older women: the role of perceived need. *Gerontologist*. 2019;59(Suppl 1):S77-S87. doi: 10.1093/geront/gny180. PMID: 31100139. Exclusion: E1
76. Clements C, Kapur N, Jones SH, et al. Qualitative investigation of relatives' and service users' experience of mental healthcare for suicidal behaviour in bipolar disorder. *BMJ Open*. 2019;9(11):e030335. doi: 10.1136/bmjopen-2019-030335. PMID: 31719074. Exclusion: E2
77. Ray M, Denning T, B. C. Dementia and hearing loss: a narrative review. *Maturitas*. 2019;128:64-9. doi: 10.1016/j.maturitas.2019.08.001. PMID: 31561826. Exclusion: E2
78. Wang Z, Luo Z, Li S, et al. Anxiety screening tools in people with epilepsy: a systematic review of validated tools. *Epilepsy Behav*. 2019;99:106392. doi: 10.1016/j.yebeh.2019.06.035. PMID: 31521915. Exclusion: DA
79. Pinto TCC, Machado L, Costa MLG, et al. Accuracy and psychometric properties of the Brazilian version of the Montreal cognitive assessment as a brief screening tool for mild cognitive impairment and Alzheimer's disease in the initial stages in the elderly. *Dement Geriatr Cogn Disord*. 2019;47(4-6):366-74. doi: 10.1159/000501308. PMID: 31466064. Exclusion: E1
80. Alagoz O, Hajjar A, Chootipongchaivat S, et al. Benefits and harms of mammography screening for women with down syndrome: a collaborative modeling study. *J Gen Intern Med*. 2019;34(11):2374-81. doi: 10.1007/s11606-019-05182-5. PMID: 31385214. Exclusion: DA
81. Viellard M, Villeneuve N, Milh M, et al. Screening for depression in youth with epilepsy: psychometric analysis of NDDI-E-Y and NDDI-E in a French population. *Epilepsy Behav*. 2019;98(Pt A):19-26. doi: 10.1016/j.yebeh.2019.06.012. PMID: 31299528. Exclusion: E2

82. Grealish L, Real B, Todd JA, et al. Implementing evidence-based guidelines for falls prevention: observations of nursing activities during the care of older people with cognitive impairment. *Worldviews Evid Based Nurs.* 2019;16(5):335-43. doi: 10.1111/wvn.12376. PMID: 31155840. Exclusion: E5
83. Zha N, Alabousi M, Patel BK, et al. Beyond universal health care: barriers to breast cancer screening participation in Canada. *J Am Coll Radiol.* 2019;16(4 Pt B):570-9. doi: 10.1016/j.jacr.2019.02.044. PMID: 30947889. Exclusion: E2
84. Sakellariou D, ES. R. Utilisation of mammography by women with mobility impairment in the UK: secondary analysis of cross-sectional data. *BMJ Open.* 2019;9(3):e024571. doi: 10.1136/bmjopen-2018-024571. PMID: 30878981. Exclusion: E2
85. Patrick S, P. C. Psychometric properties of the PHQ-9 depression scale in people with multiple sclerosis: a systematic review. *PLoS ONE.* 2019;14(2):e0197943. doi: 10.1371/journal.pone.0197943. PMID: 30779803. Exclusion: DA
86. Meyer C, Hill S, Hill KD, et al. Inclusive decision making for falls prevention: a discussion tool for use with people with dementia and their caregivers. *J Aging Phys Act.* 2019;27(5):711-8. doi: 10.1123/japa.2018-0167. PMID: 30747556. Exclusion: E3
87. Ubeda-Colomer J, Monforte J, J. D-D. Physical activity of university students with disabilities: accomplishment of recommendations and differences by age, sex, disability and weight status. *Public Health.* 2019;166:69-78. doi: 10.1016/j.puhe.2018.10.006. PMID: 30465933. Exclusion: E2
88. Yarborough BJH, Stumbo SP, Cavese JA, et al. Patient perspectives on how living with a mental illness affects making and maintaining healthy lifestyle changes. *Patient Educ Couns.* 2019;102(2):346-51. doi: 10.1016/j.pec.2018.08.036. PMID: 30205919. Exclusion: E2
89. Palmer VJ, Lewis M, Stylianopolous V, et al. Primary care prevention of the cardiovascular health crisis for people with severe mental illnesses: the elephant in the room. *Aust J Gen Pract.* 2018;47(12):846-50. doi: 10.31128/AJGP-09-18-4692. PMID: 31212402. Exclusion: E7
90. Seaton MB, Muraca L, Devaney J, et al. "I want to help, but what do you do in a situation like that?" health care providers' qualitative perspectives on working with disabled women in breast cancer screening. *J Med Imaging Radiat Sci.* 2018;49(4):383-9. doi: 10.1016/j.jmir.2017.08.006. PMID: 30514555. Exclusion: E4
91. Plourde N, Brown HK, Vigod S, et al. The association between continuity of primary care and preventive cancer screening in women with intellectual disability. *Am J Intellect Dev Disabil.* 2018;123(6):499-513. doi: 10.1352/1944-7558-123.6.499. PMID: 30421970. Exclusion: E2
92. Lopez FV, Split M, Filoteo JV, et al. Does the Geriatric Depression Scale measure depression in Parkinson's disease? *Int J Geriatr Psychiatry.* 2018;33(12):1662-70. doi: 10.1002/gps.4970. PMID: 30251374. Exclusion: DA
93. Nguyen AQ, Mandigo M, JS. C. Cervical cancer screening for women with disabilities: time for a new approach? *J Low Genit Tract Dis.* 2018;22(4):318-9. doi: 10.1097/LGT.0000000000000432. PMID: 30161053. Exclusion: E7
94. Shin DW, Lee JW, Jung JH, et al. Disparities in cervical cancer screening among women with disabilities: a national database study in South Korea. *J Clin Oncol.* 2018;36(27):2778-86. doi: 10.1200/JCO.2018.77.7912. PMID: 30074846. Exclusion: E2
95. de Silva PN. Closing the medical mortality gap in patients with major psychiatric conditions. *Br J Hosp Med (Lond).* 2018;79(8):444-8. doi: 10.12968/hmed.2018.79.8.444. PMID: 30070942. Exclusion: E7

96. Hughes AJ, Dunn KM, Chaffee T, et al. Diagnostic and clinical utility of the GAD-2 for screening anxiety symptoms in individuals with multiple sclerosis. *Arch Phys Med Rehabil.* 2018;99(10):2045-9. doi: 10.1016/j.apmr.2018.05.029. PMID: 29964000. Exclusion: DA
97. Byrne M, White B, F. M. A new tool to assess compliance of mental health laws with the convention on the rights of persons with disabilities. *Int J Law Psychiatry.* 2018;58:122-42. doi: 10.1016/j.ijlp.2018.04.001. PMID: 29853003. Exclusion: E2
98. Guirguis-Blake JM, Michael YL, Perdue LA, et al. Interventions to prevent falls in older adults: updated evidence report and systematic review for the US Preventive Services Task Force. *JAMA.* 2018;319(16):1705-16. doi: 10.1001/jama.2017.21962. PMID: 29710140. Exclusion: E1
99. Stumbo SP, Yarborough BJH, Yarborough MT, et al. Perspectives on providing and receiving preventive health care from primary care providers and their patients with mental illnesses. *Am J Health Promot.* 2018;32(8):1730-9. doi: 10.1177/0890117118763233. PMID: 29658287. Exclusion: E4
100. Gilson KM, Davis E, Johnson S, et al. Mental health care needs and preferences for mothers of children with a disability. *Child Care Health Dev.* 2018;44(3):384-91. doi: 10.1111/cch.12556. PMID: 29430692. Exclusion: E1
101. Cronly J, Duff AJ, Riekert KA, et al. Online versus paper-based screening for depression and anxiety in adults with cystic fibrosis in Ireland: a cross-sectional exploratory study. *BMJ Open.* 2018;8(1):e019305. doi: 10.1136/bmjopen-2017-019305. PMID: 29358445. Exclusion: E1
102. Iaboni A, Van Ooteghem K, Marcil MN, et al. A palliative approach to falls in advanced dementia. *Am J Geriatr Psychiatry.* 2018;26(4):407-15. doi: 10.1016/j.jagp.2017.11.014. PMID: 29336907. Exclusion: E6
103. Suarez-Balcazar Y, Agudelo Orozco A, Mate M, et al. Unpacking barriers to healthy lifestyles from the perspective of youth with disabilities and their parents. *J Prev Interv Community.* 2018;46(1):61-72. doi: 10.1080/10852352.2018.1386270. PMID: 29281599. Exclusion: E2
104. Paula CS, Cunha GR, Bordini D, et al. Identifying autism with a brief and low-cost screening instrument-OERA: construct validity, invariance testing, and agreement between judges. *J Autism Dev Disord.* 2018;48(5):1780-91. doi: 10.1007/s10803-017-3440-6. PMID: 29247310. Exclusion: DA
105. Nah YH, Brewer N, Young RL, et al. Brief report: screening adults with autism spectrum disorder for anxiety and depression. *J Autism Dev Disord.* 2018;48(5):1841-6. doi: 10.1007/s10803-017-3427-3. PMID: 29198039. Exclusion: E2
106. Szanton SL, Alfonso YN, Leff B, et al. Medicaid cost savings of a preventive home visit program for disabled older adults. *J Am Geriatr Soc.* 2018;66(3):614-20. doi: 10.1111/jgs.15143. PMID: 29165789. Exclusion: E2
107. Thomas M, James M, Vittinghoff E, et al. Mammography among women with severe mental illness: exploring disparities through a large retrospective cohort study. *Psychiatr Serv.* 2018;69(1):48-54. doi: 10.1176/appi.ps.201600170. PMID: 28945184. Exclusion: E2
108. Musich S, Wang SS, Ruiz J, et al. The impact of mobility limitations on health outcomes among older adults. *Geriatr Nurs.* 2018;39(2):162-9. doi: 10.1016/j.gerinurse.2017.08.002. PMID: 28866316. Exclusion: E2
109. Ritchie S, L. M. Cardiovascular preventive care for patients with serious mental illness. *Can Fam Physician.* 2017;63(11):e483-e7. PMID: 29138173. Exclusion: E2
110. Bayen E, Jacquemot J, Netscher G, et al. Reduction in fall rate in dementia managed care through video incident review: pilot study. *J Med Internet Res.* 2017;19(10):e3339. doi: 10.2196/jmir.8095. PMID: 29042342. Exclusion: E5

111. Hinton CF, Kraus LE, Richards TA, et al. The guide to community preventive services and disability inclusion. *Am J Prev Med.* 2017;53(6):898-903. doi: 10.1016/j.amepre.2017.06.025. PMID: 28869093. Exclusion: E6
112. McIntyre RS, Best MW, Bowie CR, et al. The THINC-Integrated Tool (THINC-it) screening assessment for cognitive dysfunction: validation in patients with major depressive disorder. *J Clin Psychiatry.* 2017;78(7):873-81. doi: 10.4088/JCP.16m11329. PMID: 28858441. Exclusion: DA
113. Gimm G, Wood E, P. Z. Access to preventive services for working-age adults with physical limitations. *Arch Phys Med Rehabil.* 2017;98(12):2442-8. doi: 10.1016/j.apmr.2017.05.017. PMID: 28645769. Exclusion: E2
114. Xu X, McDermott SW, Mann JR, et al. A longitudinal assessment of adherence to breast and cervical cancer screening recommendations among women with and without intellectual disability. *Prev Med.* 2017;100:167-72. doi: 10.1016/j.ypped.2017.04.034. PMID: 28455223. Exclusion: E2
115. Swartz RH, Cayley ML, Lanctot KL, et al. The "DOC" screen: Ffeasible and valid screening for depression, obstructive sleep apnea (OSA) and cognitive impairment in stroke prevention clinics. *PLoS ONE* 2017;12(4):e0174451. doi: 10.1371/journal.pone.0174451. PMID: 28376127. Exclusion: DA
116. Nary DE, JA. S. Preventing health problems that disrupt community living: a health promotion needs assessment. *J Prev Interv Community.* 2017;45(2):112-23. doi: 10.1080/10852352.2017.1281048. PMID: 28287371. Exclusion: E2
117. Deroche CB, McDermott SW, Mann JR, et al. Colorectal cancer screening adherence in selected disabilities over 10 years. *Am J Prev Med.* 2017;52(6):735-41. doi: 10.1016/j.amepre.2017.01.005. PMID: 28214250. Exclusion: DA
118. Kritharides L, Chow V, TJ. L. Cardiovascular disease in patients with schizophrenia. *Med J Aust.* 2017;206(2):91-5. doi: 10.5694/mja16.00650. PMID: 28152356. Exclusion: E4
119. Steele CB, Townsend JS, Courtney-Long EA, et al. Prevalence of cancer screening among adults with disabilities, United States, 2013. *Prev Chronic Dis.* 2017;14:E09. doi: 10.5888/pcd14.160312. PMID: 28125399. Exclusion: E2
120. Hilberink SR, van der Slot WMA, M. K. Health and participation problems in older adults with long-term disability. *Disabil Health J.* 2017;10(2):361-6. doi: 10.1016/j.dhjo.2016.12.004. PMID: 28025088. Exclusion: E2
121. Tchaconas A, A. A. Diagnostic evaluation of children with autism spectrum disorders: clinician compliance with published guidelines. *J Dev Behav Pediatr.* 2017;38(1):29-38. doi: 10.1097/DBP.0000000000000349. PMID: 27984339. Exclusion: E2
122. Hanna J, Santo JB, Blair M, et al. Comparing depression screening tools in persons with multiple sclerosis (MS). *Rehabil Psychol.* 2017;62(1):20-4. doi: 10.1037/rep0000115. PMID: 27918176. Exclusion: DA
123. Bailey JM, Bartlem KM, Wiggers JH, et al. Systematic review and meta-analysis of the provision of preventive care for modifiable chronic disease risk behaviours by mental health services. *Prev Med Rep.* 2019;16:100969. doi: 10.1016/j.pmedr.2019.100969. PMID: 31497500. Exclusion: E2
124. Holmgren M, Sandberg M, G. A. The complexity of reaching and maintaining a healthy body weight - the experience from adults with a mobility disability. *BMC Obes.* 2018;5:33. doi: 10.1186/s40608-018-0212-6. PMID: 30524738. Exclusion: E2
125. Cates ME, TW. W. Effects of a psychiatric clinical rotation on pharmacy students' attitudes toward mental illness and the provision of pharmaceutical care to the mentally ill. *Ment Health Clin.* 2017;7(5):194-200. doi: 10.9740/mhc.2017.09.194. PMID: 29955523. Exclusion: E2

126. Nicholas DB, Calhoun A, McLaughlin AM, et al. Care experiences of adults with a dual diagnosis and their family caregivers. *Glob Qual Nurs Res.* 2017;4:2333393617721646. doi: 10.1177/2333393617721646. PMID: 28804747. Exclusion: E2
127. Albert SM, Raviotta J, Lin CJ, et al. Cost-effectiveness of a statewide falls prevention program in Pennsylvania: healthy steps for older adults. *Am J Manag Care.* 2016;22(10):638-44. PMID: 28557514. Exclusion: E1
128. Jeon YH, Liu Z, Li Z, et al. Development and validation of a short version of the Cornell Scale for depression in dementia for screening residents in nursing homes. *Am J Geriatr Psychiatry.* 2016;24(11):1007-16. doi: 10.1016/j.jagp.2016.05.012. PMID: 27538349. Exclusion: E1
129. Lennox N, McPherson L, Bain C, et al. A health advocacy intervention for adolescents with intellectual disability: a cluster randomized controlled trial. *Dev Med Child Neurol.* 2016;58(12):1265-72. doi: 10.1111/dmcn.13174. PMID: 27343021. Exclusion: E2
130. Prisdie JC, Fiest KM, Coutts SB, et al. Validating screening tools for depression in stroke and transient ischemic attack patients. *Int J Psychiatry Med.* 2016;51(3):262-77. doi: 10.1177/0091217416652616. PMID: 27284119. Exclusion: DA
131. Matcham F, Norton S, Steer S, et al. Usefulness of the SF-36 health survey in screening for depressive and anxiety disorders in rheumatoid arthritis. *BMC Musculoskelet Disord.* 2016;17:224. doi: 10.1186/s12891-016-1083-y. PMID: 27215696. Exclusion: DA
132. Morrato EH, Campagna EJ, Brewer SE, et al. Metabolic testing for adults in a state Medicaid program receiving antipsychotics: remaining barriers to achieving population health prevention goals. *JAMA Psychiatry.* 2016;73(7):721-30. doi: 10.1001/jamapsychiatry.2016.0538. PMID: 27167755. Exclusion: E1
133. Iezzoni LI, Kurtz SG, SR. R. Trends in colorectal cancer screening over time for persons with and without chronic disability. *Disabil Health J.* 2016;9(3):498-509. doi: 10.1016/j.dhjo.2016.02.003. PMID: 27130194. Exclusion: E2
134. Zheng G, Huang M, Li S, et al. Effect of Baduanjin exercise on cognitive function in older adults with mild cognitive impairment: study protocol for a randomised controlled trial. *BMJ Open.* 2016;6(4):e010602. doi: 10.1136/bmjopen-2015-010602. PMID: 27067894. Exclusion: E7
135. Richards DA, Bower P, Chew-Graham C, et al. Clinical effectiveness and cost-effectiveness of collaborative care for depression in UK primary care (CADET): a cluster randomised controlled trial. *Health Technol Assess.* 2016;20(14):1-192. doi: 10.3310/hta20140. PMID: 26910256. Exclusion: E2
136. Forman-Hoffman V, McClure E, McKeeman J, et al. Screening for major depressive disorder in children and adolescents: a systematic review for the U.S. Preventive Services Task Force. *Ann Intern Med.* 2016;164(5):342-9. doi: 10.7326/M15-2259. PMID: 26857836. Exclusion: E1
137. Anonymous. Summaries for patients. Screening for depression in children and adolescents: U.S. Preventive Services Task Force recommendation statement. *Ann Intern Med.* 2016;164(5)doi: 10.7326/P16-9006. PMID: 26856311. Exclusion: E7
138. Marciniak C, Gabet J, Lee J, et al. Osteoporosis in adults with cerebral palsy: feasibility of DXA screening and risk factors for low bone density. *Osteoporos Int.* 2016;27(4):1477-84. doi: 10.1007/s00198-015-3393-6. PMID: 26576540. Exclusion: E2
139. Denneson LM, Williams HB, Kaplan MS, et al. Treatment of veterans with mental health symptoms in VA primary care prior to suicide. *Gen Hosp Psychiatry.* 2016;38:65-70. doi: 10.1016/j.genhosppsy.2015.08.007. PMID: 26412146. Exclusion: E2



140. Brown HK, Plourde N, Ouellette-Kuntz H, et al. Brief report: cervical cancer screening in women with intellectual and developmental disabilities who have had a pregnancy. *J Intellect Disabil Res.* 2016;60(1):22-7. doi: 10.1111/jir.12225. PMID: 26359630. Exclusion: E2
141. Ramjan L, Cotton A, Algosso M, et al. Barriers to breast and cervical cancer screening for women with physical disability: a review. *Women Health.* 2016;56(2):141-56. doi: 10.1080/03630242.2015.1086463. PMID: 26325597. Exclusion: E8
142. Choi SK, Boyle E, Burchell AN, et al. Validation of six short and ultra-short screening instruments for depression for people living with HIV in Ontario: results from the Ontario HIV Treatment Network cohort study. *PLoS ONE.* 2015;10(11):e0142706. doi: 10.1371/journal.pone.0142706. PMID: 26566285. Exclusion: DA
143. Bartlem K, Bowman J, Freund M, et al. Acceptability and receipt of preventive care for chronic-disease health risk behaviors reported by clients of community mental health services. *Psychiatr Serv.* 2015;66(8):857-64. doi: 10.1176/appi.ps.201400360. PMID: 25930044. Exclusion: E2
144. Horner-Johnson W, Dobbertin K, LI. I. Disparities in receipt of breast and cervical cancer screening for rural women age 18 to 64 with disabilities. *Womens Health Issues.* 2015;25(3):246-53. doi: 10.1016/j.whi.2015.02.004. PMID: 25864023. Exclusion: E2
145. F. G-S. Catering for vulnerable populations: customised care. *J Prim Health Care.* 2015;7(1):2-3. PMID: 25770708. Exclusion: E7
146. Ouellette-Kuntz H, Coo H, Cobigo V, et al. Uptake of colorectal cancer screening among Ontarians with intellectual and developmental disabilities. *PLoS One.* 2015;10(2):e0118023. doi: 10.1371/journal.pone.0118023. PMID: 25689849. Exclusion: E2
147. Turcotte PL, Carrier A, Desrosiers J, et al. Are health promotion and prevention interventions integrated into occupational therapy practice with older adults having disabilities? Insights from six community health settings in Quebec, Canada. *Aust Occup Ther J.* 2015;62(1):56-67. doi: 10.1111/1440-1630.12174. PMID: 25649035. Exclusion: E2
148. Osmun WE, Chan N, R. S. Approach to caring for developmentally disabled adults in the community: medical, ethical, and legal considerations. *Can Fam Physician.* 2015;61(1):27-31. PMID: 25609519. Exclusion: E7
149. Havercamp SM, HM. S. National health surveillance of adults with disabilities, adults with intellectual and developmental disabilities, and adults with no disabilities. *Disabil Health J.* 2015;8(2):165-72. doi: 10.1016/j.dhjo.2014.11.002. PMID: 25595297. Exclusion: E4
150. van Duijvenbode N, VanDerNagel JE, Didden R, et al. Substance use disorders in individuals with mild to borderline intellectual disability: current status and future directions. *Res Dev Disabil.* 2015;38:319-28. doi: 10.1016/j.ridd.2014.12.029. PMID: 25577182. Exclusion: E1
151. Yen SM, Kung PT, WC. T. Mammography usage with relevant factors among women with mental disabilities in Taiwan: a nationwide population-based study. *Res Dev Disabil.* 2015;37:182-8. doi: 10.1016/j.ridd.2014.10.052. PMID: 25483378. Exclusion: E6
152. F. T. Females with Down syndrome: lost opportunities in primary care. *J Am Assoc Nurse Pract.* 2015;27(7):356-62. doi: 10.1002/2327-6924.12194. PMID: 25408311. Exclusion: E8
153. Sinclair LB, Taft KE, Sloan ML, et al. Tools for improving clinical preventive services receipt among women with disabilities of childbearing ages and beyond. *Matern Child Health J.* 2015;19(6):1189-201. doi: 10.1007/s10995-014-1627-4. PMID: 25359095. Exclusion: E4

154. Crockett J, Finlayson J, Skelton DA, et al. Promoting exercise as part of a physiotherapy-led falls pathway service for adults with intellectual disabilities: a service evaluation. *J Appl Res Intellect Disabil.* 2015;28(3):257-64. doi: 10.1111/jar.12119. PMID: 25179503. Exclusion: E1
155. Merten JW, Pomeranz JL, King JL, et al. Barriers to cancer screening for people with disabilities: a literature review. *Disabil Health J.* 2015;8(1):9-16. doi: 10.1016/j.dhjo.2014.06.004. PMID: 25096629. Exclusion: E8
156. Byrne JH, Ware RS, NG. L. Health actions prompted by health assessments for people with intellectual disability exceed actions recorded in general practitioners' records. *Aust J Prim Health.* 2015;21(3):317-20. doi: 10.1071/PY14007. PMID: 24913523. Exclusion: E8
157. Holloway EE, Sturrock BA, Lamoureux EL, et al. Depression screening among older adults attending low-vision rehabilitation and eye-care services: characteristics of those who screen positive and client acceptability of screening. *Australas J Ageing.* 2015;34(4):229-34. doi: 10.1111/ajag.12159. PMID: 24854153. Exclusion: E2
158. Mathis AS, GM. O. Implications for multiple sclerosis in the era of the Affordable Care Act: the shifting managed care landscape. *Am J Manag Care.* 2014;20(11 Suppl):S242-S53. PMID: 25734889. Exclusion: E4
159. Stijnen MM, Jansen MW, Duimel-Peeters IG, et al. Nurse-led home visitation programme to improve health-related quality of life and reduce disability among potentially frail community-dwelling older people in general practice: a theory-based process evaluation. *BMC Fam Pract.* 2014;15:173. doi: 10.1186/s12875-014-0173-x. PMID: 25344322. Exclusion: E1
160. Peterson-Besse JJ, O'Brien MS, Walsh ES, et al. Clinical preventive service use disparities among subgroups of people with disabilities: a scoping review. *Disabil Health J.* 2014;7(4):373-93. doi: 10.1016/j.dhjo.2014.04.005. PMID: 25224979. Exclusion: E8
161. Lai HT, Kung PT, WC. T. Factors influencing the mammography utilization among Taiwanese women with intellectual disabilities, a nationwide population-based study. *Res Dev Disabil.* 2014;35(12):3372-8. doi: 10.1016/j.ridd.2014.08.019. PMID: 25194512. Exclusion: E6
162. Horner-Johnson W, Dobbertin K, Lee JC, et al. Rural disparities in receipt of colorectal cancer screening among adults ages 50-64 with disabilities. *Disabil Health J.* 2014;7(4):394-401. doi: 10.1016/j.dhjo.2014.06.001. PMID: 25065974. Exclusion: E6
163. Zis P, S. G. Estimating the diagnostic value of the Neurological Disorders Depression Inventory for Epilepsy in different languages. *Epilepsia.* 2014;55(6):941. doi: 10.1111/epi.12609. PMID: 24924643. Exclusion: DA
164. YS. S. Fetal alcohol spectrum disorders: an overview for pediatric and adolescent care providers. *Curr Probl Pediatr Adolesc Health Care.* 2014;44(4):74-81. doi: 10.1016/j.cppeds.2013.12.012. PMID: 24810409. Exclusion: E7
165. JE. H. Using nursing intervention classification in an advance practice registered nurse-led preventive model for adults aging with developmental disabilities. *J Nurs Scholarsh.* 2014;46(5):304-13. doi: 10.1111/jnu.12085. PMID: 24754732. Exclusion: E2
166. de Oliveira GN, Lessa JM, Goncalves AP, et al. Screening for depression in people with epilepsy: comparative study among neurological disorders depression inventory for epilepsy (NDDI-E), hospital anxiety and depression scale depression subscale (HADS-D), and Beck depression inventory (BDI). *Epilepsy Behav.* 2014;34:50-4. doi: 10.1016/j.yebeh.2014.03.003. PMID: 24681386. Exclusion: DA
167. Tesio V, Molinaro S, Castelli L, et al. Screening of depression in cardiac patients: is the HADS an effective tool? *Int J Cardiol.* 2014;172(2):e344-e5. doi: 10.1016/j.ijcard.2013.12.308. PMID: 24461980. Exclusion: E1

168. Horner-Johnson W, Dobbertin K, Andresen EM, et al. Breast and cervical cancer screening disparities associated with disability severity. *Womens Health Issues*. 2014;24(1):e147-e53. doi: 10.1016/j.whi.2013.10.009. PMID: 24439941. Exclusion: E2
169. Marchionni M, Stagnaro S, S. C. The role of 'modified Mediterranean diet' and quantum therapy in Alzheimer's disease primary prevention. *J Nutr Health Aging*. 2014;18(1):96. doi: 10.1007/s12603-013-0435-7. PMID: 24402398. Exclusion: E7
170. Moller UO, Kristensson J, Midlov P, et al. Effects of a one-year home-based case management intervention on falls in older people: a randomized controlled trial. *J Aging Phys Act*. 2014;22(4):457-64. doi: 10.1123/japa.2013-0101. PMID: 24152667. Exclusion: E1
171. Berman BA, Jo A, Cumberland WG, et al. Breast cancer knowledge and practices among D/deaf women. *Disabil Health J*. 2013;6(4):303-16. doi: 10.1016/j.dhjo.2013.05.001. PMID: 24060253. Exclusion: E10
172. Brown CJ, KL. F. Mobility limitation in the older patient: a clinical review. *JAMA*. 2013;310(11):1168-77. doi: 10.1001/jama.2013.276566. PMID: 24045741. Exclusion: E1
173. Heller T, A. S. Promoting healthy aging in adults with developmental disabilities. *Dev Disabil Res Rev*. 2013;18(1):22-30. doi: 10.1002/ddrr.1125. PMID: 23949826. Exclusion: E7
174. van der Aa HP, van Rens GH, Comijs HC, et al. Stepped-care to prevent depression and anxiety in visually impaired older adults--design of a randomised controlled trial. *BMC Psychiatry*. 2013;13:209. doi: 10.1186/1471-244X-13-209. PMID: 23937975. Exclusion: E7
175. Meltzer-Brody S, Boschloo L, Jones I, et al. The EPDS-Lifetime: assessment of lifetime prevalence and risk factors for perinatal depression in a large cohort of depressed women. *Arch Womens Ment Health*. 2013;16(6):465-73. doi: 10.1007/s00737-013-0372-9. PMID: 23904137. Exclusion: DA
176. Sivananthan SN, Puyat JH, KM. M. Variations in self-reported practice of physicians providing clinical care to individuals with dementia: a systematic review. *J Am Geriatr Soc*. 2013;61(8):1277-85. doi: 10.1111/jgs.12368. PMID: 23889524. Exclusion: E2
177. EM. A, Peterson-Besse JJ, Krahn GL, et al. Pap, mammography, and clinical breast examination screening among women with disabilities: a systematic review. *Womens Health Issues*. 2013;23(4):e205-e14. doi: 10.1016/j.whi.2013.04.002. PMID: 23816150. Exclusion: E6
178. Bergqvist A, Karlsson M, Foldemo A, et al. Preventing the development of metabolic syndrome in people with psychotic disorders--difficult, but possible: experiences of staff working in psychosis outpatient care in Sweden. *Issues Ment Health Nurs*. 2013;34(5):350-8. doi: 10.3109/01612840.2013.771234. PMID: 23663022. Exclusion: E2
179. Mbewe EK, Uys LR, Nkwanyana NM, et al. A primary healthcare screening tool to identify depression and anxiety disorders among people with epilepsy in Zambia. *Epilepsy Behav*. 2013;27(2):296-300. doi: 10.1016/j.yebeh.2013.01.025. PMID: 23510742. Exclusion: E2
180. Reichard A, MH. F. Using population-based data to examine preventive services by disability type among dually eligible (Medicare/Medicaid) adults. *Disabil Health J*. 2013;6(2):75-86. doi: 10.1016/j.dhjo.2012.12.001. PMID: 23507157. Exclusion: E6
181. Aggarwal A, Pandurangi A, W. S. Disparities in breast and cervical cancer screening in women with mental illness: a systematic literature review. *Am J Prev Med*. 2013;44(4):392-8. doi: 10.1016/j.amepre.2012.12.006. PMID: 23498106. Exclusion: E8
182. Parish SL, Swaine JG, Son E, et al. Receipt of mammography among women with intellectual disabilities: medical record data indicate substantial disparities for African American women. *Disabil Health J*. 2013;6(1):36-42. doi: 10.1016/j.dhjo.2012.08.004. PMID: 23260609. Exclusion: E6

183. Kroese BS, Rose J, Heer K, et al. Mental health services for adults with intellectual disabilities--what do service users and staff think of them? *J Appl Res Intellect Disabil*. 2013;26(1):3-13. doi: 10.1111/jar.12007. PMID: 23255374. Exclusion: E6
184. Kjeldsen LJ, Hansen PS, Kristensen AM, et al. Outreach visits by clinical pharmacists improve screening for the metabolic syndrome among mentally ill patients. *Nordic J Psychiatry*. 2013;67(4):249-57. doi: 10.3109/08039488.2012.732115. PMID: 23126478. Exclusion: E5
185. Hermans H, Wieland J, Jelluma N, et al. Reliability and validity of the Dutch version of the Glasgow Anxiety Scale for people with an Intellectual Disability (GAS-ID). *J Intellect Disabil Res*. 2013;57(8):728-36. doi: 10.1111/j.1365-2788.2012.01632.x. PMID: 23046166. Exclusion: DA
186. Roskott AM, Huisman-de Waal G, Wanten GJ, et al. Screening for psychosocial distress in patients with long-term home parenteral nutrition. *Clin Nutr*. 2013;32(3):396-403. doi: 10.1016/j.clnu.2012.08.023. PMID: 22981598. Exclusion: E2
187. Janssen R, B. M. Psychometric evaluation of a Dutch version of the mini PAS-ADD for assessing psychiatric disorders in adults with different levels of intellectual disability. *J Intellect Disabil Res*. 2013;57(8):689-702. doi: 10.1111/j.1365-2788.2012.01544.x. PMID: 22463729. Exclusion: DA
188. Blom EH, Bech P, Hogberg G, et al. Screening for depressed mood in an adolescent psychiatric context by brief self-assessment scales--testing psychometric validity of WHO-5 and BDI-6 indices by latent trait analyses. *Health Qual Life Outcomes*. 2012;10:149. doi: 10.1186/1477-7525-10-149. PMID: 23227908. Exclusion: DA
189. Dakwar E, Mahony A, Pavlicova M, et al. The utility of attention-deficit/hyperactivity disorder screening instruments in individuals seeking treatment for substance use disorders. *J Clin Psychiatry*. 2012;73(11):e1372-e8. doi: 10.4088/JCP.12m07895. PMID: 23218166. Exclusion: DA
190. Pharr JR, T. B. Health disparities experienced by people with disabilities in the United States: a behavioral risk factor surveillance system study. *Glob J Health Sci*. 2012;4(6):99-108. doi: 10.5539/gjhs.v4n6p99. PMID: 23121746. Exclusion: E2
191. Allerton L, E. E. British adults with chronic health conditions or impairments face significant barriers to accessing health services. *Public Health*. 2012;126(11):920-7. doi: 10.1016/j.puhe.2012.08.003. PMID: 22959282. Exclusion: E2
192. Littman AJ, Koepsell TD, Forsberg CW, et al. Preventive services in veterans in relation to disability. *J Rehabil Res Dev*. 2012;49(3):339-50. doi: 10.1682/jrrd.2010.12.0229. PMID: 22773194. Exclusion: E2
193. Guthmann D, Lazowski LE, Moore D, et al. Validation of the substance abuse screener in American Sign Language (SAS--ASL). *Rehabil Psychol*. 2012;57(2):140-8. doi: 10.1037/a0028605. PMID: 22686552. Exclusion: DA
194. Biesheuvel-Leliefeld KE, Kersten SM, van der Horst HE, et al. Cost-effectiveness of nurse-led self-help for recurrent depression in the primary care setting: design of a pragmatic randomised controlled trial. *BMC Psychiatry*. 2012;12:59. doi: 10.1186/1471-244X-12-59. PMID: 22677092. Exclusion: E1
195. D. S. Childhood depression and anxiety disorders in Serbia: a psychometric study of four screening questionnaires. *Epidemiol Psychiatr Sci*. 2012;21(1):111-6. doi: 10.1017/s2045796011000655. PMID: 22670418. Exclusion: E1
196. Greydanus DE, Pratt HD, DR. P. Concepts of contraception for adolescent and young adult women with chronic illness and disability. *Dis Mon*. 2012;58(5):258-320. doi: 10.1016/j.disamonth.2012.02.001. PMID: 22510362. Exclusion: E7
197. Todd A, A. S. Breast cancer screening barriers and disability. *Rehabil Nurs*. 2012;37(2):74-9. doi: 10.1002/RNJ.00013. PMID: 22434617. Exclusion: E8

198. Rees G, Holloway EE, Craig G, et al. Screening for depression: integrating training into the professional development programme for low vision rehabilitation staff. *Clin Exp Ophthalmol*. 2012;40(9):840-8. doi: 10.1111/j.1442-9071.2012.02779.x. PMID: 22394378. Exclusion: E1
199. Pirraglia PA, Rowland E, Wu WC, et al. Benefits of a primary care clinic co-located and integrated in a mental health setting for veterans with serious mental illness. *Prev Chronic Dis*. 2012;9:E51. PMID: 22300871. Exclusion: E2
200. Reichard A, Stolzle H, Sella AC, et al. Quality of diabetes care for adults with physical disabilities in Kansas. *Disabil Health J*. 2012;5(1):34-40. doi: 10.1016/j.dhjo.2011.09.003. PMID: 22226296. Exclusion: E1
201. Wu LW, Lin LP, Chen SF, et al. Knowledge and attitudes regarding cervical cancer screening among women with physical disabilities living in the community. *Res Dev Disabil*. 2012;33(2):376-81. doi: 10.1016/j.ridd.2011.08.005. PMID: 22119684. Exclusion: E6
202. Huang KH, Tsai WC, PT. K. The use of Pap smear and its influencing factors among women with disabilities in Taiwan. *Res Dev Disabil*. 2012;33(2):307-14. doi: 10.1016/j.ridd.2011.09.016. PMID: 22100350. Exclusion: E2
203. Kung PT, Tsai WC, SJ. C. The assessment of the likelihood of mammography usage with relevant factors among women with disabilities. *Res Dev Disabil*. 2012;33(1):136-43. doi: 10.1016/j.ridd.2011.08.032. PMID: 22093658. Exclusion: E6
204. Leontjevas R, Gerritsen DL, Vernooij-Dassen MJ, et al. Comparative validation of proxy-based Montgomery-Asberg depression rating scale and Cornell scale for depression in dementia in nursing home residents with dementia. *Am J Geriatr Psychiatry*. 2012;20(11):985-93. doi: 10.1097/JGP.0b013e318233152b. PMID: 21989316. Exclusion: DA
205. Mitchell AJ, Delaffon V, Vancampfort D, et al. Guideline concordant monitoring of metabolic risk in people treated with antipsychotic medication: systematic review and meta-analysis of screening practices. *Psychol Med*. 2012;42(1):125-47. doi: 10.1017/S003329171100105X. PMID: 21846426. Exclusion: E2
206. L. N. Falls prevention in primary care. *London J Prim Care (Abingdon)*. 2009;2(2):158-63. PMID: 25949597. Exclusion: E2
207. Haggerty LA, Hawkins JW, Fontenot H, et al. Tools for screening for interpersonal violence: state of the science. *Violence Vict*. 2011;26(6):725-37. doi: 10.1891/0886-6708.26.6.725. PMID: 22288092. Exclusion: E7
208. LI. I. Eliminating health and health care disparities among the growing population of people with disabilities. *Health Aff (Millwood)*. 2011;30(10):1947-54. doi: 10.1377/hlthaff.2011.0613. PMID: 21976339. Exclusion: E2
209. Anonymous. Optimizing clinical outcomes across domains of life in adolescents and adults with ADHD. *J Clin Psychiatry*. 2011;72(7):1008-10014. doi: 10.4088/JCP.10063ah1. PMID: 21824459. Exclusion: E7
210. Ko KD, Lee KY, Cho B, et al. Disparities in health-risk behaviors, preventive health care utilizations, and chronic health conditions for people with disabilities: the Korean National Health and Nutrition Examination Survey. *Arch Phys Med Rehabil*. 2011;92(8):1230-7. doi: 10.1016/j.apmr.2011.03.004. PMID: 21807142. Exclusion: E4
211. Rhodes RE, Temple VA, HA. T. Evidence-based risk assessment and recommendations for physical activity clearance: cognitive and psychological conditions. *Appl Physiol Nutr Metab*. 2011;36 Suppl 1:S113-S53. doi: 10.1139/h11-041. PMID: 21800939. Exclusion: E2
212. W. V. Prevention of falls through podiatry care. *BMJ*. 2011;342:d3052. doi: 10.1136/bmj.d3052. PMID: 21680621. Exclusion: E1

213. Chagas MH, Crippa JA, Loureiro SR, et al. Validity of the PHQ-2 for the screening of major depression in Parkinson's disease: two questions and one important answer. *Aging Ment Health*. 2011;15(7):838-43. doi: 10.1080/13607863.2011.569482. PMID: 21562987. Exclusion: DA
214. Lennox N, Ware R, Bain C, et al. Effects of health screening for adults with intellectual disability: a pooled analysis. *Br J Gen Pract*. 2011;61(584):193-6. doi: 10.3399/bjgp11X561186. PMID: 21375903. Exclusion: E8
215. Park MJ, Adams SH, Jr. IC. Health care services and the transition to young adulthood: challenges and opportunities. *Acad Pediatr*. 2011;11(2):115-22. doi: 10.1016/j.acap.2010.11.010. PMID: 21296043. Exclusion: E2
216. Lin JD, Chen SF, Lin LP, et al. Self-reports of Pap smear screening in women with physical disabilities. *Res Dev Disabil*. 2011;32(2):456-61. doi: 10.1016/j.ridd.2011.01.002. PMID: 21273042. Exclusion: E4
217. Llewellyn G, Balandin S, Poulos A, et al. Disability and mammography screening: intangible barriers to participation. *Disabil Rehabil*. 2011;33(19-20):1755-67. doi: 10.3109/09638288.2010.546935. PMID: 21219085. Exclusion: E4
218. Chiasson JP, Rizkallah E, Stavro K, et al. Is the mood disorder questionnaire an appropriate screening tool in detecting bipolar spectrum disorder among substance use populations? *Am J Drug Alcohol Abuse*. 2011;37(2):79-81. doi: 10.3109/00952990.2010.538944. PMID: 21142433. Exclusion: DA
219. Haines TP, Hill AM, Hill KD, et al. Patient education to prevent falls among older hospital inpatients: a randomized controlled trial. *Arch Intern Med*. 2011;171(6):516-24. doi: 10.1001/archinternmed.2010.444. PMID: 21098343. Exclusion: E1
220. Caban M, Kuo YF, Raji M, et al. Predictors of mammography use in older women with disability: the patients' perspectives. *Med Oncol*. 2011;28 Suppl 1:S8-S14. doi: 10.1007/s12032-010-9656-3. PMID: 20857346. Exclusion: E4
221. Kelly DL, Myers CS, Abrams MT, et al. The impact of substance abuse on osteoporosis screening and risk of osteoporosis in women with psychotic disorders. *Osteoporos Int*. 2011;22(4):1133-43. doi: 10.1007/s00198-010-1294-2. PMID: 20533029. Exclusion: E6
222. Fitzmaurice C, Kanarek N, S. F. Primary prevention among working age USA adults with and without disabilities. *Disabil Rehabil*. 2011;33(4):343-51. doi: 10.3109/09638288.2010.490869. PMID: 20524841. Exclusion: E4
223. Lord O, Malone D, AJ. M. Receipt of preventive medical care and medical screening for patients with mental illness: a comparative analysis. *Gen Hosp Psychiatry*. 2010;32(5):519-43. doi: 10.1016/j.genhosppsych.2010.04.004. PMID: 20851274. Exclusion: E2
224. Huffman JC, Doughty CT, Januzzi JL, et al. Screening for major depression in post-myocardial infarction patients: operating characteristics of the Beck Depression Inventory-II. *Int J Psychiatry Med*. 2010;40(2):187-97. doi: 10.2190/PM.40.2.e. PMID: 20848875. Exclusion: DA
225. HL. M. Development of a health screening clinic. *Eur Psychiatry*. 2010;25 Suppl 2:S29-S33. doi: 10.1016/S0924-9338(10)71703-X. PMID: 20620883. Exclusion: E4
226. Dreyer AS, O'Laughlin L, Moore J, et al. Parental adherence to clinical recommendations in an ADHD evaluation clinic. *J Clin Psychol*. 2010;66(10):1101-20. doi: 10.1002/jclp.20718. PMID: 20578185. Exclusion: E2
227. Metkus TS Jr, Baughman KL, PD. T. Exercise prescription and primary prevention of cardiovascular disease. *Circulation*. 2010;121(23):2601-4. doi: 10.1161/CIRCULATIONAHA.109.903377. PMID: 20547940. Exclusion: E2
228. Hermans H, HM. E. Characteristics of instruments screening for depression in adults with intellectual disabilities: systematic review. *Res Dev Disabil*. 2010;31(6):1109-20. doi: 10.1016/j.ridd.2010.04.023. PMID: 20547035. Exclusion: E4

229. Boschloo L, Vogelzangs N, Smit JH, et al. The performance of the Alcohol Use Disorder Identification Test (AUDIT) in detecting alcohol abuse and dependence in a population of depressed or anxious persons. *J Affect Disord.* 2010;126(3):441-6. doi: 10.1016/j.jad.2010.04.019. PMID: 20537398. Exclusion: DA
230. Kirby S, J. H. Breast awareness within an intellectual disability setting. *Eur J Oncol Nurs.* 2010;14(4):328-36. doi: 10.1016/j.ejon.2010.03.005. PMID: 20493767. Exclusion: E1
231. Reijnders JS, Lousberg R, AF. L. Assessment of depression in Parkinson's disease: the contribution of somatic symptoms to the clinimetric performance of the Hamilton and Montgomery-Asberg rating scales. *J Psychosom Res.* 2010;68(6):561-5. doi: 10.1016/j.jpsychores.2009.10.006. PMID: 20488273. Exclusion: DA
232. Wisdom JP, McGee MG, Horner-Johnson W, et al. Health disparities between women with and without disabilities: a review of the research. *Soc Work Public Health.* 2010;25(3):368-86. doi: 10.1080/19371910903240969. PMID: 20446182. Exclusion: E8
233. Wigglesworth A, Mosqueda L, Mulnard R, et al. Screening for abuse and neglect of people with dementia. *J Am Geriatr Soc.* 2010;58(3):493-500. doi: 10.1111/j.1532-5415.2010.02737.x. PMID: 20398118. Exclusion: E1
234. Epstein-Lubow G, Gaudiano BA, Hinckley M, et al. Evidence for the validity of the American Medical Association's caregiver self-assessment questionnaire as a screening measure for depression. *J Am Geriatr Soc.* 2010;58(2):387-8. doi: 10.1111/j.1532-5415.2009.02701.x. PMID: 20370867. Exclusion: E7
235. Richardson LP, Rockhill C, Russo JE, et al. Evaluation of the PHQ-2 as a brief screen for detecting major depression among adolescents. *Pediatrics.* 2010;125(5):e1097-e103. doi: 10.1542/peds.2009-2712. PMID: 20368315. Exclusion: DA
236. Lach HW, Chang YP, D. E. Can older adults with dementia accurately report depression using brief forms? Reliability and validity of the Geriatric Depression Scale. *J Gerontol Nurs.* 2010;36(5):30-7. doi: 10.3928/00989134-20100303-01. PMID: 20349852. Exclusion: DA
237. Lin HC, Yang LY, WT. C. Cervical cancer screening of women with schizophrenia in Taiwan. *Psychiatr Serv.* 2010;61(3):327-8. doi: 10.1176/ps.2010.61.3.327. PMID: 20194418. Exclusion: E7
238. Russell KM, Champion VL, Monahan PO, et al. Randomized trial of a lay health advisor and computer intervention to increase mammography screening in African American women. *Cancer Epidemiol Biomarkers Prev.* 2010;19(1):201-10. doi: 10.1158/1055-9965.EPI-09-0569. PMID: 20056639. Exclusion: E1
239. Lin JD, Sung CL, Lin LP, et al. Perception and experience of primary care physicians on Pap smear screening for women with intellectual disabilities: a preliminary finding. *Res Dev Disabil.* 2010;31(2):440-5. doi: 10.1016/j.ridd.2009.10.012. PMID: 19939625. Exclusion: E1
240. Lin LP, Lin JD, Sung CL, et al. Papanicolaou smear screening of women with intellectual disabilities: a cross-sectional survey in Taiwan. *Res Dev Disabil.* 2010;31(2):403-9. doi: 10.1016/j.ridd.2009.10.001. PMID: 19897337. Exclusion: E4
241. Moller T, OM. L. Using brief self-reports and clinician scales to screen for substance use disorders in psychotic patients. *Nord J Psychiatry.* 2010;64(2):130-5. doi: 10.3109/08039480903274423. PMID: 19883188. Exclusion: DA
242. Sultan S, Luminet O, A. H. Cognitive and anxiety symptoms in screening for clinical depression in diabetes: a systematic examination of diagnostic performances of the HADS and BDI-SF. *J Affect Disord.* 2010;123(1-3):332-6. doi: 10.1016/j.jad.2009.09.022. PMID: 19861228. Exclusion: DA

243. Yankaskas BC, Dickens P, Bowling JM, et al. Barriers to adherence to screening mammography among women with disabilities. *Am J Public Health*. 2010;100(5):947-53. doi: 10.2105/AJPH.2008.150318. PMID: 19834002. Exclusion: E6
244. Clark MA, Rogers ML, Wen X, et al. Repeat mammography screening among unmarried women with and without a disability. *Womens Health Issues*. 2009;19(6):415-24. doi: 10.1016/j.whi.2009.08.001. PMID: 19775912. Exclusion: E4
245. La Torre G, De Giusti M, Mannocci A, et al. Disability management: the application of preventive measures, health promotion and case management in Italy. *J Prev Med Hyg*. 2009;50(1):37-45. PMID: 19771759. Exclusion: E1
246. Keeton VF, C. K. Update on physical activity including special needs populations. *Curr Opin Pediatr*. 2009;21(2):262-8. doi: 10.1097/mop.0b013e3283292614. PMID: 19663043. Exclusion: E1
247. Watson LC, Zimmerman S, Cohen LW, et al. Practical depression screening in residential care/assisted living: five methods compared with gold standard diagnoses. *Am J Geriatr Psychiatry*. 2009;17(7):556-64. doi: 10.1097/jgp.0b013e31819b891c. PMID: 19554670. Exclusion: DA
248. Kim DH, Sagar UN, Adams S, et al. Lifestyle risk factors and utilization of preventive services in disabled elderly adults in the community. *J Community Health*. 2009;34(5):440-8. doi: 10.1007/s10900-009-9166-4. PMID: 19517224. Exclusion: E2
249. Schenck AP, Peacock SC, Klabunde CN, et al. Trends in colorectal cancer test use in the medicare population, 1998-2005. *Am J Prev Med*. 2009;37(1):1-7. doi: 10.1016/j.amepre.2009.03.009. PMID: 19423273. Exclusion: E1
250. Perez-Achiaga N, Nelson S, A. H. Instruments for the detection of depressive symptoms in people with intellectual disabilities: a systematic review. *J Intellect Disabil*. 2009;13(1):55-76. doi: 10.1177/1744629509104487. PMID: 19332509. Exclusion: E2
251. Mobley LR, Kuo TM, Clayton LJ, et al. Mammography facilities are accessible, so why is utilization so low? *Cancer Causes Control*. 2009;20(6):1017-28. doi: 10.1007/s10552-009-9295-1. PMID: 19205911. Exclusion: E2
252. Stiles PG, Boothroyd RA, Dhont K, et al. Adherence to practice guidelines, clinical outcomes, and costs among Medicaid enrollees with severe mental illnesses. *Eval Health Prof*. 2009;32(1):69-89. doi: 10.1177/0163278708328744. PMID: 19164300. Exclusion: E2
253. Himelhoch S, Leith J, Goldberg R, et al. Care and management of cardiovascular risk factors among individuals with schizophrenia and type 2 diabetes who smoke. *Gen Hosp Psychiatry*. 2009;31(1):30-2. doi: 10.1016/j.genhosppsy.2008.07.007. PMID: 19134507. Exclusion: E6
254. Debruyne H, Van Buggenhout M, Le Bastard N, et al. Is the geriatric depression scale a reliable screening tool for depressive symptoms in elderly patients with cognitive impairment? *Int J Geriatr Psychiatry*. 2009;24(6):556-62. doi: 10.1002/gps.2154. PMID: 19132643. Exclusion: DA
255. Kavoussi SK, Smith YR, Ernst SD, et al. Cervical cancer screening with liquid cytology in women with developmental disabilities. *J Womens Health (Larchmt)*. 2009;18(1):115-8. doi: 10.1089/jwh.2008.0795. PMID: 19072727. Exclusion: DA
256. Stubbs B, Zapata-Bravo E, C. H. Screening for osteoporosis: a survey of older psychiatric inpatients at a tertiary referral centre. *Int Psychogeriatr*. 2009;21(1):180-6. doi: 10.1017/S1041610208007849. PMID: 18834558. Exclusion: DA
257. Marks B, Sisirak J, K. H. Health services, health promotion, and health literacy: report from the State of the Science in Aging with Developmental Disabilities Conference. *Disabil Health J*. 2008;1(3):136-42. doi: 10.1016/j.dhjo.2008.04.003. PMID: 21122722. Exclusion: E2



258. Jamoom EW, Andresen EM, Neugaard B, et al. The effect of caregiving on preventive care for people with disabilities. *Disabil Health J.* 2008;1(1):51-7. doi: 10.1016/j.dhjo.2007.11.005. PMID: 21122711. Exclusion: E2
259. Klymko KW, Artinian NT, Washington OG, et al. Effect of impaired cognition on hypertension outcomes in older urban African Americans. *Medsurg Nurs* 2008;17(6):405-10. PMID: 19248406. Exclusion: E1
260. Graves DE, CH. B. Improving the efficiency of screening for major depression in people with spinal cord injury. *J Spinal Cord Med.* 2008;31(2):177-84. doi: 10.1080/10790268.2008.11760709. PMID: 18581665. Exclusion: DA
261. Wilkinson JE, MC. C. Primary care for women with intellectual disabilities. *J Am Board Fam Med.* 2008;21(3):215-22. doi: 10.3122/jabfm.2008.03.070197. PMID: 18467533. Exclusion: E6
262. Chilcot J, Wellsted D, K. F. Screening for depression while patients dialyse: an evaluation. *Nephrol Dial Transplant.* 2008;23(8):2653-9. doi: 10.1093/ndt/gfn105. PMID: 18323520. Exclusion: E1
263. De S, Small J, LA. B. Overweight and obesity among children with developmental disabilities. *J Intellect Dev Disabil.* 2008;33(1):43-7. doi: 10.1080/13668250701875137. PMID: 18300166. Exclusion: E2
264. Hammer EM, Hacker S, Hautzinger M, et al. Validity of the ALS-Depression-Inventory (ADI-12)--a new screening instrument for depressive disorders in patients with amyotrophic lateral sclerosis. *J Affect Disord.* 2008;109(1-2):213-9. doi: 10.1016/j.jad.2007.11.012. PMID: 18262283. Exclusion: DA
265. Thurman DJ, Stevens JA, JK. R. Practice parameter: assessing patients in a neurology practice for risk of falls (an evidence-based review): report of the Quality Standards Subcommittee of the American Academy of Neurology. *Neurology.* 2008;70(6):473-9. doi: 10.1212/01.wnl.0000299085.18976.20. PMID: 18250292. Exclusion: DA
266. Reynolds F, Stanistreet D, P. E. Women with learning disabilities and access to cervical screening: retrospective cohort study using case control methods. *BMC Public Health.* 2008;8:30. doi: 10.1186/1471-2458-8-30. PMID: 18218106. Exclusion: E4
267. Hove O, OE. H. Psychometric properties of Psychopathology checklists for Adults with Intellectual Disability (P-AID) on a community sample of adults with intellectual disability. *Res Dev Disabil.* 2008;29(5):467-82. doi: 10.1016/j.ridd.2007.09.002. PMID: 17942276. Exclusion: DA
268. Lin JD, Hsu SW, Chou YT, et al. Assessment of GPs' beliefs relating to the care of people with intellectual disabilities: a Taiwan-based, opportunity-guided approach. *Disabil Rehabil.* 2008;30(8):611-7. doi: 10.1080/09638280701476078. PMID: 17852278. Exclusion: E2
269. Caban ME, Kuo YF, Mahnken JD, et al. Mammography use may partially mediate disparities in tumor size at diagnosis in women with social security disabilities. *Women Health.* 2007;46(4):1-17. doi: 10.1300/j013v46n04\_01. PMID: 18512449. Exclusion: E4
270. Lannon C, Dolins J, Lazorick S, et al. Partnerships for quality project: closing the gap in care of children with ADHD. *Jt Comm J Qual Patient Saf.* 2007;33(12 Suppl):66-74. doi: 10.1016/s1553-7250(07)33124-3. PMID: 18277640. Exclusion: E1
271. Neri SV, Bradley EH, NE. G. Frequency of HIV testing among persons with disabilities: results from the National Health Interview Survey, 2002. *AIDS Educ Prev.* 2007;19(6):545-54. doi: 10.1521/aeap.2007.19.6.545. PMID: 18190278. Exclusion: E2
272. Damush TM, Plue L, Bakas T, et al. Barriers and facilitators to exercise among stroke survivors. *Rehabil Nurs.* 2007;32(6):253-60, 62. doi: 10.1002/j.2048-7940.2007.tb00183.x. PMID: 18065147. Exclusion: E2

273. Orsi JM, Margellos-Anast H, Perlman TS, et al. Cancer screening knowledge, attitudes, and behaviors among culturally deaf adults: implications for informed decision making. *Cancer Detect Prev.* 2007;31(6):474-9. doi: 10.1016/j.cdp.2007.10.008. PMID: 18061367. Exclusion: E4
274. L. D. Enhancing the accessibility of public mental health services in Queensland to meet the needs of deaf people from an Indigenous Australian or culturally and linguistically diverse background. *Australas Psychiatry.* 2007;15 Suppl 1:S85-S9. doi: 10.1080/10398560701701262. PMID: 18027143. Exclusion: E2
275. H. A. Targeting suicide prevention to modifiable risk factors: has bipolar II been overlooked? *Acta Psychiatrica Scandinavica.* 2007;116(6):395-402. doi: 10.1111/j.1600-0447.2007.01115.x. PMID: 17997720. Exclusion: E7
276. Blomquist KB. Health and independence of young adults with disabilities. Two years later. *Orthop Nurs.* 2007;26(5):296-309. doi: 10.1097/01.NOR.0000295957.71579.48. PMID: 17921890. Exclusion: E2
277. Wilkinson JE, Culpepper L, M. C. Screening tests for adults with intellectual disabilities. *J Am Board Fam Med.* 2007;20(4):399-407. doi: 10.3122/jabfm.2007.04.060210. PMID: 17615421. Exclusion: E7
278. Morrow M, Arunkumar MC, Pearce E, et al. Fostering disability-inclusive HIV/AIDS programs in northeast India: a participatory study. *BMC Public Health.* 2007;7:125. doi: 10.1186/1471-2458-7-125. PMID: 17594502. Exclusion: E5
279. Walker J, Postma K, McHugh GS, et al. Performance of the Hospital Anxiety and Depression Scale as a screening tool for major depressive disorder in cancer patients. *J Psychosom Res.* 2007;63(1):83-91. doi: 10.1016/j.jpsychores.2007.01.009. PMID: 17586341. Exclusion: DA
280. Jones LE, CC. D. Depression screening disparities among veterans with diabetes compared with the general veteran population. *Diabetes Care.* 2007;30(9):2216-21. doi: 10.2337/dc07-0350. PMID: 17563339. Exclusion: E1
281. Busch AB, Huskamp HA, MB. L. Quality of care in a Medicaid population with bipolar I disorder. *Psychiatr Serv.* 2007;58(6):848-54. doi: 10.1176/ps.2007.58.6.848. PMID: 17535947. Exclusion: E2
282. Barnes TR, Paton C, Cavanagh MR, et al. A UK audit of screening for the metabolic side effects of antipsychotics in community patients. *Schizophr Bull.* 2007;33(6):1397-403. doi: 10.1093/schbul/sbm038. PMID: 17483101. Exclusion: E2
283. Cooper NS, KK. Y. Cancer screening behaviors among Canadian women living with physical disabilities. *Arch Phys Med Rehabil.* 2007;88(5):597-603. doi: 10.1016/j.apmr.2007.02.014. PMID: 17466728. Exclusion: E4
284. Castel S, Rush B, Kennedy S, et al. Screening for mental health problems among patients with substance use disorders: preliminary findings on the validation of a self-assessment instrument. *Can J Psychiatry.* 2007;52(1):22-7. doi: 10.1177/070674370705200105. PMID: 17444075. Exclusion: DA
285. Mohr DC, Hart SL, Julian L, et al. Screening for depression among patients with multiple sclerosis: two questions may be enough. *Mult Scler.* 2007;13(2):215-9. doi: 10.1177/1352458506070926. PMID: 17439887. Exclusion: DA
286. Rubenstein LZ, Alessi CA, Josephson KR, et al. A randomized trial of a screening, case finding, and referral system for older veterans in primary care. *J Am Geriatr Soc.* 2007;55(2):166-74. doi: 10.1111/j.1532-5415.2007.01044.x. PMID: 17302651. Exclusion: E1
287. Satriano J, McKinnon K, S. A. HIV service provision for people with severe mental illness in outpatient mental health care settings in New York. *J Prev Interv Community.* 2007;33(1-2):95-108. doi: 10.1300/J005v33n01\_08. PMID: 17298933. Exclusion: E2
288. Kunik ME, Azzam PN, Soucek J, et al. A practical screening tool for anxiety and depression in patients with chronic breathing disorders. *Psychosomatics.* 2007;48(1):16-21. doi: 10.1176/appi.psy.48.1.16. PMID: 17209145. Exclusion: DA

289. McNally DN, Kenny AM, JA. S. Adherence of academic geriatric practitioners to osteoporosis screening guidelines. *Osteoporos Int.* 2007;18(2):177-83. doi: 10.1007/s00198-006-0215-x. PMID: 17043904. Exclusion: E1
290. Bonin-Guillaume S, Sautel L, Demattei C, et al. Validation of the Retardation Rating Scale for detecting depression in geriatric inpatients. *Int J Geriatr Psychiatry.* 2007;22(1):68-76. doi: 10.1002/gps.1657. PMID: 16988949. Exclusion: E1
291. Merrick J, Merrick E, Lunsy Y, et al. A review of suicidality in persons with intellectual disability. *Isr J Psychiatry Relat Sci.* 2006;43(4):258-64. PMID: 17338445. Exclusion: E4
292. Gaskin K, H. J. Using the Edinburgh Postnatal Depression Scale with learning disabled mothers. *Community Pract.* 2006;79(12):392-6. PMID: 17256283. Exclusion: DA
293. Chevarley FM, Thierry JM, Gill CJ, et al. Health, preventive health care, and health care access among women with disabilities in the 1994-1995 National Health Interview Survey, supplement on disability. *Womens Health Issues.* 2006;16(6):297-312. doi: 10.1016/j.whi.2006.10.002. PMID: 17188213. Exclusion: E2
294. Wei W, Findley PA, U. S. Disability and receipt of clinical preventive services among women. *Womens Health Issues.* 2006;16(6):286-96. doi: 10.1016/j.whi.2006.09.002. PMID: 17188212. Exclusion: E6
295. Alsuwaida A, F. A. The diagnostic utility of Self-Reporting Questionnaire (SRQ) as a screening tool for major depression in hemodialysis patients. *Saudi J Kidney Dis Transpl.* 2006;17(4):503-10. PMID: 17186684. Exclusion: DA
296. M. P. Managing mental illness in the dialysis treatment environment: a team approach. *Nephrol News Issues.* 2006;20(13):32-3, 6-9, 41. PMID: 17168057. Exclusion: E7
297. Bennett HE, Thomas SA, Austen R, et al. Validation of screening measures for assessing mood in stroke patients. *Br J Clin Psychol.* 2006;45(Pt 3):367-76. doi: 10.1348/014466505x58277. PMID: 17147102. Exclusion: DA
298. Cummings JL, Raman R, Ernstrom K, et al. ADCS Prevention Instrument Project: behavioral measures in primary prevention trials. *Alzheimer Dis Assoc Disord.* 2006;20(4 Suppl 3):S147-S51. doi: 10.1097/01.wad.0000213872.17429.0f. PMID: 17135808. Exclusion: DA
299. Lindamer LA, Wear E, GR. S. Mammography stages of change in middle-aged women with schizophrenia: an exploratory analysis. *BMC Psychiatry.* 2006;6:49. doi: 10.1186/1471-244X-6-49. PMID: 17074091. Exclusion: E4
300. Korner A, Lauritzen L, Abelskov K, et al. The Geriatric Depression Scale and the Cornell Scale for depression in dementia. A validity study. *Nord J Psychiatry.* 2006;60(5):360-4. doi: 10.1080/08039480600937066. PMID: 17050293. Exclusion: DA
301. Carney CP, LE. J. The influence of type and severity of mental illness on receipt of screening mammography. *J Gen Intern Med.* 2006;21(10):1097-104. doi: 10.1111/j.1525-1497.2006.00565.x. PMID: 16970559. Exclusion: E2
302. Overcash JA, Beckstead J, Moody L, et al. The abbreviated comprehensive geriatric assessment (aCGA) for use in the older cancer patient as a prescreen: scoring and interpretation. *Crit Rev Oncol Hematol.* 2006;59(3):205-10. doi: 10.1016/j.critrevonc.2006.04.003. PMID: 16904902. Exclusion: DA
303. Nakajima A, Kamitsuji S, Saito A, et al. Disability and patient's appraisal of general health contribute to depressed mood in rheumatoid arthritis in a large clinical study in Japan. *Mod Rheumatol.* 2006;16(3):151-7. doi: 10.1007/s10165-006-0475-5. PMID: 16767553. Exclusion: E2

304. Lavela SL, Weaver FM, Smith B, et al. Disease prevalence and use of preventive services: comparison of female veterans in general and those with spinal cord injuries and disorders. *J Womens Health (Larchmt)*. 2006;15(3):301-11. doi: 10.1089/jwh.2006.15.301. PMID: 16620189. Exclusion: E6
305. James TM, Greiner KA, Ellerbeck EF, et al. Disparities in colorectal cancer screening: a guideline-based analysis of adherence. *Ethn Dis*. 2006;16(1):228-33. PMID: 16599375. Exclusion: E2
306. Palpant RG, Steimnitz R, Bornemann TH, et al. The Carter Center Mental Health Program: addressing the public health crisis in the field of mental health through policy change and stigma reduction. *Prev Chronic Dis*. 2006;3(2):A62. PMID: 16539803. Exclusion: E7
307. LL. O. Assessment of psychoemotional and behavioral status in patients with dementia. *Nurs Clin North Am*. 2006;41(1):23-41, v. doi: 10.1016/j.cnur.2005.09.003. PMID: 16492452. Exclusion: E7
308. Poulos AE, Balandin S, Llewellyn G, et al. Women with cerebral palsy and breast cancer screening by mammography. *Arch Phys Med Rehabil*. 2006;87(2):304-7. doi: 10.1016/j.apmr.2005.09.020. PMID: 16442991. Exclusion: E7
309. L. S. Sexual health care in persons with intellectual disabilities. *Ment Retard Dev Disabil Res Rev*. 2006;12(1):48-56. doi: 10.1002/mrdd.20093. PMID: 16435330. Exclusion: E7
310. SC. S. Preventive health screening for breast and cervical cancer and osteoporosis in women with physical disabilities. *Fam Community Health*. 2006;29(1 Suppl):35S-43S. doi: 10.1097/00003727-200601001-00007. PMID: 16344635. Exclusion: E8
311. Cole MG, McCusker J, Elie M, et al. Systematic detection and multidisciplinary care of depression in older medical inpatients: a randomized trial. *CMAJ*. 2006;174(1):38-44. doi: 10.1503/cmaj.050519. PMID: 16330624. Exclusion: E1
312. Harter M, Woll S, Wunsch A, et al. Screening for mental disorders in cancer, cardiovascular and musculoskeletal diseases. Comparison of HADS and GHQ-12. *Soc Psychiatry Psychiatr Epidemiol*. 2006;41(1):56-62. doi: 10.1007/s00127-005-0992-0. PMID: 16328751. Exclusion: DA
313. Dervaux A, Bayle FJ, Laqueille X, et al. Validity of the CAGE questionnaire in schizophrenic patients with alcohol abuse and dependence. *Schizophr Res*. 2006;81(2-3):151-1555. doi: 10.1016/j.schres.2005.09.012. PMID: 16314077. Exclusion: DA
314. Mackell JA, Harrison DJ, DD. M. Relationship between preventative physical health care and mental health in individuals with schizophrenia: a survey of caregivers. *Ment Health Serv Res*. 2005;7(4):225-8. doi: 10.1007/s11020-005-7454-x. PMID: 16320105. Exclusion: E2
315. Esbensen AJ, Seltzer MM, Greenberg JS, et al. Psychometric evaluation of a self-report measure of depression for individuals with mental retardation. *Am J Ment Retard*. 2005;110(6):469-81. doi: 10.1352/0895-8017(2005)110[469:PEOASM]2.0.CO;2. PMID: 16212449. Exclusion: DA
316. Ramirez A, Farmer GC, Grant D, et al. Disability and preventive cancer screening: results from the 2001 California Health Interview Survey. *Am J Public Health*. 2005;95(11):2057-64. doi: 10.2105/AJPH.2005.066118. PMID: 16195509. Exclusion: E4
317. JS. J. Conscious sedation for the performance of gynecologic examination of individuals with intellectual disability. *Conn Med*. 2005;69(5):267-9. PMID: 16114641. Exclusion: E2
318. Newmann SJ, EO. G. Social inequities along the cervical cancer continuum: a structured review. *Cancer Causes Control*. 2005;16(1):63-70. doi: 10.1007/s10552-004-1290-y. PMID: 15750859. Exclusion: E4
319. Smeltzer SC, VL. Z. Usefulness of the SCORE index as a predictor of osteoporosis in women with disabilities. *Orthop Nurs*. 2005;24(1):33-9. doi: 10.1097/00006416-200501000-00011. PMID: 15722972. Exclusion: DA

320. C. BM. Breast cancer screening among women with intellectual disability. *Soz Praventivmed.* 2004;49(6):361-2. doi: 10.1007/s00038-004-4088-5. PMID: 15669435. Exclusion: E7
321. I. M. Understanding breast cancer screening: should the intellectually non-disabled make decisions for the intellectually disabled? *Soz Praventivmed.* 2004;49(6):359-60. doi: 10.1007/s00038-004-4024-8. PMID: 15669434. Exclusion: E7
322. SM. V. Visual disfigurement and depression. *Plast Surg Nurs.* 2004;24(4):140-6; quiz 7-8. PMID: 15632721. Exclusion: E1
323. Wilhelm K, Kotze B, Waterhouse M, et al. Screening for depression in the medically ill: a comparison of self-report measures, clinician judgment, and DSM-IV diagnoses. *Psychosomatics.* 2004;45(6):461-9. doi: 10.1176/appi.psy.45.6.461. PMID: 15546822. Exclusion: DA
324. Greenberg L, Lantz MS, Likourezos A, et al. Screening for depression in nursing home palliative care patients. *J Geriatr Psychiatry Neurol.* 2004;17(4):212-8. doi: 10.1177/0891988704269817. PMID: 15533992. Exclusion: E1
325. Bombardier CH, Richards JS, Krause JS, et al. Symptoms of major depression in people with spinal cord injury: implications for screening. *Arch Phys Med Rehabil.* 2004;85(11):1749-56. doi: 10.1016/j.apmr.2004.07.348. PMID: 15520969. Exclusion: DA
326. Rubenstein LZ, Solomon DH, Roth CP, et al. Detection and management of falls and instability in vulnerable elders by community physicians. *J Am Geriatr Soc.* 2004;52(9):1527-31. doi: 10.1111/j.1532-5415.2004.52417.x. PMID: 15341556. Exclusion: DA
327. Baldwin R, Pratt H, Goring H, et al. Does a nurse-led mental health liaison service for older people reduce psychiatric morbidity in acute general medical wards? A randomised controlled trial. *Age & Ageing.* 2004;33(5):472-8. doi: 10.1093/ageing/afh154. PMID: 15217778. Exclusion: E1
328. Creed A, Swanwick G, D. ON. Screening for post stroke depression in patients with acute stroke including those with communication disorders. *Int J Geriatr Psychiatry.* 2004;19(6):595-7. doi: 10.1002/gps.1106. PMID: 15211545. Exclusion: E7
329. Di Gioacchino CF, Ronzoni S, Mariano A, et al. Home care prevents cognitive and functional decline in frail elderly. *Arch Gerontol Geriatr Suppl.* 2004 (9):121-5. doi: 10.1016/j.archger.2004.04.019. PMID: 15207406. Exclusion: E1
330. S. S. Osteoporosis in women with disabilities. *J Womens Health.* 2004;13(4):431-7. doi: 10.1089/154099904323087123. PMID: 15186660. Exclusion: E7
331. Diab ME, MV. J. Relationships between level of disability and receipt of preventive health services. *Arch Phys Med Rehabil.* 2004;85(5):749-57. doi: 10.1016/j.apmr.2003.06.028. PMID: 15129399. Exclusion: E4
332. Kerse N, Butler M, Robinson E, et al. Fall prevention in residential care: a cluster, randomized, controlled trial. *J Am Geriatr Soc.* 2004;52(4):524-31. doi: 10.1111/j.1532-5415.2004.52157.x. PMID: 15066066. Exclusion: E1
333. J. W, R. E. Mammograms and Pap smears for Australian deaf women. *Cancer Nurs.* 2003;26(5):405-9. doi: 10.1097/00002820-200310000-00010. PMID: 14710803. Exclusion: E6
334. Shenkman E, Youngblade L, J. N. Adolescents' preventive care experiences before entry into the State Children's Health Insurance Program (SCHIP). *Pediatrics.* 2003;112(6 Pt 2):e533. PMID: 14654675. Exclusion: E1
335. Johnson-Masotti AP, Weinhardt LS, Pinkerton SD, et al. Efficacy and cost-effectiveness of the first generation of HIV prevention interventions for people with severe and persistent mental illness. *J Ment Health Policy Econ.* 2003;6(1):23-35. PMID: 14578545. Exclusion: E2

336. Philpot M, Pearson N, Petratou V, et al. Screening for problem drinking in older people referred to a mental health service: a comparison of CAGE and AUDIT. *Aging Ment Health*. 2003;7(3):171-5. doi: 10.1080/1360786031000101120. PMID: 12775396. Exclusion: DA
337. E. P. Primary health care provision for adults with a learning disability. *J Adv Nurs*. 2003;42(4):413-23. doi: 10.1046/j.1365-2648.2003.02633.x. PMID: 12752886. Exclusion: E2
338. Odette F, Yoshida KK, Israel P, et al. Barriers to wellness activities for Canadian women with physical disabilities. *Health Care Women Int*. 2003;24(2):125-34. doi: 10.1080/07399330390170105. PMID: 12746022. Exclusion: E2
339. Lubman DI, S. S. Substance misuse in patients with schizophrenia: a primary care guide. *Med J Aust*. 2003;178(S9):S71-S5. doi: 10.5694/j.1326-5377.2003.tb05312.x. PMID: 12720527. Exclusion: E2
340. Lambert TJ, Velakoulis D, C. P. Medical comorbidity in schizophrenia. *Med J Aust*. 2003;178(S9):S67-570. doi: 10.5694/j.1326-5377.2003.tb05311.x. PMID: 12720526. Exclusion: E7
341. Brown AF, Mangione CM, Saliba D, et al. Guidelines for improving the care of the older person with diabetes mellitus. *J Am Geriatr Soc*. 2003;51(5 Suppl Guidelines):S265-S80. doi: 10.1046/j.1532-5415.51.5s.1.x. PMID: 12694461. Exclusion: E1
342. Marshall D, McConkey R, G. M. Obesity in people with intellectual disabilities: the impact of nurse-led health screenings and health promotion activities. *J Adv Nurs*. 2003;41(2):147-53. doi: 10.1046/j.1365-2648.2003.02522.x. PMID: 12519273. Exclusion: E2
343. Steinberg AG, Wiggins EA, Barmada CH, et al. Deaf women: experiences and perceptions of healthcare system access. *J Womens Health (Larchmt)*. 2002;11(8):729-41. doi: 10.1089/15409990260363689. PMID: 12570039. Exclusion: E4
344. (CDC). CfDCaP. Preventive-care practices among persons with diabetes--United States, 1995 and 2001. *MMWR Morb Mortal Wkly Rep*. 2002;51(43):965-9. PMID: 12433019. Exclusion: E1
345. Folsom DP, McCahill M, Bartels SJ, et al. Medical comorbidity and receipt of medical care by older homeless people with schizophrenia or depression. *Psychiatr Serv*. 2002;53(11):1456-60. doi: 10.1176/appi.ps.53.11.1456. PMID: 12407275. Exclusion: E2
346. Bartels SJ, Coakley E, Oxman TE, et al. Suicidal and death ideation in older primary care patients with depression, anxiety, and at-risk alcohol use. *Am J Geriatr Psychiatry*. 2002;10(4):417-27. PMID: 12095901. Exclusion: E2
347. M. D. Risk of cardiovascular disease and sudden death in schizophrenia. *J Clin Psychiatry*. 2002;63 Suppl 9:5-11. PMID: 12088174. Exclusion: E7
348. Schopp LH, Sanford TC, Hagglund KJ, et al. Removing service barriers for women with physical disabilities: promoting accessibility in the gynecologic care setting. *J Midwifery Womens Health*. 2002;47(2):74-9. doi: 10.1016/s1526-9523(02)00216-7. PMID: 12019989. Exclusion: E7
349. Satge D, AJ. S. Breast screening guidelines should be adapted in Down's syndrome. *BMJ*. 2002;324(7346):1155. PMID: 12003897. Exclusion: E7
350. Sadler GR, Gunsauls DC, Huang J, et al. Bringing breast cancer education to deaf women. *J Cancer Educ*. 2001;16(4):225-8. doi: 10.1080/08858190109528778. PMID: 11848672. Exclusion: E6
351. McFarlane J, Hughes RB, Nosek MA, et al. Abuse assessment screen-disability (AAS-D): measuring frequency, type, and perpetrator of abuse toward women with physical disabilities. *J Womens Health Gend Based Med*. 2001;10(9):861-6. doi: 10.1089/152460901753285750. PMID: 11747680. Exclusion: DA

352. Deb S, Thomas M, C. B. Mental disorder in adults with intellectual disability. 1: prevalence of functional psychiatric illness among a community-based population aged between 16 and 64 years. *J Intellect Disabil Res.* 2001;45(Pt 6):495-505. doi: 10.1046/j.1365-2788.2001.00374.x. PMID: 11737536. Exclusion: DA
353. Cheng E, Myers L, Wolf S, et al. Mobility impairments and use of preventive services in women with multiple sclerosis: observational study. *BMJ.* 2001;323(7319):968-9. doi: 10.1136/bmj.323.7319.968. PMID: 11679386. Exclusion: E6
354. Parker G, Hilton T, Hadzi-Pavlovic D, et al. Screening for depression in the medically ill: the suggested utility of a cognitive-based approach. *Aust N Z J Psychiatry.* 2001;35(4):474-80. doi: 10.1046/j.1440-1614.2001.00926.x. PMID: 11531728. Exclusion: DA
355. Iezzoni LI, McCarthy EP, Davis RB, et al. Use of screening and preventive services among women with disabilities. *Am J Med Qual.* 2001;16(4):135-44. doi: 10.1177/106286060101600405. PMID: 11477958. Exclusion: E2
356. Davies N, M. D. Breast cancer screening for older women with intellectual disability living in community group homes. *J Intellect Disabil Res.* 2001;45(Pt 3):253-7. doi: 10.1046/j.1365-2788.2001.00313.x. PMID: 11422650. Exclusion: E4
357. Franken IH, VM. H. Screening and diagnosis of anxiety and mood disorders in substance abuse patients. *Am J Addict.* 2001;10(1):30-9. doi: 10.1080/105504901750160448. PMID: 11268826. Exclusion: DA
358. Galaria II, Casten RJ, BW. R. Development of a shorter version of the geriatric depression scale for visually impaired older patients. *Int Psychogeriatr.* 2000;12(4):435-43. doi: 10.1017/s1041610200006554. PMID: 11263710. Exclusion: DA
359. SH. A. Screening adolescents with mental retardation for depression. *J Sch Nurs.* 2000;16(1):6-11. doi: 10.1177/105984050001600102. PMID: 11033671. Exclusion: DA
360. Tamaskar P, Malia T, Stern C, et al. Preventive attitudes and beliefs of deaf and hard-of-hearing individuals. *Arch Fam Med.* 2000;9(6):518-25, discussion 26. doi: 10.1001/archfami.9.6.518. PMID: 10862214. Exclusion: E2
361. Iezzoni LI, McCarthy EP, Davis RB, et al. Mobility impairments and use of screening and preventive services. *Am J Public Health.* 2000;90(6):955-61. doi: 10.2105/ajph.90.6.955. PMID: 10846515. Exclusion: E6
362. JM. T. Increasing breast and cervical cancer screening among women with disabilities. *J Womens Health Gend Based Med.* 2000;9(1):9-12. PMID: 10718499. Exclusion: E7
363. Pritchard E, J. D. Screening for dementia and depression in older people. *Nurs Stand.* 1999;14(5):46-52; quiz 3. doi: 10.7748/ns1999.10.14.5.46.c2697. PMID: 11061177. Exclusion: E7
364. Webb OJ, L. R. Health screening for people with intellectual disability: the New Zealand experience. *J Intellect Disabil Res.* 1999;43(Pt 6):497-503. doi: 10.1046/j.1365-2788.1999.00233.x. PMID: 10622366. Exclusion: E6
365. Stein K, N. A. Cross sectional survey of cervical cancer screening in women with learning disability. *BMJ.* 1999;318(7184):641. doi: 10.1136/bmj.318.7184.641. PMID: 10066206. Exclusion: E2
366. Piachaud J, J. R. Screening for breast cancer is necessary in patients with learning disability. *BMJ.* 1998;316(7149):1979-80. doi: 10.1136/bmj.316.7149.1979a. PMID: 9641949. Exclusion: E7
367. Pearson V, Davis C, Ruoff C, et al. Only one quarter of women with learning disability in Exeter have cervical screening. *BMJ.* 1998;316(7149):1979. doi: 10.1136/bmj.316.7149.1979. PMID: 9641948. Exclusion: E7
368. Graham A, Savic G, B. G. Cervical and breast cancer screening in wheelchair dependent females. *Spinal Cord.* 1998;36(5):340-4. doi: 10.1038/sj.sc.3100613. PMID: 9601114. Exclusion: E4

369. SL. W. Screening issues in gynecologic malignancies for women with disabilities: critical considerations. *J Womens Health*. 1998;7(3):281-5. doi: 10.1089/jwh.1998.7.281. PMID: 9580906. Exclusion: E7
370. Shmueli-Dulitzki Y, BW. R. Screening for depression in older persons with low vision. Somatic eye symptoms and the Geriatric Depression Scale. *Am J Geriatr Psychiatry*. 1997;5(3):216-20. doi: 10.1097/00019442-199700530-00005. PMID: 9209563. Exclusion: E6
371. Lewinsohn PM, Seeley JR, Roberts RE, et al. Center for Epidemiologic Studies Depression Scale (CES-D) as a screening instrument for depression among community-residing older adults. *Psychol Aging*. 1997;12(2):277-87. doi: 10.1037//0882-7974.12.2.277. PMID: 9189988. Exclusion: DA
372. Jr. TC, C. B. Primary care of adults with mental retardation. *J Fam Pract*. 1997;44(5):487-94. PMID: 9152267. Exclusion: E2
373. Carey KB, Cocco KM, JS. S. Concurrent validity of clinicians' ratings of substance abuse among psychiatric outpatients. *Psychiatr Serv*. 1996;47(8):842-7. doi: 0.1176/ps.47.8.842. PMID: 8837156. Exclusion: DA
374. Schulz R, O'Brien AT, Bookwala J, et al. Psychiatric and physical morbidity effects of dementia caregiving: prevalence, correlates, and causes. *Gerontologist*. 1995;35(6):771-91. doi: 10.1093/geront/35.6.771. PMID: 8557205. Exclusion: E1
375. Lave JR, Ives DG, Traven ND, et al. Participation in health promotion programs by the rural elderly. *Am J Prev Med*. 1995;11(1):46-53. PMID: 7748586. Exclusion: E1
376. Kimball AM, Lafferty B, Shields A, et al. Making the health care system 'safe' for persons with HIV infection or AIDS. *West J Med*. 1995;162(3):229-34. PMID: 7725706. Exclusion: E1
377. Whitney DG, Rabideau ML, McKee M, et al. Preventive care for adults with cerebral palsy and other neurodevelopmental disabilities: are we missing the point? *Front Integr Neurosci*. 2022;16:866765. doi: 10.3389/fnint.2022.866765. PMID: 35464602. Exclusion: E7
378. Groskaufmanis L, Lin P, Kamdar N, et al. Racial and ethnic inequities in use of preventive services among privately insured adults with a pediatric-onset disability. *Ann Fam Med*. 2022;20(5):430-7. doi: 10.1370/afm.2849. PMID: 36228076. Exclusion: E2
379. Youn HM, Choi DW, Jang SI, et al. Disparities in diabetes-related avoidable hospitalization among diabetes patients with disability using a nationwide cohort study. *Sci Rep*. 2022;12(1):1794. doi: 10.1038/s41598-022-05557-5. PMID: 35110602. Exclusion: E1
380. Wimo A, Belger M, Bon J, et al. A cost-consequence analysis of different screening procedures in Alzheimer's disease: results from the MOPEAD project. *J Alzheimers Dis*. 2021;83(3):1149-59. doi: 10.3233/JAD-210303. PMID: 34420954. Exclusion: DA
381. Capone G, Stephens M, Santoro S, et al. Co-occurring medical conditions in adults with Down syndrome: a systematic review toward the development of health care guidelines. Part II. *Am J Med Genet A*. 2020;182(7):1832-45. doi: 10.1002/ajmg.a.61604. PMID: 32338447. Exclusion: E2
382. Pinilla S, Walther S, Hofmeister A, et al. Primary non-communicable disease prevention and communication barriers of deaf sign language users: a qualitative study. *Int J Equity Health*. 2019;18(1):71. doi: 10.1186/s12939-019-0976-4. PMID: 31092251. Exclusion: E2
383. Kushalnagar P, Engelman A, G. S. Deaf patient-provider communication and lung cancer screening: Health Information National Trends survey in American Sign Language (HINTS-ASL). *Patient Educ Couns*. 2018;101(7):1232-9. doi: 10.1016/j.pec.2018.03.003. PMID: 29548598. Exclusion: E2



384. Capone GT, Chicoine B, Bulova P, et al. Co-occurring medical conditions in adults with down syndrome: a systematic review toward the development of health care guidelines. *Am J Med Genet A*. 2018;176(1):116-33. doi: 10.1002/ajmg.a.38512. PMID: 29130597. Exclusion: E2
385. Brown M, Jacobstein D, Yoon IS, et al. Systemwide initiative documents robust health screening for adults with intellectual disability. *Intellect Dev Disabil*. 2016;54(5):354-65. doi: 10.1352/1934-9556-54.5.354. PMID: 27673736. Exclusion: E3
386. TP. D. Primary care of adults with intellectual and developmental disabilities. *South Med J*. 2016;109(1):12-6. doi: 10.14423/SMJ.0000000000000392. PMID: 26741865. Exclusion: E7
387. Hithersay R, Strydom A, Moulster G, et al. Carer-led health interventions to monitor, promote and improve the health of adults with intellectual disabilities in the community: a systematic review. *Res Dev Disabil*. 2014;35(4):887-907. doi: 10.1016/j.ridd.2014.01.010. PMID: 24495402. Exclusion: E8
388. Lagu T, Hannon NS, Rothberg MB, et al. Access to subspecialty care for patients with mobility impairment: a survey. *Ann Intern Med*. 2013;158(6):441-6. doi: 10.7326/0003-4819-158-6-201303190-00003. PMID: 23552258. Exclusion: E2
389. Mudrick NR, Breslin ML, Liang M, et al. Physical accessibility in primary health care settings: results from California on-site reviews. *Disabil Health J*. 2012;5(3):159-67. doi: 10.1016/j.dhjo.2012.02.002. PMID: 22726856. Exclusion: E2
390. Zhang Y, Vitry A, Roughead E, et al. Comorbidity and the utilization of health care for Australian veterans with diabetes. *Diabet Med*. 2010;27(1):65-71. doi: 10.1111/j.1464-5491.2009.02872.x. PMID: 20121891. Exclusion: E1
391. Zazove P, Meador HE, Reed BD, et al. Cancer prevention knowledge of people with profound hearing loss. *J Gen Intern Med*. 2009;24(3):320-6. doi: 10.1007/s11606-008-0895-3. PMID: 19132325. Exclusion: E4
392. Henderson A, Lynch SA, Wilkinson S, et al. Adults with Down's syndrome: the prevalence of complications and health care in the community. *Br J Gen Pract*. 2007;57(534):50-5. PMID: 17244425. Exclusion: E2
393. Lin HC, Chen CS, Liu TC, et al. Lack of care for diabetes among schizophrenia patients. *Schizophr Res*. 2007;89(1-3):353-4. doi: 10.1016/j.schres.2006.08.008. PMID: 17008058. Exclusion: E7
394. van Winkel R, De Hert M, Van Eyck D, et al. Screening for diabetes and other metabolic abnormalities in patients with schizophrenia and schizoaffective disorder: evaluation of incidence and screening methods. *J Clin Psychiatry*. 2006;67(10):1493-500. doi: 10.4088/jcp.v67n1002. PMID: 17107239. Exclusion: E2
395. Hanssens L, De Hert M, Van Eyck D, et al. Usefulness of glycosylated haemoglobin (HbA1c) to screen for diabetes in patients with schizophrenia. *Schizophr Res*. 2006;85(1-3):296-7. doi: 10.1016/j.schres.2006.03.038. PMID: 16690257. Exclusion: E7
396. T. C. Inadequate cardiovascular disease prevention in women with physical disabilities. *Rehabil Nurs*. 2006;31(3):94-101. doi: 10.1002/j.2048-7940.2006.tb00012.x. PMID: 16669570. Exclusion: E6
397. De Hert M, Van Eyck D, Hanssens L, et al. Oral glucose tolerance tests in treated patients with schizophrenia. Data to support an adaptation of the proposed guidelines for monitoring of patients on second generation antipsychotics? *Eur Psychiatry*. 2006;21(4):224-6. doi: 10.1016/j.eurpsy.2005.05.011. PMID: 16139484. Exclusion: DA
398. Gough S, R. P. Diabetes and its prevention: pragmatic solutions for people with schizophrenia. *Br J Psychiatry Suppl*. 2004;47:S106-S111. doi: 10.1192/bjp.184.47.s106. PMID: 15056603. Exclusion: E6

399. Daumit GL, Pratt LA, Crum RM, et al. Characteristics of primary care visits for individuals with severe mental illness in a national sample. *Gen Hosp Psychiatry*. 2002;24(6):391-5. doi: 0.1016/s0163-8343(02)00213-x. PMID: 12490340. Exclusion: E2
400. H. G. The allocation of resources in population screening: a decision theory model. *Biometrics*. 1972;28(2):499-518. PMID: 4260980. Exclusion: E6
401. La Porta F, Lullini G, Caselli S, et al. Efficacy of a multiple-component and multifactorial personalized fall prevention program in a mixed population of community-dwelling older adults with stroke, Parkinson's disease, or frailty compared to usual care: the PRE.C.I.S.A. randomized controlled trial. *Front Neurol*. 2022;13:943918. doi: 10.3389/fneur.2022.943918. PMID: 36119666. Exclusion: E1
402. Puts M, Sattar S, McWatters K, et al. A feasibility trial of geriatric assessment and integrated care plan for older cancer patients. *J Clin Oncol*. 2015;33doi: 10.1200/jco.2015.33.15\_suppl.tps9634. Exclusion: E1
403. Kannan MR, Cameron MH, CL. H. Evaluation of a web-based fall prevention program among people with multiple sclerosis. *Mult Scler*. 2018;24(1):75. doi: 10.1177/1352458517750967. Exclusion: E7
404. Kannan MR, Cameron MH, CL. H. Development of a web-based fall prevention program for people with multiple sclerosis. *Mult Scler*. 2018;24(1):111. doi: 10.1177/1352458517750967. PMID: 29536796. Exclusion: E7
405. Garcia-Bustillo A, Olivares-Gil A, Garrido-Labrador JL, et al. Feasibility and efficacy of a multidisciplinary home-telehealth intervention program to reduce falls and improve quality of life in Parkinson's disease. First results. *Mov Disord*. 2022;37:S127. doi: 10.1002/mds.29223. PMID: 36104979. Exclusion: E1
406. Msall ME, DP. H. Counting children with disability in low-income countries: enhancing prevention, promoting child development, and investing in economic well-being. *Pediatrics*. 2007;120(1):182-5. doi: 10.1542/peds.2007-1059. PMID: 17606577. Exclusion: E7
407. Ayton DR, Barker AL, Morello R, et al. Barriers and enablers to the implementation of the 6-PACK falls prevention program: a preimplementation study in hospitals participating in a cluster randomised controlled trial. *PloS One*. 2017;12(2):e0171932. doi: 10.1371/journal.pone.0171932. PMID: 28207841. Exclusion: E1
408. Kearney F, Harwood R, Booth V, et al. Falls in cognitive impairment and dementia: identifying those at risk and developing novel interventions. *Eur Geriatr Med*. 2015;6:S175-S6. doi: 10.1016/S1878-7649(15)30577-5. PMID: CN-01710443. Exclusion: E7
409. Lalor A, Callaway L, Koritsas S, et al. Interventions to reduce falls in community-dwelling adults with intellectual disability: a systematic review. *Intellect Disabil Res*. 2023;67(11):1073-95. doi: 10.1111/jir.13066. PMID: 37435852. Exclusion: E2
410. Chasnoff IJ, Landsman MJ, Muzny L, et al. Iowa Children and Family Collaborative: an integrated system of maternal and child behavioral health care. *Child Welf*. 2023;101(2):87-111. Exclusion: E1
411. Leroy V, Chen Y, Bouteloup V, et al. What tools can we use to screen for fall risk in older patients with mild cognitive impairment? Findings from the MEMENTO cohort. *J Am Med Dir Assoc*. 2023;24(7):1028-e.18. doi: 10.1016/j.jamda.2022.12.020. PMID: 36682387. Exclusion: E2
412. Johanna Oelmann E, E. D. Improving access to breast cancer screening by women with learning disabilities: a literature review. *Learn Disabil Pract*. 2023;26(3):24-32. doi: 10.7748/ldp.2022.e2203. Exclusion: E7

413. Coulter-Thompson EI, Matthews DD, Applegate J, et al. Health care bias and discrimination experienced by lesbian, gay, bisexual, transgender, and queer parents of children with developmental disabilities: a qualitative inquiry in the United States. *J Pediatr Health Care*. 2023;37(1):5-16. doi: 10.1016/j.pedhc.2022.09.004. PMID: 36184374. Exclusion: E2
414. West A, Lu S, Kandasamy V, et al. Caregivers with learning differences: a scoping review and stakeholder-engaged process to identify screening tools for maternal and early childhood home visiting programs. *J Dev Phys Disabil*. 2022;34(6):1031-51. doi: 10.1007/s10882-022-09833-0. Exclusion: E2
415. Lapierre N, Olatona O, Labrie D, et al. Providing community services for persons with disabilities during the COVID-19 pandemic: a scoping review. *Health Soc Care Community*. 2022;30(6):e3746-e60. doi: 10.1111/hsc.14050. PMID: 36168783. Exclusion: E2
416. Spellun A, Crume B, P. K. Development and implementation of a curriculum for pediatric trainees on caring for children who are deaf and hard of hearing: a pilot study. *Matern Child Health J*. 2022;26(11):2179-84. doi: 10.1007/s10995-022-03514-2. PMID: 36217055. Exclusion: E4
417. El-Den S, Pham L, Anderson I, et al. Perinatal depression screening: a systematic review of recommendations from member countries of the Organisation for Economic Co-operation and Development (OECD). *Arch Womens Ment Health*. 2022;25(5):871-93. doi: 10.1007/s00737-022-01249-1. PMID: 35849215. Exclusion: E1
418. Akobirshoev I, Vetter M, Iezzoni LI, et al. Delayed medical care and unmet care needs due to the COVID-19 pandemic among adults with disabilities in the US. *Health Aff (Millwood)*. 2022;41(10):1505-12. doi: 10.1377/hlthaff.2022.00509. PMID: 36190876. Exclusion: E2
419. Kertes J, Stein Reisner O, Grunhaus L, et al. Adherence to smoking cessation guidelines (5As) by psychiatrists and primary care physicians for persons with serious mental illness. *J Addict Dis*. 2022;40(4):463-71. doi: 10.1080/10550887.2021.2017203. PMID: 34931584. Exclusion: E2
420. Chipanta D, Stöckl H, Toska E, et al. Women with disabilities in hearing: the last mile in the elimination of mother-to-child transmission of HIV – a cross-sectional study from Zambia. *AIDS Care*. 2022;34(9):1203-11. doi: 10.1080/09540121.2021.1998313. PMID: 34789032. Exclusion: E5
421. Crapanzano KA, Smith S, R. H. Factors influencing elevated mortality rates of patients with schizophrenia hospitalized with COVID. *Community Ment Health J*. 2022;58(6):1088-92. doi: 10.1007/s10597-021-00917-3. PMID: 34800242. Exclusion: E2
422. Morisod K, Malebranche M, Marti J, et al. Interventions aimed at improving healthcare and health education equity for adult d/Deaf patients: a systematic review. *Eur J Public Health*. 2022;32(4):548-56. doi: 10.1093/eurpub/ckac056. PMID: 35640159. Exclusion: E8
423. Soper P, Stewart AG, Nathan R, et al. Do demographic, and clinical characteristics influence meeting NICE quality standards for young people transitioning to adult intellectual disability services? *Adv Ment Health Intellect Disabil*. 2022;16(4):189-98. doi: 10.1108/AMHID-12-2021-0051. Exclusion: E4
424. Pépin A-J, Lippé S, Drouin S, et al. Screening for distress in pediatric cancer survivors: a systematic comparison of one-step and two-step strategies to minimize detection errors. *J Psychosoc Oncol*. 2022;40(4):441-56. doi: 10.1080/07347332.2021.1906377. PMID: 33939599. Exclusion: DA
425. H H, Pierce M, Johnstone ED, et al. The sexual and reproductive health of women with mental illness: a primary care registry study. *Arch Womens Ment Health*. 2022;25(3):585-93. doi: 10.1007/s00737-022-01214-y. PMID: 35366692. Exclusion: E4

426. Ghanouni P, L. S. Healthcare services during the transitions to adulthood among individuals with ASD aged 15–25 years old: stakeholders' perspectives. *J Autism Dev Disord.* 2022;52(6):2575-88. doi: 10.1007/s10803-021-05159-6. PMID: 34216328. Exclusion: E2
427. Agaronnik ND, El-Jawahri A, LI. I. Implications of physical access barriers for breast cancer diagnosis and treatment in women with mobility disability. *J Disabil Policy Stud.* 2022;33(1):46-54. doi: 10.1177/10442073211010124. PMID: 35875606. Exclusion: E2
428. Santos FH, Zurek J, MP. J. Efficacy of healthy aging interventions for adults with intellectual and developmental disabilities: a systematic review. *Gerontologist.* 2022;62(4):e235-e52. doi: 10.1093/geront/gnaa192. PMID: 33220058. Exclusion: E2
429. Takeda H, K. T. Effect of buddy-style intervention on exercise adherence in community-dwelling disabled older adults: a pilot randomized controlled trial. *Clin Rehabil.* 2022;36(3):379-87. doi: 10.1177/02692155211041104. PMID: 34825590. Exclusion: E2
430. Mohny K, VanderMolen J, SS. M. Training and knowledge of mammographers in optimal positioning techniques for women with physical disabilities: survey development. *Radiologic Science & Education.* 2022;27(1):21-9. Exclusion: E2
431. Howarth-Maddison, M, Gamassa E, et al. Development of a brief screening method for identification of depression in older adults in Sub-Saharan Africa. *Aging Ment Health.* 2022;26(1):40-7. doi: 10.1080/13607863.2020.1857696. PMID: 33393367. Exclusion: DA
432. Koissaba BR, Lewis AN, Ward-Sutton C, et al. Community living outcome factors for people of color with disabilities and concomitant opioid use disorder: a scoping review. *J Rehabil.* 2022;88(1):32-44. Exclusion: E2
433. Lee M, H-H. H. Investigating similarities and differences in health needs according to disability type using the International Classification of Functioning, Disability and Health. *Disabil Rehabil.* 2021;43(26):3723-32. doi: 10.1080/09638288.2020.1773941. PMID: 32525419. Exclusion: E2
434. Bennett RJ, Donaldson S, Mansourian Y, et al. Perspectives on mental health screening in the audiology setting: a focus group study involving clinical and nonclinical staff. *Am J Audiol.* 2021;30(4):980-93. doi: 10.1044/2021\_AJA-21-00048. PMID: 34609173. Exclusion: E2
435. Martin Ginis KA, CR. W. From guidelines to practice: development and implementation of disability-specific physical activity guidelines. *Disabil Rehabil.* 2021;43(24):3432-9. doi: 10.1080/09638288.2020.1757167. PMID: 32394734. Exclusion: E2
436. Majeed-Ariss R, Martin GP, C. W. Utilisation and outcomes of sexually transmitted infection services following child sexual abuse: Insights from Saint Mary's Sexual Assault Referral Centre. *Child Youth Serv Rev.* 2021;130:N.PAG-N.PAG. doi: 10.1016/j.chilgyouth.2021.106219. Exclusion: E1
437. Soper AK, Cross A, Rosenbaum P, et al. Knowledge translation strategies to support service providers' implementation of the "F-words in childhood disability". *Disabil Rehabil.* 2021;43(22):3168-74. doi: 10.1080/09638288.2020.1729873. PMID: 32109167. Exclusion: E2
438. Stirling M, Anderson A, Ouellette-Kuntz H, et al. A scoping review documenting cancer outcomes and inequities for adults living with intellectual and/or developmental disabilities. *Eur J Oncol Nurs.* 2021;54:102011. doi: 10.1016/j.ejon.2021.102011. PMID: 34517198. Exclusion: E8
439. Niculescu I, Arora T, A. I. Screening for depression in older adults with cognitive impairment in the homecare setting: a systematic review. *Aging Ment Health.* 2021;25(9):1585-94. doi: 10.1080/13607863.2020.1793899. PMID: 32677506. Exclusion: E2

440. Jabour SM, Chander G, Rieker KA, et al. The Patient Reported Outcomes as a Clinical Tool (PROACT) pilot study: what can be gained by sharing computerized patient-reported mental health and substance use symptoms with providers in HIV care? *AIDS Behav.* 2021;25(9):2963-72. doi: 10.1007/s10461-021-03175-2. PMID: 33559775. Exclusion: E1
441. Tatar M, F. E. Effect of social support and barrier perceptions of disabled women on early detection of breast cancer. *Health Care Women Int.* 2021;42(7-9):1133-43. doi: 10.1080/07399332.2021.1894152. PMID: 33797317. Exclusion: E6
442. Collins KL, Linassi AG, A. Z-L. A focus group– and patient-driven study to understand patients' and health care providers' perspectives on services for people with amputation. *Physiother Can.* 2021;73(3):244-51. doi: 10.3138/ptc-2019-0054. PMID: 34456441. Exclusion: E2
443. Wells R, Daniel P, Barger B, et al. Impact of medical home-consistent care and child condition on select health, community, and family level outcomes among children with special health care needs. *Child Health Care.* 2021;50(2):171-91. doi: 10.1080/02739615.2020.1852085. Exclusion: E1
444. Abdulla S, NA. S. Experiences of healthcare professionals in cancer assessment and treatment for people with learning disabilities: a literature review. *Cancer Nurs.* 2021;20(2):28-34. doi: 10.7748/cnp.2021.e1654. Exclusion: E8
445. Anderson A, Barnett K, Bhagat M, et al. A qualitative evaluation of the impact of a training programme on colorectal cancer risk reduction for specialist screening practitioners on health promotion, knowledge and practice. *Eur J Cancer Care (Engl).* 2021;30(1):e13350. doi: 10.1111/ecc.13350. PMID: 33119181. Exclusion: E1
446. Jayes M, Palmer R, P. E. Giving voice to people with communication disabilities during mental capacity assessments. *Int J Lang Commun Disord.* 2021;56(1):90-101. doi: 10.1111/1460-6984.12585. PMID: 33325623. Exclusion: E2
447. Kagee A, Bantjes J, Saal W, et al. Predicting caseness of major depressive disorder using the Center for Epidemiological Studies Depression Scale (CESD-R) among patients receiving HIV care. *Gen Hosp Psychiatry.* 2020;67:70-6. doi: 10.1016/j.genhosppsych.2020.09.005. PMID: 33059218. Exclusion: DA
448. A. N. Challenges for women with disabilities accessing reproductive health care around the world: a scoping review. *Sex Disabil.* 2020;38(3):371-88. doi: 10.1007/s11195-020-09630-7. PMID: 144920388. Language: English. Entry Date: 20200819. Revision Date: 20210901. Publication Type: Journal Article. Exclusion: E6
449. Giles K, Ling J, I. G. Can point-of-care testing improve access to diagnostic screening and testing for people with learning disabilities? Exploring perspectives to improve access and equity. *Br J Learn Disabil.* 2020;48(1):28-36. doi: 10.1111/bld.12302. Exclusion: E2
450. Fecske E, Glasier P, Vargas Collado LM, et al. Standardized screening for depression in pediatric epilepsy. *J Pediatr Health Care.* 2020;34(1):47-53. doi: 10.1016/j.pedhc.2019.07.004. PMID: 31548136. Exclusion: DA
451. Dashner J, Espin-Tello SM, Snyder M, et al. Examination of community participation of adults with disabilities: comparing age and disability onset. *J Aging Health.* 2019;31:169S-94S. doi: 10.1177/0898264318816794. PMID: 31718411. Exclusion: E4
452. Truesdale M, Brown M, Taggart L, et al. Trauma-informed care: a qualitative study exploring the views and experiences of professionals in specialist health services for adults with intellectual disabilities. *J Appl Res Intellect Disabil.* 2019;32(6):1437-45. doi: 10.1111/jar.12634. PMID: 31169970. Exclusion: E2
453. Akobirshoev I, Parish S, Mitra M, et al. Impact of medical home on health care of children with and without special health care needs: update from the 2016 National Survey of Children's Health. *Matern Child Health J.* 2019;23(11):1500-7. doi: 10.1007/s10995-019-02774-9. PMID: 31222602. Exclusion: E2

454. Marker AM, Patton SR, McDonough RJ, et al. Implementing clinic-wide depression screening for pediatric diabetes: an initiative to improve healthcare processes. *Pediatr Diabetes*. 2019;20(7):964-73. doi: 10.1111/peidi.12886. PMID: 31264763. Exclusion: E1
455. Man J, M. K. Best practice adherence and workplace facilitators and hindrances for psychologists working with individuals with intellectual disabilities and co-morbid mental health concerns. *J Policy Pract Intellect Disabil*. 2019;16(3):239-49. doi: 10.1111/jppi.12288. Exclusion: E2
456. Mason D, Ingham B, Urbanowicz A, et al. A systematic review of what barriers and facilitators prevent and enable physical healthcare services access for autistic adults. *J Autism Dev Disord*. 2019;49(8):3387-400. doi: 10.1007/s10803-019-04049-2. PMID: 31124030. Exclusion: E6
457. Broder-Fingert S, Qin S, Goupil J, et al. A mixed-methods process evaluation of family navigation implementation for autism spectrum disorder. *Autism*. 2019;23(5):1288-99. doi: 10.1177/1362361318808460. PMID: 30404548. Exclusion: E2
458. DeCarlo MP, Bogenschutz MD, Hall-Lande JA, et al. Implementation of self-directed supports for people with intellectual and developmental disabilities in the United States. *J Disabil Policy Stud*. 2019;30(1):11-21. doi: 10.1177/1044207318790061. Exclusion: E2
459. Broder Fingert S, Carter A, Pierce K, et al. Implementing systems-based innovations to improve access to early screening, diagnosis, and treatment services for children with autism spectrum disorder: an autism spectrum disorder pediatric, early detection, engagement, and services network study. *Autism*. 2019;23(3):653-64. doi: 10.1177/1362361318766238. PMID: 29633852. Exclusion: E2
460. Valbuena D, Miltenberger R, Livingston C, et al. Self-monitoring and monetary reinforcement increases rate of walking in adults with intellectual disabilities. *J Dev Phys Disabil*. 2019;31(2):189-203. doi: 10.1007/s10882-018-9627-8. Exclusion: E2
461. Yousaf K, Mehmood Z, Saba T, et al. Mobile-health applications for the efficient delivery of health care facility to people with dementia (PwD) and support to their carers: a survey. *Biomed Res Int*. 2019;2019:7151475. doi: 10.1155/2019/7151475. PMID: 31032361. Exclusion: E2
462. Looman WM, Huijsman R, IN. F. The (cost-)effectiveness of preventive, integrated care for community-dwelling frail older people: a systematic review. *Health Soc Care Community*. 2019;27(1):1-30. doi: 10.1111/hsc.12571. PMID: 29667259. Exclusion: E1
463. Shin D-S, Y-J. C. A pilot study of team-based primary health care for people with disabilities in South Korea. *J Interprof Care*. 2019;33(1):129-32. doi: 10.1080/13561820.2018.1531832. PMID: 30321086. Exclusion: E2
464. Ramerman L, Hoekstra PJ, G. dK. Exploring barriers and facilitators in the implementation and use of guideline recommendations on antipsychotic drug prescriptions for people with intellectual disability. *J Appl Res Intellect Disabil*. 2018;31(6):1062-70. doi: 10.1111/jar.12461. PMID: 29923275. Exclusion: E2
465. Willis D, Samalin E, D. S. Colorectal cancer in people with intellectual disabilities. *Oncology*. 2018;95(6):323-36. doi: 10.1159/000492077. PMID: 30173217. Exclusion: E4
466. FJ W, Nabi A, I. A. Screening for depression in patients with cognitive impairment: a local audit. *Prog Neurol Psychiatry*. 2018;22(4):23-6. doi: 10.1002/pnp.519. Exclusion: E2
467. Blom JW, Van den Hout WB, Den Elzen WPJ, et al. Effectiveness and cost-effectiveness of proactive and multidisciplinary integrated care for older people with complex problems in general practice: an individual participant data meta-analysis. *Age Ageing*. 2018;47(5):705-14. doi: 10.1093/ageing/afy091. Exclusion: E1

468. Cohen ML, Holdnack JA, Kisala PA, et al. A comparison of PHQ-9 and TBI-QOL depression measures among individuals with traumatic brain injury. *Rehabil Psychol*. 2018;63(3):365-71. doi: 10.1037/rep0000216. PMID: 30024199. Exclusion: DA
469. Connell T, Barnett B, D. W. Barriers to antenatal psychosocial assessment and depression screening in private hospital settings. *Women Birth*. 2018;31(4):292-8. doi: 10.1016/j.wombi.2017.09.021. PMID: 29031647. Exclusion: E1
470. Walls M, Broder-Fingert S, Feinberg E, et al. Prevention and management of obesity in children with autism spectrum disorder among primary care pediatricians. *J Autism Dev Disord*. 2018;48(7):2408-17. doi: 10.1007/s10803-018-3494-0. PMID: 29450838. Exclusion: E1
471. Belton A, O'Dwyer M, Peklar J, et al. Medication use and health screening in an ageing adult population with down syndrome in Ireland: a descriptive study. *J Policy Pract Intellect Disabil*. 2018;15(2):145-54. doi: 10.1111/jppi.12241. Exclusion: E2
472. Chapman M, Lacey H, N. J. Improving services for people with learning disabilities and dementia: findings from a service evaluation exploring the perspectives of health and social care professionals. *Br J Learn Disabil*. 2018;46(1):33-44. doi: 10.1111/bld.12210. PMID: 127847273. Language: English. Entry Date: 20180212. Revision Date: 20191106. Publication Type: Journal Article. Exclusion: E2
473. LaFleur RC, Truscott S, Graybill E, et al. Improving culturally congruent health care for children with disabilities: stakeholder perspectives of cultural competence training in an interdisciplinary leadership training program. *J Transcult Nurs*. 2018;29(1):101-11. doi: 10.1177/1043659617699065. PMID: 28826317. Exclusion: E2
474. Fay P, Edmond SL, Baron JK, et al. Depression screening by physical therapists: practices, beliefs, barriers. *J Back Musculoskelet Rehabil*. 2017;30(6):1221-9. doi: 10.3233/BMR-169551. PMID: 28655127. Exclusion: E1
475. Iturralde E, Adams RN, Barley RC, et al. Implementation of depression screening and global health assessment in pediatric subspecialty clinics. *J Adolesc Health*. 2017;61(5):591-8. doi: 10.1016/j.jadohealth.2017.05.030. PMID: 28830798. Exclusion: E1
476. Smith SK, Johnston J, Rutherford C, et al. Identifying social-behavioral health needs of adults with sickle cell disease in the emergency department. *J Emerg Nurs*. 2017;43(5):444-50. doi: 10.1016/j.jen.2017.04.009. PMID: 28527641. Exclusion: E1
477. Tyrer F, Dunkley AJ, Spong R, et al. Involving service users with intellectual disability in research: experiences from the STOP diabetes study. *J Policy Pract Intellect Disabil*. 2017;14(3):255-61. doi: 10.1111/jppi.12176. Exclusion: E4
478. Berman BA, Jo AM, Cumberland WG, et al. D/deaf breast cancer survivors: their experiences and knowledge. *J Health Care Poor Underserved*. 2017;28(3):1165-90. doi: 10.1353/hpu.2017.0104. PMID: 28804085. Exclusion: E1
479. Dunkley AJ, Tyrer F, Gray LJ, et al. Type 2 diabetes and glucose intolerance in a population with intellectual disabilities: the STOP diabetes cross-sectional screening study. *J Intellect Disabil Res*. 2017;61(7):668-81. doi: 10.1111/jir.12380. PMID: 28544066. Exclusion: E2
480. Khadjesari Z, Hardoon SL, Petersen I, et al. Impact of financial incentives on alcohol consumption recording in primary health care among adults with schizophrenia and other psychoses: a cross-sectional and retrospective cohort study. *Alcohol Alcohol*. 2017;52(2):197-205. doi: 10.1093/alcalc/agw076. PMID: 28182195. Exclusion: E4
481. C. M. A depression screening protocol for patients with acute stroke: a quality improvement project. *J Neurosci Nurs*. 2017;49(1):39-48. doi: 10.1097/JNN.0000000000000231. PMID: 27602529. Exclusion: E1

482. McDonnall MC, Crudden A, LeJeune BJ, et al. Availability of mental health services for individuals who are deaf or deaf-blind. *J Soc Work Disabil Rehabil.* 2017;16(1):1-13. doi: 10.1080/1536710X.2017.1260515. PMID: 28187698. Exclusion: E2
483. Janssen EPCJ, Köhler S, Stehouwer CDA, et al. The patient health questionnaire-9 as a screening tool for depression in individuals with type 2 diabetes mellitus: the Maastricht study. *J Am Geriatr Soc.* 2016;64(11):e201-e6. doi: 10.1111/jgs.14388. PMID: 27783384. Exclusion: DA
484. Vanegas SB, R. A. Characterizing the systems of support for families of children with disabilities: a review of the literature. *J Fam Soc Work.* 2016;19(4):286-327. doi: 10.1080/10522158.2016.1218399. Exclusion: E4
485. Bennett KJ, McDermott S, Mann JR, et al. Preventive service utilization among people who are blind or have low vision. *J Vis Impair Blind.* 2016;110(2):89-102. doi: 10.1177/0145482X1611000203. Exclusion: E6
486. MacKenzie H, Rice D, S. M. Screening adherence for depression post stroke: evaluation of outpatients, a London experience (SAD PEOPLE). *J Rehabil Med.* 2016;48(1):109-10. doi: 10.2340/16501977-2032. Exclusion: E1
487. Levola J, M. A. Screening for at-risk drinking in a population reporting symptoms of depression: a validation of the AUDIT, AUDIT-C, and AUDIT-3. *Alcohol Clin Exp Res.* 2015;39(7):1186-92. doi: 10.1111/acer.12763. PMID: 26058472. Exclusion: E1
488. Pereira Cruz GK, Xavier de França IS, Freire de Oliveira C, et al. Removing the blindfolds: knowledge of blind women about breast cancer. *Rev Pesqui Cuid Fundam.* 2015;7(2):2486-93. doi: 10.9789/2175-5361.2015.v7i2.2486-2493. Exclusion: E5
489. Y. SY. Routine screening for psychological problems in HIV patients: what next? *HIV Nurs.* 2014;14(4):9-12. Exclusion: E1
490. Glover G, Christie A, C. H. Access to cancer screening by people with learning disabilities in England 2012/13: information from the Joint Health and Social Care Assessment Framework. *Tizard Learn Disabil Rev.* 2014;19(4):1-13. doi: 10.1108/TLDR-07-2014-0024. Exclusion: E4
491. Gote C, RD. B. Effectiveness of a reminder prompt to screen for diabetes in individuals with depression. *J Nurse Pract.* 2014;10(7):456-64. doi: 10.1016/j.nurpra.2014.04.021. Exclusion: E1
492. De La Cruz II, Freund KM, Battaglia TA, et al. Impact of depression on the intensity of patient navigation for women with abnormal cancer screenings. *J Health Care Poor Underserved.* 2014;25(1):383-95. doi: 10.1353/hpu.2014.0045. PMID: 24509033. Exclusion: E1
493. Long CG, Krawczyk KM, NE. K. Assessing the sexual knowledge of women in secure settings: the development of a new screening measure. *Br J Learn Disabil.* 2013;41(1):51-65. doi: 10.1111/j.1468-3156.2011.00722.x. Exclusion: E2
494. Sweeney T, R. S. Physical accessibility and health care use for women with physical disabilities: a case study approach. *Calif J Health Promot.* 2013;11(1):58-66. doi: 10.32398/cjhp.v11i1.1518. Exclusion: E2
495. DuPaul GJ, Carson KM, Q. F. Medical home care for children with special needs: access to services and family burden. *Child Health Care.* 2013;42(1):27-44. doi: 10.1080/02739615.2013.753813. Exclusion: E2
496. Proulx R, Mercier C, Lemétayer F, et al. Access to breast cancer screening programs for women with disabilities. *J Health Care Poor Underserved.* 2012;23(4):1609-19. doi: 10.1353/hpu.2012.0182. PMID: 23698675. Exclusion: E4
497. Bershadsky J, Taub S, Engler J, et al. Place of residence and preventive health care for intellectual and developmental disabilities services recipients in 20 states. *Public Health Rep.* 2012;127(5):475-85. doi: 10.1177/003335491212700503. PMID: 22942465. Exclusion: E6



498. Jensen CJ, Lukow HR, AL. H. Identifying barriers to care for older adults with substance use disorders and cognitive impairments. *Alcohol Treat Q.* 2012;30(2):211-23. doi: 10.1080/07347324.2012.663302. Exclusion: E4
499. Lopez EDS, Vasudevan V, Lanzone M, et al. Florida mammographer disability training vs needs. *Radiol Technol.* 2012;83(4):337-48. PMID: 22461343. Exclusion: E2
500. Parish SL, Rose RA, Luken K, et al. Cancer screening knowledge changes: results from a randomized control trial of women with developmental disabilities. *Res Soc Work Pract.* 2012;22(1):43-53. doi: 10.1177/1049731511415550. Exclusion: E4
501. Weir S, Posner HE, Zhang J, et al. Disparities in routine breast cancer screening for Medicaid managed care members with a work-limiting disability. *Medicare Medicaid Res Rev.* 2011;1(4):001.04.a02. doi: 10.5600/mmrr.001.04.a02. PMID: 22340778. Exclusion: E2
502. G. R. Increasing access to cancer screening programmes. *Learn Disabil Pract.* 2011;14(7):14-9. doi: 10.7748/ldp2011.09.14.7.14.c8697. Exclusion: E2
503. Devine M, Taggart L, P. M. Screening for mental health problems in adults with learning disabilities using the Mini PAS-ADD Interview. *Br J Learn Disabil.* 2010;38(4):252-8. doi: 10.1111/j.1468-3156.2009.00597.x. Exclusion: DA
504. Sullivan SG, Satgé D, DS. W. Cervical cancer surveillance in women with learning disabilities. *Int J Child Health Hum Dev.* 2010;3(2):157-63. Exclusion: E8
505. Harrington AL, Hirsch MA, Hammond FM, et al. Assessment of primary care services and perceived barriers to care in persons with disabilities. *Am J Phys Med Rehabil.* 2009;88(10):852-63. doi: 10.1097/phm.0b013e3181b30745. PMID: 19661771. Exclusion: E4
506. Devaney J, Seto L, Barry N, et al. Navigating healthcare: gateways to cancer screening. *Disabil Soc.* 2009;24(6):739-51. doi: 10.1080/09687590903160233. Exclusion: E7
507. B. O. Screening and treatment of depression in multiple sclerosis. *Int J MS Care.* 2008;10:50. Exclusion: E7
508. Robbins-Cherry SA, KA. R. Barriers to breast and cervical screening for women with physical disabilities: a qualitative study. *Clinical Rehabilitation.* 2006;20(8):733-4. Exclusion: E7
509. Parish SL, Saville AW. Women with cognitive limitations living in the community: evidence of disability-based disparities in health care. *Ment Retard.* 2006;44(4):249-59. doi: 10.1352/0047-6765(2006)44[249:wwcli]2.0.co;2. PMID: 16834462. Exclusion: E2
510. Bland R, Hutchinson N, Oakes P, et al. Double jeopardy? Needs and services for older people who have learning disabilities. *J Intellect Disabil.* 2003;7(4):323-44. doi: 10.1177/1469004703074002. Exclusion: E2
511. TV. C. Using focus groups to create culturally appropriate HIV prevention material for the deaf community. *Qual Soc Work.* 2003;2(3):289-308. doi: 10.1177/14733250030023005. Exclusion: E6
512. Grunfeld EA, Gresty MA, Bronstein AM, et al. Screening for depression among neuro-otology patients with and without identifiable vestibular lesions. *Int J Audiol.* 2003;42(3):161-5. doi: 10.3109/14992020309090425. PMID: 12705781. Exclusion: E1
513. McConkey R, Moore G, D. M. Changes in the attitudes of GPs to the health screening of patients with learning disabilities. *J Learn Disabil.* 2002;6(4):373-84. doi: 10.1177/146900470200600404. Exclusion: E4
514. Scholle SH, Agatista PK, Krohn MA, et al. Locating a health advocate in a private obstetrics/gynecology office increases patient's receipt of preventive recommendations. *J Womens Health Gen Based Med.* 2000;9(2):161-5. doi: 10.1089/152460900318650. PMID: 10746519. Exclusion: E1

515. Wells MB, Turner S, Martin DM, et al. Health gain through screening -- coronary heart disease and stroke: developing primary health care services for people with intellectual disability. *J Intellect Dev Disabil.* 1997;22(4):251-63. doi: 10.1080/13668259700033471. Exclusion: E4
516. Lv G, Wang X, Jiang X, et al. Impact of Alzheimer's disease and related dementias on colorectal cancer screening utilization, knowledge, and associated health disparities. *Front Pharmacol.* 2022;13:872702. doi: 10.3389/fphar.2022.872702. PMID: 36160445. Exclusion: E6
517. Clements JM, West BT, Harissa B, et al. Race disparities in the use of prevention, screening, and monitoring services in Michigan Medicare beneficiaries with type 2 diabetes and combinations of multiple chronic conditions. *Clin Diabetes.* 2020;38(4):363-70. doi: 10.2337/cd19-0088. PMID: 33132506. Exclusion: E1
518. Bouhmam H, Romanoski NL, AL. C. Reducing barriers to breast imaging in patients with mobility limitations. *J Breast Imaging.* 2020;2(1):56-60. doi: 10.1093/JBI/WBZ079. PMID: 38424998. Exclusion: E8
519. Playle R, Dimitropoulou P, Kelson M, et al. Exercise interventions in Huntington's disease: an individual patient data meta-analysis. *Mov Disord Clin Pract.* 2019;6(7):567-75. doi: 10.1002/mdc3.12809. PMID: 31538091. Exclusion: E2
520. Maragakis A, J. R. Integrated care and the behavioral health home: a new program to help improve somatic health outcomes for those with serious mental illness. *J Nerv Ment Dis.* 2015;203(12):891-5. doi: 10.1097/NMD.0000000000000392. PMID: 26558502. Exclusion: E4
521. MacLeod R, C. T. Immunisation against HPV in girls with intellectual disabilities. *Arch Dis Child.* 2014;99(12):1068-70. doi: 10.1136/archdischild-2013-305919. PMID: 25187494. Exclusion: E2
522. Park SJ, W-S. P. Identifying barriers to Papanicolaou smear screening in Korean women: Korean National Health and Nutrition Examination Survey 2005. *J Gynecol Oncol.* 2010;21(2):81-6. doi: 10.3802/jgo.2010.21.2.81. PMID: 20613896. Exclusion: E2
523. Cherry AL, Dillon ME, Hellman CM, et al. The AC-COD screen: rapid detection of people with the co-occurring disorders of substance abuse, mental illness, domestic violence, and trauma. *J Dual Diagn.* 2008;4(1):35-53. doi: 10.1300/J374v04n01\_03. Exclusion: DA
524. Trump L, C. H. The barriers preventing effective treatment of South African patients with mental health problems. *S Afr Psychiatry Rev.* 2006;9(4):249-60. doi: 10.4314/ajpsy.v9i4.30224. Exclusion: E5
525. SCL. G. Diabetes and schizophrenia. *Pract Diabetes Int.* 2005;22(1):23-6. doi: 10.1002/pdi.735. Exclusion: E7
526. Sadler GR, JT. F. Effective strategies that enhance adherence to breast cancer screening guidelines. *Breast Dis.* 2001;13:3-12. doi: 10.3233/bd-2001-13102. PMID: 15687617. Exclusion: E1
527. Haire AR, Bambrick M, J. J. Cervical screening for women with a mental handicap: a court sanctions her sterilisation. What about her cervical smear? *Br J Fam Plann.* 1992;17(4):120-1. Exclusion: E7
528. Kim HJ, Jeon J-Y, Kim H-W, et al. Validation of items on the NDDIE and PHQ-9 associated with suicidal ideation during suicidality screening in patients with epilepsy. *Seizure.* 2022;99:99-104. doi: 10.1016/j.seizure.2022.05.011. PMID: 35617807. Exclusion: DA
529. Gillespie DC, Duncan SE, Flewitt BI, et al. Screening for anxiety, depression and suicidality by epilepsy specialists in adult services in Scotland. *Epilepsy Behav.* 2023;142:109187. doi: 10.1016/j.yebeh.2023.109187. PMID: 37003102. Exclusion: E4
530. Ruan-Iu L, Chod D, Weissinger G, et al. Validation of the behavioral health screen-depression with adolescents in residential care. *Eur J Psychol Assess.* 2023;39(2):124-31. doi: 10.1027/1015-5759/a000697. Exclusion: DA

531. Scheirs J, Muller A, Manders N, et al. The prevalence and diagnosis of depression in people with mild or borderline intellectual disability: multiple instrument testing tells us more. *J Ment Health Res Intellect Disabil.* 2023;16(1):54-66. doi: 10.1080/19315864.2022.2029642. Exclusion: DA
532. Leonard R, Linden M, A. G. Effectiveness of family-focused home visiting for maternal mental illness: a systematic review and meta-analysis. *J Psychiatr Ment Health Nurs.* 2021;28(6):1113-27. doi: 10.1111/jpm.12715. PMID: 33253463. Exclusion: E8
533. Bahadoran P, Varela R, De Angelis A, et al. Screening for depression in movement disorders clinic. *Neurol Sci.* 2021;42(3):969-78. doi: 10.1007/s10072-020-04571-7. PMID: 32681218. Exclusion: DA
534. Hsieh K, Scott HM, S. M. Associated risk factors for depression and anxiety in adults with intellectual and developmental disabilities: Five-year follow up. *Am J Intellect Dev Disabil.* 2020;125(1):49-63. doi: 10.1352/1944-7558-125.1.49. PMID: 31877262. Exclusion: E2
535. Robles-Bello MA, D. S-T. Adaptation of the screen for adolescents anxiety related emotional disorders in Down syndrome. *Child Youth Serv Rev.* 2020;114doi: 10.1016/j.chilyouth.2020.105039. Exclusion: DA
536. Bryant A, Guy J, J. H. The strengths and difficulties questionnaire predicts concurrent mental health difficulties in a transdiagnostic sample of struggling learners. *Front Psychol.* 2020;11:587821. doi: 10.3389/fpsyg.2020.587821. PMID: 33329246. Exclusion: DA
537. Baggio S, Baudat S, Daeppen JB, et al. Screening for alcohol use disorder among individuals with comorbid psychiatric disorders: diagnostic accuracy in a sample of young Swiss men. *Addict Behav.* 2020;106:106354. doi: 10.1016/j.addbeh.2020.106354. PMID: 32135396. Exclusion: DA
538. Griffen AK, Risley K, Petros M, et al. Inclusion wheel: tool for building capacity and public health leaders to serve people with disabilities. *Health Promot Pract.* 2020;21(2):209-18. doi: 10.1177/1524839918788578. PMID: 30051741. Exclusion: E2
539. Rith-Najarian L, Sun W, Chen A, et al. What's in a name? Branding of online mental health programming for university students. *J Consult Clin Psychol.* 2019;87(4):380-91. doi: 10.1037/ccp0000383. PMID: 30883165. Exclusion: E1
540. O'Connor EA, Perdue LA, Senger CA, et al. Screening and behavioral counseling interventions to reduce unhealthy alcohol use in adolescents and adults: updated evidence report and systematic review for the US Preventive Services Task Force. *JAMA.* 2018;320(18):1910-28. doi: 10.1001/jama.2018.12086. PMID: 30422198. Exclusion: E1
541. Papas MA, Stolz N, Orsega-Smith E, et al. The importance of inclusion for cardiovascular health promotion programs in Delaware. *Health Promot Pract.* 2018;19(2):256-66. doi: 10.1177/1524839917704209. PMID: 28573871. Exclusion: E2
542. Cartwright JK, Desmarais SL, Johnson KL, et al. Performance and clinical utility of a short violence risk screening tool in U.S. adults with mental illness. *Psychol Serv.* 2018;15(4):398-408. doi: 10.1037/ser0000183. PMID: 30382735. Exclusion: DA
543. Lachner C, Armstrong MJ, Gruber-Baldini AL, et al. Discordance between physician assessment and patient-reported depressive symptoms in Parkinson disease. *J Geriatr Psychiatry Neurol.* 2017;30(4):191-5. doi: 10.1177/0891988717710335. PMID: 28535723. Exclusion: DA
544. De Marco AP, Mahoney JJ. I, Aduen PA, et al. The relationship between the neuro-quality of life depression and anxiety measures and the personality assessment inventory in persons with epilepsy. *Epilepsy Behav.* 2017;70(Pt A):145-9. doi: 10.1016/j.yebeh.2017.02.008. PMID: 28427023. Exclusion: DA

545. Shor R, A. S. Barriers to involvement in physical activities of persons with mental illness. *Health Promot Int.* 2016;31(1):116-23. doi: 10.1093/heapro/dau078. PMID: 25204451. Exclusion: E2
546. Wagner JL, Kellermann T, Mueller M, et al. Development and validation of the NDDI-E-Y: a screening tool for depressive symptoms in pediatric epilepsy. *Epilepsia.* 2016;57(8):1265-70. doi: 10.1111/epi.13446. PMID: 27354177. Exclusion: DA
547. Mula M, McGonigal A, Micoulaud-Franchi J-A, et al. Validation of rapid suicidality screening in epilepsy using the NDDIE. *Epilepsia.* 2016;57(6):949-55. doi: 10.1111/epi.13373. PMID: 27012840. Exclusion: DA
548. Pruijssers A, van Meijel B, Maaskant M, et al. Quality of diagnosis and treatment plans after using the 'Diagnostic Guideline for Anxiety and Challenging Behaviours' in people with intellectual disabilities: a comparative multiple case study design. *J Appl Res Intellect Disabil.* 2016;29(4):305-16. doi: 10.1111/jar.12180. PMID: 25727744. Exclusion: DA
549. Amtmann D, Bamer AM, Johnson KL, et al. A comparison of multiple patient reported outcome measures in identifying major depressive disorder in people with multiple sclerosis. *J Psychosom Res.* 2015;79(6):550-7. doi: 10.1016/j.jpsychores.2015.08.007. PMID: 26363679. Exclusion: DA
550. Strasser S, O'Quin K, Price T, et al. Older adults with intellectual disabilities: targets for increasing victimization, a call for a preemptive screening policy. *J Ment Health Res Intellect Disabil.* 2012;5(2):157-67. doi: 10.1080/19315864.2011.589962. Exclusion: E6
551. Baker S, Cooper G, Mitchell J, et al. Increasing the health outcomes of deaf and hard of hearing Oklahomans through tobacco awareness and cessation support. *JADARA.* 2011;45(1):208-30. PMID: 2012-34588-003. Exclusion: E2
552. Moore D, Guthmann D, Rogers N, et al. E-therapy as a means for addressing barriers to substance use disorder treatment for persons who are deaf. *J Sociol Soc Welf.* 2009;36(4):75-92. Exclusion: E2
553. SH. A. The sensitivity and specificity of depression screening tools among adults with intellectual disabilities. *J Ment Health Res Intellect Disabil.* 2009;2(1):45-64. doi: 10.1080/19315860802656659. PMID: 2009-06362-004. Exclusion: DA
554. Guthmann D, D. M. The Substance Abuse in Vocational Rehabilitation-Screener in American Sign Language (SAVR-S-ASL) for persons who are deaf. *JADARA.* 2007;41(1):9-16. Exclusion: DA
555. Gilliam FG, Barry JJ, Hermann BP, et al. Rapid detection of major depression in epilepsy: a multicentre study. *Lancet Neurol.* 2006;5(5):399-405. doi: 10.1016/S1474-4422%2806%2970415-X. PMID: 16632310. Exclusion: DA
556. Alexander T, DiNitto D, Tidblom I. Screening for alcohol and other drug use problems among the deaf. *Alcohol Treat Q.* 2005;23(1):63-78. doi: 10.1300/J020v23n01\_06. PMID: 2005-05685-006. Exclusion: E4
557. Ravesloot C, Seekins T, White G. Living well with a disability health promotion intervention: improved health status for consumers and lower costs for health care policymakers. *Rehabil Psychol.* 2005;50(3):239-45. doi: 10.1037/0090-5550.50.3.239. Exclusion: E2
558. Dombrowski A, J. R. Bridging general medicine and psychiatry: providing general medical and preventive care for the severely mentally ill. *Curr Opin Psychiatry.* 2004;17(6):523-9. doi: 10.1097/00001504-200411000-00018. Exclusion: E8
559. Katona C. The measurement of depression in old age. *DP - 1993. Nord J Psychiatry.* 1993;47(Suppl 28):53-8. doi: 10.3109/08039489309102782. Exclusion: E7
560. McKee MM, Barnett SL, Block RC, et al. Impact of communication on preventive services among deaf American Sign Language users. *Am J Prev Med.* 2011;41(1):75-9. doi: 10.1016/j.amepre.2011.03.004. PMID: 21665066. Exclusion: E2

561. Rivera Drew JA, SE. S. Disability and Pap smear receipt among U.S. Women, 2000 and 2005. *Perspect Sex Reprod Health*. 2010;42(4):258-66. doi: 10.1363/4225810. PMID: 21126302. Exclusion: E6
562. Smeltzer SC, Sharts-Hopko NC, Ott BB, et al. Perspectives of women with disabilities on reaching those who are hard to reach. *J Neurosci Nurs*. 2007;39(3):163-71. doi: 10.1097/01376517-200706000-00007. PMID: 17591412. Exclusion: E2
563. Sandel ME, Appelman J, Kotch MJ, et al. The California Kaiser Permanente Health System: evolving to meet the needs of people with disabilities. *Disabil Health J*. 2010;3(4):240-4. doi: 10.1016/j.dhjo.2010.07.003. PMID: 21122792. Exclusion: E7
564. BK. R. Audiences and messages for breast and cervical cancer screening. *Wellness Perspectives: Research, Theory and Practice*. 1995;11:13. Exclusion: E1
565. Steinberg AG, Sullivan VJ, RC. L. Cultural and linguistic barriers to mental health service access: the deaf consumer's perspective. *Am J Psychiatry*. 1998;155(7):982-4. doi: 10.1176/ajp.155.7.982. PMID: 9659872. Exclusion: E2
566. Ammerman RT, Putnam FW, Altaye M, et al. A clinical trial of in-home CBT for depressed mothers in home visitation. *Behav Ther*. 2013;44(3):359-72. doi: 10.1016/j.beth.2013.01.002. PMID: 23768664. Exclusion: E1
567. Sakellariou D, Anstey S, Gaze S, et al. Barriers to accessing cancer services for adults with physical disabilities in England and Wales: an interview-based study. *BMJ Open*. 2019;9(6):e027555. doi: 10.1136/bmjopen-2018-027555. PMID: 31248925. Exclusion: E1
568. Jones KE, IE. T. Making our offices universally accessible: guidelines for physicians. *CMAJ*. 1997;156(5):647-56. PMID: 9068570. Exclusion: E2
569. Hanson K, Neuman T, M. V. Understanding the health-care needs and experiences of people with disabilities: findings from a 2003 survey Henry J. Kaiser Foundation. Menlo Park, CA: Dec 2003. Exclusion: E4
570. Nosek MA, Young ME, Rintala D, et al. Barriers to reproductive health maintenance among women with physical disabilities. *J Womens Health (Larchmt)*. 1995;4(5):505-18. doi: 10.1089/jwh.1995.4.505. Exclusion: E2
571. North Carolina Office on Disability and Health. Women with disabilities in North Carolina: their views on health care. Raleigh, NC: North Carolina Office on Disability and Health; 1999. <http://fgp.unc.edu/~ndodh/pubs.htm>. Exclusion: E4
572. Foundation. RWJ. Survey finds US health care system not meeting needs of people with disabilities. *Advances*. 1994;7(1):10. Exclusion: E6
573. Parish SL, Swaine JG, Luken K, et al. Cervical and breast cancer-screening knowledge of women with developmental disabilities. *Intellect Dev Disabil*. 2012;50(2):79-91. doi: 10.1352/1934-9556-50.2.79. PMID: 22642963. Exclusion: E4
574. Tyler CV, Zyzanski SJ, Panaite V, et al. Nursing perspectives on cancer screening in adults with intellectual and other developmental disabilities. *Intellect Dev Disabil*. 2010;48(4):271-7. doi: 10.1352/1934-9556-48.4.271. PMID: 20722477. Exclusion: E2
575. SJ. M. Changes in coronary heart disease risk profile of adults with intellectual disabilities following a physical activity intervention. *J Intellect Disabil Res*. 2009;53(8):735-44. doi: 10.1111/j.1365-2788.2009.01187.x. PMID: 19527432. Exclusion: E5
576. Wu CL, Lin JD, J H, et al. The effectiveness of healthy physical fitness programs on people with intellectual disabilities living in a disability institution: six-month short-term effect. *Res Dev Disabil*. 2010;31(3):713-7. doi: 10.1016/j.ridd.2010.01.013. PMID: 20172687. Exclusion: E1
577. Chapman MJ, Craven MJ, DD. C. Following up fighting fit: the long-term impact of health practitioner input on obesity and BMI amongst adults with intellectual disabilities. *J Intellect Disabil*. 2008;12(4):309-23. doi: 10.1177/1744629508100557. PMID: 19074936. Exclusion: E1

578. Ewing G, McDermott S, Thomas-Koger M, et al. Evaluation of a cardiovascular health program for participants with mental retardation and normal learners. *Health Educ Behav.* 2004;31(1):77-87. doi: 10.1177/1090198103259162. PMID: 14768659. Exclusion: Hold per best evidence approach
579. Sailer AB, Miltenberger RG, Johnson B, et al. Evaluation of a weight loss treatment program for individuals with mild mental retardation. *Child Fam Behav Ther.* 2006;28(2):15-28. doi: 10.1300/J019v28n02\_02. Exclusion: E6
580. Aronow HU, JE. H. Stay well and healthy! Pilot study findings from an inhome preventive healthcare programme for persons ageing with intellectual and/or developmental disabilities. *J Appl Res Intellect Disabil.* 2005;18(2):163-73. doi: 10.1111/j.1468-3148.2005.00245.x. Exclusion: E4
581. Cooper S-A, Morrison J, Melville C, et al. Improving the health of people with intellectual disabilities: outcomes of a health screening programme after 1 year. *J Intellect Disabil Res.* 2006;50:667-77. doi: 10.1111/j.1365-2788.2006.00824.x. PMID: 16901294. Exclusion: E2
582. Felce D, Baxter H, Lowe K, et al. The impact of checking the health of adults with intellectual disabilities on primary care consultation rates, health promotion and contact with specialists. *J Appl Res Intellect Disabil.* 2008;21(6):597-602. doi: 10.1111/j.1468-3148.2008.00432.x. Exclusion: E2
583. Hahn JE, HU. A. A pilot of a gerontological advanced practice nurse preventive intervention. *J Appl Res Intellect Disabil.* 2005;18(2):131-42. doi: 10.1111/j.1468-3148.2005.00242.x. Exclusion: E4
584. Heal LW, CK. S. Response biases in interviews of individuals with limited mental ability. *J Intellect Disabil Res.* 1995;39:331-40. doi: 10.1111/j.1365-2788.1995.tb00525.x. PMID: 7579991. Exclusion: E2
585. MP. L. Comprehensive health care services for people with learning disabilities. *Adv Psychiatr Treat.* 2002;8(2):138-47. doi: 10.1192/apt.8.2.138. Exclusion: E2
586. Van Dyke D, McBrien D, A. S. Issues of sexuality in Down syndrome. *Downs Syndr Res Pract.* 1995;3(2):65-9. doi: 10.3104/reviews.53. Exclusion: E7
587. Keywood K, M. F. Healthcare decision-making by adults with intellectual disabilities: some levers to changing practice: intellectual disability. 2010. Exclusion: E7
588. Welner SL, Foley CC, Nosek M, et al. Practical considerations in the performance of physical examinations on women with disabilities. *Obstet Gynecol Surv.* 1999;54(7):457-62. doi: 10.1097/00006254-199907000-00025. PMID: 10394583. Exclusion: E7
589. JM. M. A retrospective comparison of weight, lipid, and glucose changes between risperidone-and olanzapine-treated inpatients: metabolic outcomes after 1 year. *J Clin Psychiatry.* 2002;63(5):425-33. doi: 10.4088/jcp.v63n0509. PMID: 12019668. Exclusion: DA
590. L. W. Preventive care for adults with Down syndrome. 2010. Exclusion: E7
591. Lennox NG, Rey-Conde TF, SL. F. A pilot of interventions to improve health care in adolescents with intellectual disability. *J Appl Res Intellect Disabil.* 2008;21(5):484-9. doi: 10.1111/j.1468-3148.2007.00417.x. Exclusion: E2
592. Melville CA, Boyle S, Miller S, et al. An open study of the effectiveness of a multi-component weight-loss intervention for adults with intellectual disabilities and obesity. *Br J Nutr.* 2011;105(10):1553-62. doi: 10.1017/S0007114510005362. PMID: 1255473. Exclusion: E2
593. Lunskey Y, Straiko A, S. A. Women be healthy: evaluation of a women's health curriculum for women with intellectual disabilities. *J Appl Res Intellect Disabil.* 2003;16(4):247-53. doi: 10.1046/j.1468-3148.2003.00160.x. Exclusion: E2
594. Haddad M, Llewellyn-Jones S, Yarnold S, et al. Improving the physical health of people with severe mental illness in a low secure forensic unit: an uncontrolled evaluation study of staff training and physical health care plans. *Int J Ment Health Nurs.* 2016;25(6):554-65. doi: 10.1111/inm.12246. PMID: 27443217. Exclusion: E2

595. Happell B, Davies C, D. S. Health behaviour interventions to improve physical health in individuals diagnosed with a mental illness: a systematic review. *Int J Ment Health Nurs*. 2012;21(3):236-47. doi: 10.1111/j.1447-0349.2012.00816.x. PMID: 22533331. Exclusion: E1
596. Kilbourne AM, Pirraglia PA, Lai Z, et al. Quality of general medical care among patients with serious mental illness: does colocation of services matter? *Psychiatr Serv*. 2011;62(8):922-8. doi: 10.1176/ps.62.8.pss6208\_0922. PMID: 21807832. Exclusion: E6
597. Naslund JA, Whiteman KL, McHugo GJ, et al. Lifestyle interventions for weight loss among overweight and obese adults with serious mental illness: a systematic review and meta-analysis. *Gen Hosp Psychiatry*. 2017;47:83-102. doi: 10.1016/j.genhosppsy.2017.04.003. PMID: 28807143. Exclusion: E2
598. Parker C, McNeill A, E. R. Tailored tobacco dependence support for mental health patients: a model for inpatient and community services. *Addiction*. 2012;107:18-25. doi: 10.1111/j.1360-0443.2012.04082.x. PMID: 23121356. Exclusion: E5
599. Stockings EAL, Bowman JA, Baker AL, et al. Impact of a postdischarge smoking cessation intervention for smokers admitted to an inpatient psychiatric facility: a randomized controlled trial. *Nicotine Tob Res*. 2014;16(11):1417-28. doi: 10.1093/ntr/ntu097. PMID: 24939916. Exclusion: E2
600. Verhaeghe N, De Maeseneer J, Maes L, et al. Effectiveness and cost-effectiveness of lifestyle interventions on physical activity and eating habits in persons with severe mental disorders: a systematic review. *Int J Behav Nutr Phys Act*. 2011;8(28):1-12. doi: 10.1186/1479-5868-8-28. PMID: 21481247. Exclusion: E2
601. Wye P, Bowman J, Wiggers J, et al. Treating nicotine dependence in mental health hospitals. *Ment Health Substance Use*. 2011;4(2):130-43. Exclusion: E8
602. Wye PM, Stockings EA, Bowman JA, et al. Effectiveness of a clinical practice change intervention in increasing the provision of nicotine dependence treatment in inpatient psychiatric facilities: an implementation trial. *BMC Psychiatry*. 2017;17(1):56. doi: 10.1186/s12888-017-1220-7. PMID: 28173823. Exclusion: E1
603. Habermann EB, Virnig BA, Durham SB, et al. Managed care enrollment and chronically disabled women with breast cancer. *Am J Manag Care*. 2008;14(8):514-20. PMID: 18690767. Exclusion: E2
604. Traci MA, Horan H, Russette H, et al. Improving mammography access for women with disabilities: outcomes of the CDC's right to know campaign. *Front Womens Health*. 2020;5(3):10.15761/fwh.1000188. doi: 10.15761/fwh.1000188. PMID: 35754658. Exclusion: E4
605. Ross E, C. O. The assessment of mood in adults who have severe or profound mental retardation. *Clin Psychol Rev*. 2003;23(2):225-45. doi: 10.1016/s0272-7358(02)00202-7. PMID: 12573671. Exclusion: E7
606. Bramston P, G. F. The assessment of emotional distress experienced by people with an intellectual disability: a study of different methodologies. *Res Dev Disabil*. 2000;21(6):487-500. doi: 10.1016/s0891-4222(00)00054-8. PMID: 11153831. Exclusion: E2
607. Curry MA, Powers LE, M. O. Development of an abuse screening tool for women with disabilities. *J Aggression Maltreat Trauma*. 2004;8(4):123-41. Exclusion: E6
608. Curry MA, Renker P, Hughes RB, et al. Development of measures of abuse among women with disabilities and the characteristics of their perpetrators. *Violence Against Women*. 2009;15(9):1001-25. doi: 10.1177/1077801209340306. PMID: 19622789. Exclusion: E6
609. Abells D, Kirkham YA, MP. O. Review of gynecologic and reproductive care for women with developmental disabilities. *Curr Opin Obstet Gynecol*. 2016;28(5):350-8. doi: 10.1097/GCO.0000000000000299. PMID: 27379438. Exclusion: E7

610. Peterson-Besse JJ, Walsh ES, Horner-Johnson W, et al. Barriers to health care among people with disabilities who are members of underserved racial/ethnic groups: a scoping review of the literature. *Med Care*. 2014;52:S51-S63. doi: 10.1097/MLR.000000000000195. PMID: 25215920. Exclusion: E2
611. Story MF, Schwier E, Ji K. Perspectives of patients with disabilities on the accessibility of medical equipment: examination tables, imaging equipment, medical chairs, and weight scales. *Disabil Health J*. 2009;2(4):169-79.e1. doi: 10.1016/j.dhjo.2009.05.003. PMID: 21122757. Exclusion: E2
612. Iezzoni LI, Rao SR, Ressler J, et al. US physicians' knowledge about the Americans with Disabilities Act and accommodation of patients With disability. *Health Aff (Millwood)*. 2022;41(1):96-104. doi: 10.1377/hlthaff.2021.01136. PMID: 34982624. Exclusion: E2
613. Chan D, Law B, Au D, et al. A systematic review of the barriers and facilitators influencing the cancer screening behaviour among people with intellectual disabilities. *Cancer Epidemiol*. 2022;76:102084. doi: 10.1016/j.canep.2021.102084. PMID: 34920342. Exclusion: E2
614. Cobigo V, Ouellette-Kuntz H, Balogh R, et al. Are cervical and breast cancer screening programmes equitable? The case of women with intellectual and developmental disabilities. *J Intellect Disabil Res*. 2013;57(5):478-88. Exclusion: E2
615. Owen C, Jessie D, M. DVR. Barriers to cancer screening amongst women with mental health problems. *Health Care Women Int*. 2002;23(6-7):561-6. doi: 10.1080/07399330290107322. PMID: 12418978. Exclusion: E1
616. Friedman LC, Moore A, Webb JA, et al. Breast cancer screening among ethnically diverse low-income women in a general hospital psychiatry clinic. *Gen Hosp Psychiatry*. 1999;21(5):374-81. doi: 10.1016/s0163-8343(99)00036-5. PMID: 10572780. Exclusion: E1
617. Marriott A, Turner S, A. G-S. Improving access to screening for people with learning disabilities. *Nurs Stand*. 2014;29(9):37-42. doi: 10.7748/ns.29.9.37.e9123. PMID: 25351092. Exclusion: E7
618. Schootman M, DB. J. Identifying factors associated with disability-related differences in breast cancer screening (United States). *Cancer Causes Control*. 2003;14(2):97-107. doi: 10.1023/a:1023091308625. PMID: 12749715. Exclusion: E6
619. Lasser KE, Ayanian JZ, Fletcher RH, et al. Barriers to colorectal cancer screening in community health centers: a qualitative study. *BMC Fam Pract*. 2008;9:15. doi: 10.1186/1471-2296-9-15. PMID: 18304342. Exclusion: E1
620. Couepel L, Bourgarel S, M. P-D. Cancer screening among people with disabilities: practices and specific problems in centres for disabled adults. *Pratiques et Organisation des Soins*. 2011;42(4):245e53. Exclusion: E9
621. Weinhardt LS, Carey MP, Carey KB, et al. Increasing assertiveness skills to reduce HIV risk among women living with a severe and persistent mental illness. *J Consult Clin Psychol*. 1998;66(4):680-4. doi: 10.1037//0022-006x.66.4.680. PMID: 9735586. Exclusion: E2
622. Kelly JA, McAuliffe TI, Sikkema KJ, et al. Reduction in risk behavior among adults with severe mental illness who learned to advocate for HIV prevention. *Psychiatr Serv*. 1997;48(10):1283-8. doi: 10.1176/ps.48.10.1283. PMID: 9323747. Exclusion: E2
623. Kalichman SC, Sikkema KJ, Kelly JA, et al. Use of a brief behavioral skills intervention to prevent HIV infection among chronic mentally ill adults. *Psychiatr Serv*. 1995;46(3):275-80. doi: 10.1176/ps.46.3.275. PMID: 7796217. Exclusion: E2
624. Otto-Salaj LL, Kelly JA, Stevenson LY, et al. Outcomes of a randomized small-group HIV prevention intervention trial for people with serious mental illness. *Community Ment Health J*. 2001;37(2):123-44. doi: 10.1023/a:1002709715201. PMID: 11318241. Exclusion: E2



625. Susser E, Valencia E, Berkman A, et al. Human immunodeficiency virus sexual risk reduction in homeless men with mental illness. *Arch Gen Psychiatry*. 1998;55(3):266-72. doi: 10.1001/archpsyc.55.3.266. PMID: 9510221. Exclusion: E2
626. Prochaska JJ, Gill P, SM. H. Treatment of tobacco use in an inpatient psychiatric setting. *Psychiatr Serv*. 2004;55(11):1265-70. doi: 10.1176/appi.ps.55.11.1265. PMID: 15534015. Exclusion: E2
627. Prochaska JJ, Fletcher L, Hall SE, et al. Return to smoking following a smoke-free psychiatric hospitalization. *Am J Addict*. 2006;15(1):15-22. doi: 10.1080/105504905000419011. PMID: 16449089. Exclusion: E2
628. Wye P, Bowman J, Wiggers J, et al. Providing nicotine dependence treatment to psychiatric inpatients: the views of Australian nurse managers. *J Psychiatr Ment Health Nurs*. 2010;17(4):319-27. doi: 10.1111/j.1365-2850.2009.01524.x. PMID: 20529182. Exclusion: E5
629. Ziedonis D, Williams JM, D. S. Serious mental illness and tobacco addiction: a model program to address this common but neglected issue. *Am J Med Sci*. 2003;326(4):223-30. doi: 10.1097/00000441-200310000-00014. PMID: 14557739. Exclusion: E7
630. McChargue DE, Gulliver SB, B. H. Would smokers with schizophrenia benefit from a more flexible approach to smoking treatment? *Addiction*. 2002;97(7):785-93. doi: 10.1046/j.1360-0443.2002.00064.x. PMID: 12133113. Exclusion: E7
631. Wye P, Bowman J, Wiggers J, et al. Total smoking bans in psychiatric inpatient services: a survey of perceived benefits, barriers and support among staff. *BMC Public Health*. 2010;10:372. doi: 10.1186/1471-2458-10-372. PMID: 20576163. Exclusion: E2
632. Lawn S, J. C. Psychiatric nurses' ethical stance on cigarette smoking by patients: determinants and dilemmas in their role in supporting cessation. *Int J Ment Health Nurs*. 2006;15(2):111-8. doi: 10.1111/j.1447-0349.2006.00410.x. PMID: 16643346. Exclusion: E2
633. Levy H, W. P. Sexual abuse prevention for individuals with mental retardation: considerations for genetic counselors. *J Genet Couns*. 2004;13(3):189-205. doi: 10.1023/B:JOGC.0000028158.79395.1e. PMID: 15604631. Exclusion: E7
634. Parish SL, Moss K, EL. R. Perspectives on health care of adults with developmental disabilities. *Intellect Dev Disabil*. 2008;46(6):411-26. doi: 10.1352/2008.46:411-426. PMID: 19006428. Exclusion: E1
635. Parish SL, Swaine JG, Son E, et al. Determinants of cervical cancer screening among women with intellectual disabilities: evidence from medical records. *Public Health Rep*. 2013;128(6):519-26. doi: 10.1177/003335491312800611. PMID: 24179263. Exclusion: E6
636. Swaine JG, Parish SL, K. L. Breast and cervical cancer screening for women with intellectual disabilities. *Health Soc Work*. 2013;38(3):183-6. doi: 10.1093/hsw/hlt012. PMID: 24437024. Exclusion: E7
637. Venville A, Sawyer A-M, Long M, et al. Supporting people with an intellectual disability and mental health problems: a scoping review of what they say about service provision. *J Ment Health Res Intellect Disabil*. 2015;8(3-4):186-212. Exclusion: E2
638. Beatty SE, Cross DS, TM. S. The impact of a parent-directed intervention on parent-child communication about tobacco and alcohol. *Drug Alcohol Rev*. 2008;27(6):591-601. doi: 10.1080/09595230801935698. PMID: 19378443. Exclusion: E1
639. Jackson C, DM. D. Anti-smoking parenting practices: recall by and effect on children's risk of smoking after 3 years. *Int J Public Health*. 2011;56(3):263-70. doi: 10.1007/s00038-010-0227-3. PMID: 21170568. Exclusion: E1
640. Voils CI, Coffman CJ, Yancy WS Jr, et al. A randomized controlled trial to evaluate the effectiveness of CoupLES: a spouse-assisted lifestyle change intervention to improve low-density lipoprotein cholesterol. *Prev Med*. 2013;56(1):46-52. doi: 10.1016/j.ypmed.2012.11.001. PMID: 23146744. Exclusion: E1

641. Barr O, Gilgunn J, Kane T, et al. Health screening for people with learning disabilities by a community learning disability nursing service in Northern Ireland. *J Adv Nurs*. 1999;29(6):1482-91. doi: 10.1046/j.1365-2648.1999.01036.x. PMID: 10354244. Exclusion: E1
642. Centorrino F, Wurtman JJ, Duca KA, et al. Weight loss in overweight patients maintained on atypical antipsychotic agents. *Int J Obes (Lond)*. 2006;30(6):1011-6. doi: 10.1038/sj.ijo.0803222. PMID: 16432547. Exclusion: E1
643. Lee SJ, Choi EJ, JS. K. A naturalistic multicenter trial of a 12-week weight management program for overweight and obese patients with schizophrenia or schizoaffective disorder. *J Clin Psychiatry*. 2008;69(4):555-62. doi: 10.4088/jcp.v69n0406. PMID: 18312061. Exclusion: E1
644. Wu MK, Wang CK, YM B, et al. Outcomes of obese, clozapine-treated inpatients with schizophrenia placed on a six-month diet and physical activity program. *Psychiatr Serv*. 2007;58(4):544-50. doi: 10.1176/ps.2007.58.4.544. PMID: 17412858. Exclusion: E2
645. Gallagher SM, Penn PE, Schindler E, et al. A comparison of smoking cessation treatments for persons with schizophrenia and other serious mental illnesses. *J Psychoactive Drugs*. 2007;39(4):487-97. doi: 10.1080/02791072.2007.10399888. PMID: 18303706. Exclusion: E2
646. George TP, Ziedonis DM, Feingold A, et al. Nicotine transdermal patch and atypical antipsychotic medications for smoking cessation in schizophrenia. *Am J Psychiatry*. 2000;157(11):1835-42. doi: 10.1176/appi.ajp.157.11.1835. PMID: 11058482. Exclusion: Hold per best evidence approach
647. Graeber DA, Moyers TB, Griffith G, et al. A pilot study comparing motivational interviewing and an educational intervention in patients with schizophrenia and alcohol use disorders. *Community Ment Health J*. 2003;39(3):189-202. doi: 10.1023/a:1023371705506. PMID: 12836801. Exclusion: E1
648. Bartels SJ, Pratt SI, Aschbrenner KA, et al. Pragmatic replication trial of health promotion coaching for obesity in serious mental illness and maintenance of outcomes. *Am J Psychiatry*. 2015;172(4):344-52. doi: 10.1176/appi.ajp.2014.14030357. PMID: 25827032. Exclusion: Hold per best evidence approach
649. Bartels SJ, Pratt SF, Aschbrenner KA, et al. Clinically significant improved fitness and weight loss among overweight persons with serious mental illness. *Psychiatr Serv*. 2013;64(8):729-36. doi: 10.1176/appi.ps.003622012. PMID: 23677386. Exclusion: Hold per best evidence approach
650. Brown C, Goetz J, Hamera E, et al. Treatment response to the RENEW weight loss intervention in schizophrenia: impact of intervention setting. *Schizophr Res*. 2014;159(2-3):421-5. doi: 10.1016/j.schres.2014.09.018. PMID: 25261884. Exclusion: E1
651. Daumit GL, Dickerson FB, Wang N-Y, et al. A behavioral weight-loss intervention in persons with serious mental illness. *N Engl J Med*. 2013;368(17):1594-602. doi: 10.1056/NEJMoa1214530. PMID: 23517118. Exclusion: Hold per best evidence approach
652. Iglesias-García C, Toimil-Iglesias A, MJ. A-V. Pilot study of the efficacy of an educational programme to reduce weight, on overweight and obese patients with chronic stable schizophrenia. *J Psychiatr Ment Health Nurs*. 2010;17(9):849-51. doi: 0.1111/j.1365-2850.2010.01590.x. PMID: 21077409. Exclusion: E1
653. Lovell K, Wearden A BT, Tomenson B, et al. An exploratory randomized controlled study of a healthy living intervention in early intervention services for psychosis: the INTERvention to encourage ACTivity, improve diet, and reduce weight gain (INTERACT) study. *J Clin Psychiatry*. 2014;75(5):498-505. doi: 0.4088/JCP.13m08503. PMID: 24500028. Exclusion: E1

654. Masa-Font R, Fernández-San-Martín MI, Martín López LM, et al. The effectiveness of a program of physical activity and diet to modify cardiovascular risk factors in patients with severe mental illness after 3-month follow-up: CAPiCOR randomized clinical trial. *Eur Psychiatry*. 2015;30(8):1028-36. doi: 10.1016/j.eurpsy.2015.09.006. PMID: 26521223. Exclusion: E1
655. Ratliff JC, Palmese LB TK, Chwastiak L, et al. Contingency management for the treatment of antipsychotic-induced weight gain: a randomized controlled pilot study. *Obes Facts*. 2012;5(6):919-27. doi: 10.1159/000345975. PMID: 23296213. Exclusion: E2
656. Weber M, K. W. A cognitive/behavioral group intervention for weight loss in patients treated with atypical antipsychotics. *Schizophr Res*. 2006;83(1):95-101. doi: 10.1016/j.schres.2006.01.008. PMID: 16507343. Exclusion: E2
657. Brar JS, Ganguli R, Pandina G, et al. Effects of behavioral therapy on weight loss in overweight and obese patients with schizophrenia or schizoaffective disorder. *J Clin Psychiatry*. 2005;66(2):205-12. doi: 10.4088/jcp.v66n0208. PMID: 15705006. Exclusion: E1
658. Methapatara W, M. S. Pedometer walking plus motivational interviewing program for Thai schizophrenic patients with obesity or overweight: a 12-week, randomized, controlled trial. *Psychiatry Clin Neurosci*. 2011;65(4):374-80. doi: 10.1111/j.1440-1819.2011.02225.x. PMID: 21682813. Exclusion: E1
659. Wu RR, Zhao JP, Hua J, et al. Lifestyle intervention and metformin for treatment of antipsychotic-induced weight gain: a randomized controlled trial. *JAMA*. 2008;299(2):185-93. doi: 10.1001/jama.2007.56-b. PMID: 18182600. Exclusion: E1
660. Goldberg RW, Reeves G, Tapscott S, et al. "MOVE!" Outcomes of a weight loss program modified for veterans with serious mental illness. *Psychiatr Serv*. 2013;64(8):737-44. doi: 10.1176/appi.ps.201200314. PMID: 23584716. Exclusion: E1
661. Erickson ZD, Mena SJ, Pierre JM, et al. Behavioral interventions for antipsychotic medication-associated obesity: a randomized, controlled clinical trial. *J Clin Psychiatry*. 2016;77(2):e183-e9. doi: 10.4088/JCP.14m09552. PMID: 26930534. Exclusion: E1
662. Green CA, Janoff SL, Yarborough BJH, et al. A 12-week weight reduction intervention for overweight individuals taking antipsychotic medications. *Community Ment Health J*. 2014;50(8):974-80. doi: 10.1007/s10597-014-9716-9. PMID: 24566560. Exclusion: E1
663. Green CA, Yarborough BJH, Leo MC, et al. The STRIDE weight loss and lifestyle intervention for individuals taking antipsychotic medications: a randomized trial. *Am J Psychiatry*. 2015;172(1):71-81. doi: 10.1176/appi.ajp.2014.14020173. PMID: 25219423. Exclusion: Hold per best evidence approach
664. Ball MP, Coons VF, RW. B. A program for treating olanzapine-related weight gain. *Psychiatr Serv*. 2001;52(7):967-9. doi: 10.1176/appi.ps.52.7.967. PMID: 11433117. Exclusion: E1
665. McKibbin CL, Patterson TL, Norman G, et al. A lifestyle intervention for older schizophrenia patients with diabetes mellitus: a randomized controlled trial. *Schizophr Res*. 2006;86(1-3):36-44. doi: 10.1016/j.schres.2006.05.010. PMID: 16842977. Exclusion: E1
666. Menza M, Vreeland B, S. M, et al. Managing atypical antipsychotic-associated weight gain: 12-month data on a multimodal weight control program. *J Clin Psychiatry*. 2004;65(4):471-7. PMID: 15119908. Exclusion: E2
667. Vreeland B, Minsky S, Menza M, et al. A program for managing weight gain associated with atypical antipsychotics. *Psychiatr Serv*. 2003;54(8):1155-7. doi: 10.1176/appi.ps.54.8.1155. PMID: 12883145. Exclusion: E1
668. Skrinar GS, Huxley NA HD, Menninger E, et al. The role of a fitness intervention on people with serious psychiatric disabilities. *Psychiatr Rehabil J*. 2005;29(2):122-7. doi: 10.2975/29.2005.122.127. PMID: 16268007. Exclusion: E1

669. Mauri M, Simoncini M, Castrogiovanni S, et al. A psychoeducational program for weight loss in patients who have experienced weight gain during antipsychotic treatment with olanzapine. *Pharmacopsychiatry*. 2008;41(1):17-23. doi: 10.1055/s-2007-992148. PMID: 18203047. Exclusion: E1
670. Kroll T, Jones GC, Kehn M, et al. Barriers and strategies affecting the utilisation of primary preventive services for people with physical disabilities: a qualitative inquiry. *Health Soc Care Community*. 2006;14(4):284-93. doi: 10.1111/j.1365-2524.2006.00613.x. PMID: 16787479. Exclusion: E4
671. Durbin J, Selick A, Casson I, et al. Evaluating the implementation of health checks for adults with intellectual and developmental disabilities in primary care: the importance of organizational context. *Intellect Dev Disabil*. 2016;54(2):136-50. doi: 10.1352/1934-9556-54.2.136. PMID: 27028255. Exclusion: E10

## **Appendix E. Evidence Tables**

Please see the Excel file submitted with the report.

## **Appendix F. Risk of Bias Tables**

Please see the Excel file submitted with the report.

# Appendix G. Summary- Barriers and Facilitators of Studies Included for Key Question 1

**Table G-1. Catalog of barriers and facilitators by clinical preventive service and type of disability**

USPSTF  Clinical Preventive Service	Barrier/ Facilitator Factor Level	Physical Disability	Physical Disability	Cognitive Disability	Cognitive Disability	Sensory Disability	Sensory Disability	SMI Disability	SMI Disability	Multiple Disabilities	Multiple Disabilities
		<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>
Anxiety disorder screening for adults (n=1)	Provider	--	--	Goodarzi 2018	Goodarzi 2018	--	--	--	--	--	--
Breast cancer screening (n=36)	Environment	Angus 2012 Barr 2008 Kilic 2019 Mele 2005 Suzuki 2013 Todd 2011 Verger 2005	Barr 2008 Peters 2016	Arana Chicas 2020 Armin 2022 Barr 2008 Bates 2019 Greenwood 2014 McIlpatrick 2011 Sullivan 2004 Swaine 2013 Taggart 2011 Truesdale-Kennedy 2011 Willis 2015	Arana Chicas 2020 Armin 2022 Barr 2008 Greenwood 2014 Sullivan 2004 Swaine 2013 Taggart 2011 Willis 2015 Willis 2016	Barr 2008 Mele 2005	Barr 2008	Barr 2008 Clifton 2016 Miller 2007 Verger 2005	Barr 2008 Clifton 2016 Miller 2007	--	--
	Person	Shah 2022 Barr 2008 Kilic 2019 Nosek 1997 Stillman 2014 Todd 2011 Magasi 2019 Persaud 2000 Suzuki 2013 Poulos 2011 Mele 2005	Poulos 2011 Suzuki 2013	Arana Chicas 2020 Armin 2022 Barr 2008 Bates 2019 Greenwood 2014 McIlpatrick 2011 Reidy 2018 Sullivan 2004 Swaine 2013 Sykes 2022 Taggart 2011 Truesdale-Kennedy 2011 Willis 2015 Willis 2016	Arana Chicas 2020 Armin 2022 Barr 2008 Greenwood 2014 Sykes 2022 Wilkinson 2011	Barr 2008 Mele 2005	--	Barr 2008 Clifton 2016 Kahn 2005 Miller 2007	Clifton 2016 Kahn 2005	--	--

USPSTF  Clinical Preventive Service	Barrier/ Facilitator Factor Level	Physical Disability	Physical Disability	Cognitive Disability	Cognitive Disability	Sensory Disability	Sensory Disability	SMI Disability	SMI Disability	Multiple Disabilities	Multiple Disabilities
		<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>
	Provider	Barr 2008 Angus 2012 Magasi 2019 Nosek 1997 Persaud 2000 Peters 2016 Shah 2022 Stillman 2014 Stillman 2017 Suzuki 2013 Todd 2011 Verger 2005	Barr 2008 Kilic 2019 Nandam 2018 Peters 2016 Poulos 2011 Shah 2022 Suzuki 2013 Verger 2005	Arana Chicas 2020 Armin 2022 Barr 2008 Bates 2019 Greenwood 2014 McIlpatrick 2011 Sullivan 2004 Swaine 2013 Wilkinson 2011 Willis 2015 Willis 2016	Arana Chicas 2020 Armin 2022 Barr 2008 Greenwood 2014 Swaine 2013 Taggart 2011 Wilkinson 2011	Barr 2008	Barr 2008 Jarman 2012 Mele 2005	Barr 2008 Clifton 2016 Rockson 2016 Verger 2005	Barr 2008 Clifton 2016 Kahn 2005 Miller 2007 Verger 2005	--	Jarman 2012
	Healthcare system	Barr 2008 Mele 2005 Suzuki 2013 Verger 2005	Suzuki 2013 Todd 2011	Armin 2022 Greenwood 2014 Willis 2015 Willis 2016	Arana Chicas 2020 Barr 2008 Greenwood 2014 Sullivan 2004 Sykes 2022 Willis 2015	Barr 2008 Mele 2005	Barr 2008	Barr 2008 Clifton 2016 Kahn 2005 Miller 2007 Verger 2005	Barr 2008 Clifton 2016 Kahn 2005 Miller 2007	Arana Chicas 2020	--
	Accessibility-HCF	Angus 2012 Barr 2008 Kilic 2019 Mele 2005 Nandam 2018 Nosek 1997 Peters 2016 Poulos 2011 Shah 2022 Todd 2011 Magasi 2019 Welch Saleeby 2016 Stillman 2017	Peters 2016 Todd 2011 Welch Saleeby 2016 Jarman 2012 Nandam 2018 Poulos 2011 Verger 2005 Shah 2022	Armin 2022 Barr 2008 Bates 2019 McIlpatrick 2011 Sullivan 2004 Taggart 2011 Willis 2016	Sullivan 2004	Barr 2008 Mele 2005 Welch Saleeby 2016	--	Barr 2008 Clifton 2016	Clifton 2016 Verger 2005	Arana Chicas 2020	Jarman 2012



USPSTF Clinical Preventive Service	Barrier/ Facilitator Factor Level	Physical Disability	Physical Disability	Cognitive Disability	Cognitive Disability	Sensory Disability	Sensory Disability	SMI Disability	SMI Disability	Multiple Disabilities	Multiple Disabilities
		<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>
	Accessible communication	Verger 2005	Peters 2016	Armin 2022 Sullivan 2004 Willis 2015	Arana Chicas 2020 Armin 2022 Greenwood 2014 Taggart 2011 Truesdale-Kennedy 2011 Wilkinson 2011 Willis 2015	Barr 2008 Mele 2005 Welch Saleeby 2016	--	--	--	--	--
	Policy	--	--	Armin 2022	--	--	--	Kahn 2005	--	--	--
Cervical cancer screening (n=19)	Environment	Angus 2012 Kilic 2019	--	Armin 2022	Armin 2022 Broughton 2000 Swaine 2013	--	--	Clifton 2016 Miller 2007	--	--	--
	Person	Persaud 2000 Kilic 2019 Nosek 1997 Shah 2022	--	Armin 2022 Broughton 2000 Lloyd 2014 Swaine 2013 Sykes 2022	Armin 2022 Sykes 2022	--	--	Clifton 2016 Miller 2007	Clifton 2016	--	--
	Provider	Angus 2012 Nosek 1997 Shah 2022 Stillman 2014 Stillman 2017	Halcomb 2019 Kilic 2019 Shah 2022	Agaronnik 2020 Armin 2022 Broughton 2000 Lloyd 2014 Swaine 2013 Sykes 2022 Wood 2007	Armin 2022 Broughton 2000 Lloyd 2014 Swaine 2013 Sykes 2022 Wood 2007	Fang 2016	--	Clifton 2016 Miller 2007 Rockson 2016	Clifton 2016 Miller 2007	--	--
	Healthcare system	--	Halcomb 2019	Agaronnik 2020 Armin 2022 Lloyd 2014 Swaine 2013 Wood 2007	Broughton 2000 Sykes 2022 Wood 2007	Fang 2016	--	Clifton 2016 Miller 2007	Clifton 2016	--	--
	Accessibility-HCF	Kilic 2019 Nosek 1997 Persaud 2000 Shah 2022 Stillman 2017	Halcomb 2019 Shah 2022	Armin 2022	--	--	--	--	Clifton 2016	--	--

USPSTF Clinical Preventive Service	Barrier/ Facilitator Factor Level	Physical Disability	Physical Disability	Cognitive Disability	Cognitive Disability	Sensory Disability	Sensory Disability	SMI Disability	SMI Disability	Multiple Disabilities	Multiple Disabilities
		<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>
	Accessible communication	--	--	Armin 2022 Lloyd 2014 Wood 2007	--	--	--	--	--	--	--
	Policy	--	--	Armin 2022	Wood 2007	--	--	--	--	--	--
Colorectal cancer screening (n=6)	Environment	Angus 2012 Solenberg 2021	--	--	--	--	--	Clifton 2016	--	--	--
	Person	Solenberg 2021	--	--	--	--	--	Clifton 2016	Clifton 2016	--	--
	Provider	Stillman 2017 Stillman 2014 Angus 2012	--	--	--	--	--	Clifton 2016 Rockson 2016	Clifton 2016	--	--
	Healthcare system	Solenberg 2021	--	--	--	--	--	Clifton 2016	Clifton 2016	--	--
	Accessibility-HCF	Stillman 2017 Stillman 2014 Solenberg 2021	--	--	--	--	--	--	Clifton 2016	--	--
Depression screening for adults (n=3)	Person	--	--	--	--	Nollett 2020 Nollett 2019	--	--	--	--	--
	Provider	--	--	Goodarzi 2018	Goodarzi 2018	Nollett 2020 Nollett 2019	--	--	--	--	--
	Healthcare system	--	--	--	--	Nollett 2020	--	--	--	--	--
	Policy	--	--	--	--	--	Nollett 2019	--	--	--	--
HIV infection screening (n=1)	Person	--	--	--	--	Bat-Chava 2005	--	--	--	--	--
	Accessible communication	--	--	--	--	Bat-Chava 2005	--	--	--	--	--

USPSTF Clinical Preventive Service	Barrier/ Facilitator Factor Level	Physical Disability	Physical Disability	Cognitive Disability	Cognitive Disability	Sensory Disability	Sensory Disability	SMI Disability	SMI Disability	Multiple Disabilities	Multiple Disabilities
		<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>	<i>Barrier</i>	<i>Facilitator</i>
Unhealthy alcohol use screening (n=2)	Environment	--	--	--	Randall James 2015 Thake 2015	--	--	--	--	--	--
	Person	--	--	Randall James 2015 Thake 2015	--	--	--	--	--	--	--
	Provider	--	--	Thake 2015	Thake 2015	--	--	--	--	--	--
	Healthcare system	--	--	Thake 2015	--	--	--	--	--	--	--
	Accessible communication	--	--	Randall James 2015 Thake 2015	Randall James 2015	--	--	--	--	--	--
Falls prevention in community-dwelling older adults (n=1)	Person	--	--	--	Burgon 2019	--	--	--	--	--	--
	Provider	--	--	--	Burgon 2019	--	--	--	--	--	--
	Healthcare system	--	--	Burgon 2019	Burgon 2019	--	--	--	--	--	--
Healthy diet and physical activity for CVD prevention (n=1)	Person	--	--	--	--	--	--	Pitman 2011	--	--	--
	Healthcare system	--	--	--	--	--	--	Pitman 2011	Pitman 2011	--	--
Behavioral counseling to prevent sexually transmitted infections (n=3)	Environment	--	--	--	--	--	--	--	Encandela 2003	--	--
	Person	Becker 1997	--	--	--	--	--	Agenor 2013 Encandela 2003	--	--	--
	Provider	--	--	--	--	--	--	Agenor 2013 Encandela 2003	Agenor 2013 Encandela 2003	--	--
	Healthcare system	--	--	--	--	--	--	Encandela 2003	Encandela 2003	--	--

Abbreviations: CVD=cardiovascular disease; HCF= healthcare facility; SMI = serious mental illness; USPSTF=United States Preventive Services Task Force

## Appendix H. Appendix References

1. United States Preventive Services Task Force (USPSTF). A&B Recommendations. <https://www.uspreventiveservicestaskforce.org/uspstf/recommendation-topics/uspstf-a-and-b-recommendations>. Accessed March 10, 2024.
2. Higgins J, Savović J, Page M, et al. Chapter 8: Assessing risk of bias in a randomized trial. In: Higgins J, Thomas J, Chandler J, Cumpston M, Li T, Page M, et al., eds. Cochrane Handbook for Systematic Reviews of Interventions version 6.3: Cochrane; 2022.
3. US Preventive Services Task Force. USPSTF procedure manual. Rockville, MD: May 2021. <https://uspreventiveservicestaskforce.org/uspstf/about-uspstf/methods-and-processes/procedure-manual> Accessed March 10, 2024.
4. Hong Q, Pluye P, Fabregues S, et al. Mixed Methods Appraisal Tool (MMAT), version 2018. In: McGill University DoFM, editor; 2018.
5. Ponto J. Understanding and evaluating survey research. J Adv Pract Oncol. 2015;6(2):168-71. PMID: 26649250.